

FUI **FITTINGS** **UNLIMITED** INC

Adapter & Fitting Specialist

www.myfui.com

Standard Parts List

CORPORATE SALES

DALLAS, TX

3000 AVENUE F

ARLINGTON, TX 76011

(800) 348-8467 (281) 500-9570 FAX

CLEVELAND, OH

(800) 348-8467 (817) 860-8517 FAX

HOUSTON, TX

(800) 633-5340 (281) 500-9570 FAX

SALT LAKE CITY, UT

(800) 348-8467 (817) 860-8517 FAX

CANADA -AURORA, ONTARIO

(877) 644-4403 (905) 713-3927 FAX

ATLANTA, GA

(800) 348-8467 (817) 860-8517 FAX


- TERMS -** All invoices are 2%-10 Net 30 with approved credit. A 1½% finance charge will be assessed on all past due accounts. All accounts due and payable in Arlington, Tarrant County, Texas.
- MINIMUM ORDER -** \$25.00 per order
- POR -** Price On Request
- RETURNS -** Fittings may be returned only with authorization from FITTINGS UNLIMITED, INC. - subject to our inspection and must be shipped freight prepaid within 30 days of original shipment. A restocking fee of 20% or \$10.00, whichever is greater, will apply. In case of shipping errors, notification must be made within 30 days to receive an adjustment. Special fittings and made to order items are non-cancelable and not returnable without written consent of FITTINGS UNLIMITED, INC.

*Import O-Ring
Face Seal*

*“It is the policy of Fittings Unlimited, Inc.
to maintain and improve our customer satisfaction by
providing hydraulic and pneumatic fittings and
accessories that consistently meet our customer’s
specified product and delivery requirements.”*

IMPORT O-RING FACE SEAL

Styles may vary from picture



Y-OFS-0304-C
Cap Nut

- Y-OFS-0304-C-04
- Y-OFS-0304-C-06
- Y-OFS-0304-C-08
- Y-OFS-0304-C-10
- Y-OFS-0304-C-12
- Y-OFS-0304-C-16
- Y-OFS-0304-C-20
- Y-OFS-0304-C-24
- Y-OFS-0304-C-32




Y-OFS-0306
Bulkhead Lock Nut

- Y-OFS-0306-04
- Y-OFS-0306-06
- Y-OFS-0306-08
- Y-OFS-0306-10
- Y-OFS-0306-12
- Y-OFS-0306-16
- Y-OFS-0306-20
- Y-OFS-0306-24



Y-OFS-0318
OFS Nut


- Y-OFS-0318-04
- Y-OFS-0318-06
- Y-OFS-0318-08
- Y-OFS-0318-10
- Y-OFS-0318-12
- Y-OFS-0318-16
- Y-OFS-0318-20
- Y-OFS-0318-24
- Y-OFS-0318-32



Y-OFS-0319
OFS Braze Shoulder


- Y-OFS-0319-04
- Y-OFS-0319-06
- Y-OFS-0319-08

- Y-OFS-0319-10
- Y-OFS-0319-12
- Y-OFS-0319-16
- Y-OFS-0319-20
- Y-OFS-0319-24
- Y-OFS-0319-32




Y-OFS-0403
(1) Bore for Brazing
(2) Male OFS

- Y-OFS-0403-04-04
- Y-OFS-0403-04-06
- Y-OFS-0403-04-08
- Y-OFS-0403-06-04
- Y-OFS-0403-06-06
- Y-OFS-0403-06-08
- Y-OFS-0403-06-10
- Y-OFS-0403-08-06
- Y-OFS-0403-08-08
- Y-OFS-0403-08-10
- Y-OFS-0403-08-12
- Y-OFS-0403-08-16
- Y-OFS-0403-10-06
- Y-OFS-0403-10-08
- Y-OFS-0403-10-10
- Y-OFS-0403-10-12
- Y-OFS-0403-12-08
- Y-OFS-0403-12-10
- Y-OFS-0403-12-12
- Y-OFS-0403-12-16
- Y-OFS-0403-16-12
- Y-OFS-0403-16-16
- Y-OFS-0403-16-20
- Y-OFS-0403-20-16
- Y-OFS-0403-20-20
- Y-OFS-0403-20-24
- Y-OFS-0403-24-20
- Y-OFS-0403-24-24




Y-OFS-1700-61 - Str.
(1) Male OFS
(2) O-Ring Flange
Code 61

- Y-OFS-1700-61-12-12
- Y-OFS-1700-61-16-16
- Y-OFS-1700-61-20-20
- Y-OFS-1700-61-24-24




Y-OFS-1700-62 - Str.
(1) Male OFS
(2) O-Ring Flange
Code 62

- Y-OFS-1700-62-12-12
- Y-OFS-1700-62-12-16
- Y-OFS-1700-62-16-12
- Y-OFS-1700-62-16-16
- Y-OFS-1700-62-20-16
- Y-OFS-1700-62-20-20
- Y-OFS-1700-62-24-24



Y-OFS-1703-F-61 - 45°
(1) Male OFS
(2) O-Ring Flange
Code 61

- Y-OFS-1703-F-61-12-12
- Y-OFS-1703-F-61-16-16
- Y-OFS-1703-F-61-20-20
- Y-OFS-1703-F-61-24-24




Y-OFS-1703-F-62 - 45°
(1) Male OFS
(2) O-Ring Flange
Code 62

- Y-OFS-1703-F-62-12-12
- Y-OFS-1703-F-62-16-16
- Y-OFS-1703-F-62-20-20
- Y-OFS-1703-F-62-24-24

IMPORT O-RING FACE SEAL


Styles may vary from picture



Y-OFS-1704-F-61 - 90°

- (1) Male OFS
- (2) O-Ring Flange
- Code 61


- Y-OFS-1704-F-61-12-12
- Y-OFS-1704-F-61-16-16
- Y-OFS-1704-F-61-20-20
- Y-OFS-1704-F-61-24-24



Y-OFS-1704-F-62 - 90°

- (1) Male OFS
- (2) O-Ring Flange
- Code 62


- Y-OFS-1704-F-62-12-12
- Y-OFS-1704-F-62-16-16
- Y-OFS-1704-F-62-20-20
- Y-OFS-1704-F-62-24-24



Y-OFS-2403 - Str.

- (1) (2) Male OFS Union


- Y-OFS-2403-04-04
- Y-OFS-2403-06-04
- Y-OFS-2403-06-06
- Y-OFS-2403-08-06
- Y-OFS-2403-08-08
- Y-OFS-2403-10-08
- Y-OFS-2403-10-10
- Y-OFS-2403-12-08
- Y-OFS-2403-12-10
- Y-OFS-2403-12-12
- Y-OFS-2403-16-08
- Y-OFS-2403-16-12
- Y-OFS-2403-16-16
- Y-OFS-2403-20-16
- Y-OFS-2403-20-20
- Y-OFS-2403-24-20
- Y-OFS-2403-24-24
- Y-OFS-2403-32-32



Y-OFS-2404 - Str.

- (1) Male OFS
- (2) Male Pipe

- Y-OFS-2404-04-02
- Y-OFS-2404-04-04
- Y-OFS-2404-04-06
- Y-OFS-2404-04-08
- Y-OFS-2404-06-02
- Y-OFS-2404-06-04
- Y-OFS-2404-06-06
- Y-OFS-2404-06-08
- Y-OFS-2404-08-04
- Y-OFS-2404-08-06
- Y-OFS-2404-08-08
- Y-OFS-2404-08-12
- Y-OFS-2404-08-16
- Y-OFS-2404-10-08
- Y-OFS-2404-10-12
- Y-OFS-2404-10-16
- Y-OFS-2404-12-08
- Y-OFS-2404-12-12
- Y-OFS-2404-12-16
- Y-OFS-2404-16-12
- Y-OFS-2404-16-16
- Y-OFS-2404-16-20
- Y-OFS-2404-20-16
- Y-OFS-2404-20-20
- Y-OFS-2404-24-24




Y-OFS-2406 - Str.

- Reducer
- (1) Fem. OFS
- (2) Male OFS

- Y-OFS-2406-04-06
- Y-OFS-2406-04-08
- Y-OFS-2406-06-04
- Y-OFS-2406-06-08
- Y-OFS-2406-08-04
- Y-OFS-2406-08-06
- Y-OFS-2406-08-12
- Y-OFS-2406-10-04
- Y-OFS-2406-10-06
- Y-OFS-2406-10-08
- Y-OFS-2406-10-12
- Y-OFS-2406-12-04
- Y-OFS-2406-12-06
- Y-OFS-2406-12-08
- Y-OFS-2406-12-10
- Y-OFS-2406-12-16


- Y-OFS-2406-16-08
- Y-OFS-2406-16-10
- Y-OFS-2406-16-12
- Y-OFS-2406-16-20
- Y-OFS-2406-20-12
- Y-OFS-2406-20-16
- Y-OFS-2406-20-24
- Y-OFS-2406-24-16
- Y-OFS-2406-24-20



Y-OFS-2406-BLK - Str.

- BLANK
- (1) Fem. OFS
- (2) Male OFS


- Y-OFS-2406-BLK-04-04
- Y-OFS-2406-BLK-06-06
- Y-OFS-2406-BLK-08-08



Y-OFS-2407 - Str.

- Reducer Less Nut
- (1) Fem. OFS
- (2) Male OFS

- Y-OFS-2407-08-04
- Y-OFS-2407-08-06
- Y-OFS-2407-10-04
- Y-OFS-2407-10-06
- Y-OFS-2407-10-08
- Y-OFS-2407-12-04
- Y-OFS-2407-12-06
- Y-OFS-2407-12-08
- Y-OFS-2407-16-08
- Y-OFS-2407-16-10
- Y-OFS-2407-20-12
- Y-OFS-2407-24-16
- Y-OFS-2407-24-20
- Y-OFS-2407-32-20
- Y-OFS-2407-32-24




Y-OFS-2408

- (1) Male OFS Plug

- Y-OFS-2408-04
- Y-OFS-2408-06
- Y-OFS-2408-08
- Y-OFS-2408-10
- Y-OFS-2408-12
- Y-OFS-2408-16
- Y-OFS-2408-20
- Y-OFS-2408-24


IMPORT O-RING FACE SEAL

Styles may vary from picture




Y-OFS-2500-F - 90°
(1) (2) Male OFS Union

- Y-OFS-2500-F-04-04
- Y-OFS-2500-F-06-04
- Y-OFS-2500-F-06-06
- Y-OFS-2500-F-08-08
- Y-OFS-2500-F-10-10
- Y-OFS-2500-F-12-12
- Y-OFS-2500-F-16-16
- Y-OFS-2500-F-20-20
- Y-OFS-2500-F-24-24
- Y-OFS-2500-F-32-32




Y-OFS-2501-F - 90°
(1) Male OFS
(2) Male Pipe

- Y-OFS-2501-F-04-02
- Y-OFS-2501-F-04-04
- Y-OFS-2501-F-04-06
- Y-OFS-2501-F-04-08
- Y-OFS-2501-F-06-02
- Y-OFS-2501-F-06-04
- Y-OFS-2501-F-06-06
- Y-OFS-2501-F-06-08
- Y-OFS-2501-F-08-04
- Y-OFS-2501-F-08-06
- Y-OFS-2501-F-08-08
- Y-OFS-2501-F-08-12
- Y-OFS-2501-F-10-08
- Y-OFS-2501-F-10-12
- Y-OFS-2501-F-10-16
- Y-OFS-2501-F-12-08
- Y-OFS-2501-F-12-12
- Y-OFS-2501-F-12-16
- Y-OFS-2501-F-16-12
- Y-OFS-2501-F-16-16
- Y-OFS-2501-F-20-16
- Y-OFS-2501-F-20-20
- Y-OFS-2501-F-24-20
- Y-OFS-2501-F-24-24




Y-OFS-2503-F - 45°
(1) Male OFS
(2) Male Pipe

- Y-OFS-2503-F-04-02
- Y-OFS-2503-F-04-04
- Y-OFS-2503-F-06-04
- Y-OFS-2503-F-06-06
- Y-OFS-2503-F-08-06
- Y-OFS-2503-F-08-08
- Y-OFS-2503-F-10-08
- Y-OFS-2503-F-12-12
- Y-OFS-2503-F-16-16
- Y-OFS-2503-F-20-20
- Y-OFS-2503-F-24-24



Y-OFS-2601-F - Tee
(1) (2) Male OFS
(3) Male Pipe


- Y-OFS-2601-F-04-04-02
- Y-OFS-2601-F-04-04-04
- Y-OFS-2601-F-06-06-04
- Y-OFS-2601-F-06-06-06
- Y-OFS-2601-F-08-08-06
- Y-OFS-2601-F-08-08-08
- Y-OFS-2601-F-12-12-12
- Y-OFS-2601-F-16-16-16
- Y-OFS-2601-F-20-20-20



Y-OFS-2603-F - Tee
(1) (2) (3) Male OFS Union


- Y-OFS-2603-F-04-04-04
- Y-OFS-2603-F-06-06-06
- Y-OFS-2603-F-06-06-08
- Y-OFS-2603-F-06-08-08
- Y-OFS-2603-F-08-06-08
- Y-OFS-2603-F-08-08-06
- Y-OFS-2603-F-08-08-08
- Y-OFS-2603-F-08-08-10
- Y-OFS-2603-F-10-10-10
- Y-OFS-2603-F-10-10-12
- Y-OFS-2603-F-12-12-04
- Y-OFS-2603-F-12-12-06
- Y-OFS-2603-F-12-12-08

- Y-OFS-2603-F-12-12-12
- Y-OFS-2603-F-12-12-16
- Y-OFS-2603-F-16-16-12
- Y-OFS-2603-F-16-16-16
- Y-OFS-2603-F-20-20-16
- Y-OFS-2603-F-20-20-20
- Y-OFS-2603-F-24-24-24




Y-OFS-2605-F - Tee
(1) (3) Male OFS
(2) Male Pipe

- Y-OFS-2605-F-04-04-04
- Y-OFS-2605-F-06-04-06
- Y-OFS-2605-F-06-06-06
- Y-OFS-2605-F-08-08-08



Y-OFS-2650-F - Cross
(1) (2) (3) (4) Male OFS Union

- Y-OFS-2650-F-04-04-04-04
- Y-OFS-2650-F-06-06-06-06
- Y-OFS-2650-F-08-08-08-08
- Y-OFS-2650-F-10-10-10-10
- Y-OFS-2650-F-12-12-12-12
- Y-OFS-2650-F-16-16-16-16
- Y-OFS-2650-F-20-20-20-20
- Y-OFS-2650-F-24-24-24-24




Y-OFS-2700 - Str.
(1) Male OFS
(2) OFS Bulkhead

- Y-OFS-2700-04-04
- Y-OFS-2700-06-06
- Y-OFS-2700-06-08
- Y-OFS-2700-08-06
- Y-OFS-2700-08-08
- Y-OFS-2700-10-10
- Y-OFS-2700-12-12
- Y-OFS-2700-16-16
- Y-OFS-2700-20-20
- Y-OFS-2700-24-24


IMPORT O-RING FACE SEAL

Styles may vary from picture




Y-OFS-2700-LN - Str.
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

- Y-OFS-2700-LN-04-04
- Y-OFS-2700-LN-06-06
- Y-OFS-2700-LN-06-08
- Y-OFS-2700-LN-08-06
- Y-OFS-2700-LN-08-08
- Y-OFS-2700-LN-10-10
- Y-OFS-2700-LN-12-12
- Y-OFS-2700-LN-16-16
- Y-OFS-2700-LN-20-20
- Y-OFS-2700-LN-24-24




Y-OFS-2701-F - 90°
 (1) Male OFS
 (2) OFS Bulkhead

- Y-OFS-2701-F-04-04
- Y-OFS-2701-F-06-06
- Y-OFS-2701-F-06-08
- Y-OFS-2701-F-08-06
- Y-OFS-2701-F-08-08
- Y-OFS-2701-F-08-10
- Y-OFS-2701-F-10-10
- Y-OFS-2701-F-12-12
- Y-OFS-2701-F-16-16
- Y-OFS-2701-F-20-20
- Y-OFS-2701-F-24-24




Y-OFS-2701-F-LN - 90°
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

- Y-OFS-2701-F-LN-04-04
- Y-OFS-2701-F-LN-06-06
- Y-OFS-2701-F-LN-08-08
- Y-OFS-2701-F-LN-10-10
- Y-OFS-2701-F-LN-12-12
- Y-OFS-2701-F-LN-16-16
- Y-OFS-2701-F-LN-20-20
- Y-OFS-2701-F-LN-24-24




Y-OFS-2702-F - 45°
 (1) Male OFS
 (2) OFS Bulkhead

- Y-OFS-2702-F-04-04
- Y-OFS-2702-F-06-06
- Y-OFS-2702-F-08-08
- Y-OFS-2702-F-10-08
- Y-OFS-2702-F-10-10
- Y-OFS-2702-F-12-12
- Y-OFS-2702-F-16-16
- Y-OFS-2702-F-20-20
- Y-OFS-2702-F-24-24




Y-OFS-2702-F-LN - 45°
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

- Y-OFS-2702-F-LN-04-04
- Y-OFS-2702-F-LN-06-06
- Y-OFS-2702-F-LN-08-08
- Y-OFS-2702-F-LN-10-10
- Y-OFS-2702-F-LN-12-12
- Y-OFS-2702-F-LN-16-16
- Y-OFS-2702-F-LN-20-20
- Y-OFS-2702-F-LN-24-24




Y-OFS-2703-F - Tee
 (1) (2) Male OFS
 (3) OFS Bulkhead

- Y-OFS-2703-F-04-04-04
- Y-OFS-2703-F-06-06-06
- Y-OFS-2703-F-08-08-08
- Y-OFS-2703-F-10-10-10
- Y-OFS-2703-F-12-12-12
- Y-OFS-2703-F-16-16-16
- Y-OFS-2703-F-20-20-20
- Y-OFS-2703-F-24-24-24




Y-OFS-2703-F-LN - Tee
 (1) (2) Male OFS
 (3) OFS Bulkhead with Locknut

- Y-OFS-2703-F-LN-04-04-04
- Y-OFS-2703-F-LN-06-06-06
- Y-OFS-2703-F-LN-08-08-08
- Y-OFS-2703-F-LN-10-10-10
- Y-OFS-2703-F-LN-12-12-12
- Y-OFS-2703-F-LN-16-16-16
- Y-OFS-2703-F-LN-20-20-20
- Y-OFS-2703-F-LN-24-24-24



Y-OFS-2704-F - Tee
 (1) (3) Male OFS
 (2) OFS Bulkhead

- Y-OFS-2704-F-04-04-04
- Y-OFS-2704-F-06-06-06
- Y-OFS-2704-F-08-08-08
- Y-OFS-2704-F-10-10-10
- Y-OFS-2704-F-12-12-12
- Y-OFS-2704-F-16-16-16
- Y-OFS-2704-F-20-20-20
- Y-OFS-2704-F-24-24-24




Y-OFS-2704-F-LN - Tee
 (1) (3) Male OFS
 (2) OFS Bulkhead with Locknut

- Y-OFS-2704-F-LN-04-04-04
- Y-OFS-2704-F-LN-06-06-06
- Y-OFS-2704-F-LN-08-08-08
- Y-OFS-2704-F-LN-10-10-10
- Y-OFS-2704-F-LN-12-12-12
- Y-OFS-2704-F-LN-16-16-16
- Y-OFS-2704-F-LN-20-20-20
- Y-OFS-2704-F-LN-24-24-24

IMPORT O-RING FACE SEAL

Styles may vary from picture



Y-OFS-6400-O - Str.

- (1) Male OFS
- (2) Male O-Ring


- Y-OFS-6400-04-03-O
- Y-OFS-6400-04-04-O
- Y-OFS-6400-04-05-O
- Y-OFS-6400-04-06-O
- Y-OFS-6400-04-08-O
- Y-OFS-6400-04-10-O
- Y-OFS-6400-06-04-O
- Y-OFS-6400-06-05-O
- Y-OFS-6400-06-06-O
- Y-OFS-6400-06-08-O
- Y-OFS-6400-06-10-O
- Y-OFS-6400-06-12-O
- Y-OFS-6400-06-16-O
- Y-OFS-6400-08-04-O
- Y-OFS-6400-08-06-O
- Y-OFS-6400-08-08-O
- Y-OFS-6400-08-10-O
- Y-OFS-6400-08-12-O
- Y-OFS-6400-08-16-O
- Y-OFS-6400-10-06-O
- Y-OFS-6400-10-08-O
- Y-OFS-6400-10-10-O
- Y-OFS-6400-10-12-O
- Y-OFS-6400-10-16-O
- Y-OFS-6400-12-06-O
- Y-OFS-6400-12-08-O
- Y-OFS-6400-12-10-O
- Y-OFS-6400-12-12-O
- Y-OFS-6400-12-16-O
- Y-OFS-6400-12-20-O
- Y-OFS-6400-16-08-O
- Y-OFS-6400-16-10-O
- Y-OFS-6400-16-12-O
- Y-OFS-6400-16-16-O
- Y-OFS-6400-16-20-O
- Y-OFS-6400-20-16-O
- Y-OFS-6400-20-20-O
- Y-OFS-6400-20-24-O
- Y-OFS-6400-24-20-O
- Y-OFS-6400-24-24-O
- Y-OFS-6400-32-32-O



Y-OFS-6400-L-O - Str.

- (1) Male OFS
- (2) Male O-Ring-Long


- Y-OFS-6400-L-04-04-O
- Y-OFS-6400-L-06-06-O
- Y-OFS-6400-L-06-08-O
- Y-OFS-6400-L-08-08-O
- Y-OFS-6400-L-10-10-O
- Y-OFS-6400-L-12-12-O
- Y-OFS-6400-L-16-12-O
- Y-OFS-6400-L-16-16-O
- Y-OFS-6400-L-20-20-O
- Y-OFS-6400-L-24-24-O



OFS-6402-O - Str.

- (1) Fem. OFS Swivel
- (2) Male O-Ring


- Y-OFS-6402-04-04-O
- Y-OFS-6402-06-06-O
- Y-OFS-6402-08-08-O
- Y-OFS-6402-10-10-O
- Y-OFS-6402-12-12-O
- Y-OFS-6402-16-16-O
- Y-OFS-6402-20-20-O
- Y-OFS-6402-24-24-O



Y-OFS-6500-F - 90°

- (1) Male OFS
- (2) Fem. OFS Swivel


- Y-OFS-6500-F-04-04
- Y-OFS-6500-F-04-06
- Y-OFS-6500-F-06-06
- Y-OFS-6500-F-06-08
- Y-OFS-6500-F-08-06
- Y-OFS-6500-F-08-08
- Y-OFS-6500-F-08-12
- Y-OFS-6500-F-10-10
- Y-OFS-6500-F-12-12
- Y-OFS-6500-F-16-16
- Y-OFS-6500-F-20-20
- Y-OFS-6500-F-24-20
- Y-OFS-6500-F-24-24



Y-OFS-6502-F - 45°

- (1) Male OFS
- (2) Fem. OFS Swivel


- Y-OFS-6502-F-04-04
- Y-OFS-6502-F-06-06
- Y-OFS-6502-F-08-08
- Y-OFS-6502-F-10-10
- Y-OFS-6502-F-12-12
- Y-OFS-6502-F-16-16
- Y-OFS-6502-F-20-20



Y-OFS-6504 - Str.

- (1) Male OFS
- (2) Fem. OFS Swivel

- Y-OFS-6504-04-04
- Y-OFS-6504-06-06
- Y-OFS-6504-08-08
- Y-OFS-6504-10-10
- Y-OFS-6504-12-12
- Y-OFS-6504-16-16
- Y-OFS-6504-20-20
- Y-OFS-6504-24-24




Y-OFS-6505 - Str.

- (1) Fem. OFS Swivel
- (2) Male Pipe

- Y-OFS-6505-04-04
- Y-OFS-6505-06-06
- Y-OFS-6505-08-08
- Y-OFS-6505-10-08
- Y-OFS-6505-12-12
- Y-OFS-6505-16-16
- Y-OFS-6505-20-20
- Y-OFS-6505-24-24


IMPORT O-RING FACE SEAL

Styles may vary from picture




Y-OFS-6565 - Str.
(1) (2) Fem. OFS Swivel

- Y-OFS-6565-04-04
- Y-OFS-6565-06-06
- Y-OFS-6565-08-08
- Y-OFS-6565-10-10
- Y-OFS-6565-12-12
- Y-OFS-6565-16-16
- Y-OFS-6565-20-20
- Y-OFS-6565-24-24




Y-OFS-6600-F - Tee
(1) (2) Male OFS
(3) Fem. OFS Swivel

- Y-OFS-6600-F-04-04-04
- Y-OFS-6600-F-04-04-06
- Y-OFS-6600-F-06-06-06
- Y-OFS-6600-F-08-08-08
- Y-OFS-6600-F-10-10-10
- Y-OFS-6600-F-12-12-12
- Y-OFS-6600-F-12-12-16
- Y-OFS-6600-F-16-16-12
- Y-OFS-6600-F-16-16-16
- Y-OFS-6600-F-20-20-20
- Y-OFS-6600-F-24-24-24




Y-OFS-6602-F - Tee
(1) (3) Male OFS
(2) Fem. OFS Swivel

- Y-OFS-6602-F-04-04-04
- Y-OFS-6602-F-06-06-04
- Y-OFS-6602-F-06-06-06
- Y-OFS-6602-F-06-06-08
- Y-OFS-6602-F-06-08-06
- Y-OFS-6602-F-06-08-08
- Y-OFS-6602-F-08-08-06
- Y-OFS-6602-F-08-08-08
- Y-OFS-6602-F-10-10-10
- Y-OFS-6602-F-12-10-10
- Y-OFS-6602-F-12-12-10
- Y-OFS-6602-F-12-12-12
- Y-OFS-6602-F-16-16-16
- Y-OFS-6602-F-20-20-20
- Y-OFS-6602-F-24-24-24




Y-OFS-6801-F-NWO - 90°
(1) Male OFS
(2) Adj. O-Ring

- Y-OFS-6801-F-04-03-NWO
- Y-OFS-6801-F-04-04-NWO
- Y-OFS-6801-F-04-06-NWO
- Y-OFS-6801-F-04-08-NWO
- Y-OFS-6801-F-06-04-NWO
- Y-OFS-6801-F-06-05-NWO
- Y-OFS-6801-F-06-06-NWO
- Y-OFS-6801-F-06-08-NWO
- Y-OFS-6801-F-06-10-NWO
- Y-OFS-6801-F-06-12-NWO
- Y-OFS-6801-F-06-16-NWO
- Y-OFS-6801-F-08-04-NWO
- Y-OFS-6801-F-08-06-NWO
- Y-OFS-6801-F-08-08-NWO
- Y-OFS-6801-F-08-10-NWO
- Y-OFS-6801-F-08-12-NWO
- Y-OFS-6801-F-10-08-NWO
- Y-OFS-6801-F-10-10-NWO
- Y-OFS-6801-F-10-12-NWO
- Y-OFS-6801-F-12-08-NWO
- Y-OFS-6801-F-12-10-NWO
- Y-OFS-6801-F-12-12-NWO
- Y-OFS-6801-F-12-16-NWO
- Y-OFS-6801-F-16-12-NWO
- Y-OFS-6801-F-16-14-NWO
- Y-OFS-6801-F-16-16-NWO
- Y-OFS-6801-F-16-20-NWO
- Y-OFS-6801-F-20-12-NWO
- Y-OFS-6801-F-20-16-NWO
- Y-OFS-6801-F-20-20-NWO
- Y-OFS-6801-F-20-24-NWO
- Y-OFS-6801-F-24-20-NWO
- Y-OFS-6801-F-24-24-NWO




Y-OFS-6801-F-L-NWO - 90°
(1) Male OFS
(2) Adj. O-Ring-Long

- Y-OFS-6801-F-L-04-04-NWO
- Y-OFS-6801-F-L-06-06-NWO
- Y-OFS-6801-F-L-08-08-NWO
- Y-OFS-6801-F-L-10-10-NWO
- Y-OFS-6801-F-L-12-12-NWO
- Y-OFS-6801-F-L-16-16-NWO
- Y-OFS-6801-F-L-20-20-NWO



Y-OFS-6801-F-LL-NWO - 90°
(1) Male OFS
(2) Adj. O-Ring-Ex. Long

- Y-OFS-6801-F-LL-08-08-NWO
- Y-OFS-6801-F-LL-12-12-NWO
- Y-OFS-6801-F-LL-16-16-NWO




Y-OFS-6802-F-NWO - 45°
(1) Male OFS
(2) Adj. O-Ring

- Y-OFS-6802-F-04-03-NWO
- Y-OFS-6802-F-04-04-NWO
- Y-OFS-6802-F-04-05-NWO
- Y-OFS-6802-F-04-06-NWO
- Y-OFS-6802-F-06-04-NWO
- Y-OFS-6802-F-06-06-NWO
- Y-OFS-6802-F-06-08-NWO
- Y-OFS-6802-F-06-10-NWO
- Y-OFS-6802-F-08-06-NWO
- Y-OFS-6802-F-08-08-NWO
- Y-OFS-6802-F-08-10-NWO
- Y-OFS-6802-F-08-12-NWO
- Y-OFS-6802-F-10-08-NWO
- Y-OFS-6802-F-10-10-NWO
- Y-OFS-6802-F-10-12-NWO
- Y-OFS-6802-F-12-08-NWO
- Y-OFS-6802-F-12-10-NWO
- Y-OFS-6802-F-12-12-NWO
- Y-OFS-6802-F-12-16-NWO
- Y-OFS-6802-F-16-12-NWO
- Y-OFS-6802-F-16-16-NWO
- Y-OFS-6802-F-16-20-NWO
- Y-OFS-6802-F-20-16-NWO
- Y-OFS-6802-F-20-20-NWO
- Y-OFS-6802-F-24-24-NWO

IMPORT O-RING FACE SEAL


Styles may vary from picture



Y-OFS-6803-F-NWO - Tee

(1) (2) Male OFS
(3) Adj. O-Ring

- Y-OFS-6803-F-04-04-04-NWO
- Y-OFS-6803-F-06-06-03-NWO
- Y-OFS-6803-F-06-06-04-NWO
- Y-OFS-6803-F-06-06-06-NWO
- Y-OFS-6803-F-06-06-08-NWO
- Y-OFS-6803-F-08-08-06-NWO
- Y-OFS-6803-F-08-08-08-NWO
- Y-OFS-6803-F-10-10-10-NWO
- Y-OFS-6803-F-12-12-10-NWO
- Y-OFS-6803-F-12-12-12-NWO
- Y-OFS-6803-F-12-12-16-NWO
- Y-OFS-6803-F-12-16-16-NWO
- Y-OFS-6803-F-16-16-16-NWO
- Y-OFS-6803-F-16-16-20-NWO
- Y-OFS-6803-F-20-20-16-NWO
- Y-OFS-6803-F-20-20-20-NWO
- Y-OFS-6803-F-24-24-24-NWO




Y-OFS-6804-F-NWO - Tee

(1) (3) Male OFS
(2) Adj. O-Ring

- Y-OFS-6804-F-04-04-04-NWO
- Y-OFS-6804-F-04-04-06-NWO
- Y-OFS-6804-F-04-06-04-NWO
- Y-OFS-6804-F-06-04-06-NWO
- Y-OFS-6804-F-06-06-06-NWO
- Y-OFS-6804-F-08-06-08-NWO
- Y-OFS-6804-F-08-08-04-NWO
- Y-OFS-6804-F-08-08-08-NWO
- Y-OFS-6804-F-08-10-08-NWO
- Y-OFS-6804-F-08-12-04-NWO
- Y-OFS-6804-F-08-12-08-NWO
- Y-OFS-6804-F-08-16-08-NWO
- Y-OFS-6804-F-10-10-08-NWO
- Y-OFS-6804-F-10-10-10-NWO
- Y-OFS-6804-F-10-12-10-NWO
- Y-OFS-6804-F-10-12-12-NWO
- Y-OFS-6804-F-12-08-12-NWO
- Y-OFS-6804-F-12-12-08-NWO
- Y-OFS-6804-F-12-12-10-NWO
- Y-OFS-6804-F-12-12-12-NWO
- Y-OFS-6804-F-12-12-16-NWO


- Y-OFS-6804-F-12-16-12-NWO
- Y-OFS-6804-F-12-16-16-NWO
- Y-OFS-6804-F-16-16-12-NWO
- Y-OFS-6804-F-16-16-16-NWO
- Y-OFS-6804-F-16-20-08-NWO
- Y-OFS-6804-F-20-20-20-NWO
- Y-OFS-6804-F-24-24-24-NWO



Y-OFS-6809-F-NWO - 90°

(1) Fem. OFS Swivel
(2) Adj. O-Ring


- Y-OFS-6809-F-04-04-NWO
- Y-OFS-6809-F-06-06-NWO
- Y-OFS-6809-F-08-08-NWO
- Y-OFS-6809-F-10-10-NWO
- Y-OFS-6809-F-12-12-NWO
- Y-OFS-6809-F-16-16-NWO
- Y-OFS-6809-F-20-20-NWO
- Y-OFS-6809-F-24-24-NWO



Y-OFS-FJIC-6504 - Str.

(1) Male OFS
(2) Fem. JIC Swivel


- Y-OFS-FJIC-6504-04-04
- Y-OFS-FJIC-6504-06-06
- Y-OFS-FJIC-6504-08-08
- Y-OFS-FJIC-6504-10-10
- Y-OFS-FJIC-6504-12-12
- Y-OFS-FJIC-6504-16-16
- Y-OFS-FJIC-6504-20-20
- Y-OFS-FJIC-6504-24-24



Y-OFS-MJIC-2403 - Str.

(1) Male OFS
(2) Male JIC

- Y-OFS-MJIC-2403-04-04
- Y-OFS-MJIC-2403-06-06
- Y-OFS-MJIC-2403-08-08
- Y-OFS-MJIC-2403-10-10
- Y-OFS-MJIC-2403-12-08
- Y-OFS-MJIC-2403-12-12
- Y-OFS-MJIC-2403-16-16
- Y-OFS-MJIC-2403-20-20
- Y-OFS-MJIC-2403-24-24



Y-OFS-MJIC-6504 - Str.

(1) Fem. OFS Swivel
(2) Male JIC

- Y-OFS-MJIC-6504-04-04
- Y-OFS-MJIC-6504-06-06
- Y-OFS-MJIC-6504-08-06
- Y-OFS-MJIC-6504-08-08
- Y-OFS-MJIC-6504-10-10
- Y-OFS-MJIC-6504-12-12
- Y-OFS-MJIC-6504-16-16
- Y-OFS-MJIC-6504-20-20
- Y-OFS-MJIC-6504-24-24

Imported O-Ring Face Seal Fittings

Dash Number	4	6	8	10	12	16	20	24
Tube O.D.	¼	⅜	½	⅝	¾	1	1-¼	1-½
O-Ring Face Seal Thread	⅝-18	1¼-16	1⅜-16	1-14	1⅜-12	1⅞-12	1⅞-12	2-12
O-Ring Face Seal PSI 4:1	6000	6000	6000	6000	6000	5500	4000	4000
Adjustable Fittings PSI	5000	5000	5000	4500	4000	3000	2500	2000
Pipe Thread Std. 4:1	5000	4500	3000		3000	1750	1500	1500

Notes: _____

PARTS INDEX

Y-OFS-0304-C	1	Y-OFS-2701-F-LN	4
Y-OFS-0306	1	Y-OFS-2702-F	4
Y-OFS-0318	1	Y-OFS-2702-F-LN	4
Y-OFS-0319	1	Y-OFS-2703-F	4
Y-OFS-0403	1	Y-OFS-2703-F-LN	4
Y-OFS-1700-61	1	Y-OFS-2704-F	4
Y-OFS-1700-62	1	Y-OFS-2704-F-LN	4
Y-OFS-1703-F-61	1	Y-OFS-6400-O	5
Y-OFS-1703-F-62	1	Y-OFS-6400-L-O	5
Y-OFS-1704-F-61	2	Y-OFS-6402-O	5
Y-OFS-1704-F-62	2	Y-OFS-6500-F	5
Y-OFS-2403	2	Y-OFS-6502-F	5
Y-OFS-2404	2	Y-OFS-6504	5
Y-OFS-2406	2	Y-OFS-6505	5
Y-OFS-2406-BLK	2	Y-OFS-6565	6
Y-OFS-2407	2	Y-OFS-6600-F	6
Y-OFS-2408	2	Y-OFS-6602-F	6
Y-OFS-2500-F	3	Y-OFS-6801-F-NWO	6
Y-OFS-2501-F	3	Y-OFS-6801-F-L-NWO	6
Y-OFS-2503-F	3	Y-OFS-6801-F-LL-NWO	6
Y-OFS-2601-F	3	Y-OFS-6802-F-NWO	6
Y-OFS-2603-F	3	Y-OFS-6803-F-NWO	7
Y-OFS-2605-F	3	Y-OFS-6804-F-NWO	7
Y-OFS-2650-F	3	Y-OFS-6809-F-NWO	7
Y-OFS-2700	3	Y-OFS-FJIC-6504	7
Y-OFS-2700-LN	4	Y-OFS-MJIC-2403	7
Y-OFS-2701-F	4	Y-OFS-MJIC-6504	7



Adapter & Fitting Specialist

1-800-348-8467