

**FUI** **FITTINGS**  
**UNLIMITED** INC  
*Adapter & Fitting Specialist*

[www.myfui.com](http://www.myfui.com)

---

**Standard Parts List**

---

CORPORATE SALES

**DALLAS, TX**  
3000 AVENUE F  
ARLINGTON, TX 76011

(800) 348-8467 (281) 500-9570 FAX

**CLEVELAND, OH**  
(800) 348-8467 (817) 860-8517 FAX

**HOUSTON, TX**  
(800) 633-5340 (281) 500-9570 FAX

**SALT LAKE CITY, UT**  
(800) 348-8467 (817) 860-8517 FAX

**CANADA - AURORA, ONTARIO**  
(877) 644-4403 (905) 713-3927 FAX


**ATLANTA, GA**  
(800) 348-8467 (817) 860-8517 FAX

*Import O-Ring  
Face Seal*

*“It is the policy of Fittings Unlimited, Inc.  
to maintain and improve our customer satisfaction by  
providing hydraulic and pneumatic fittings and  
accessories that consistently meet our customer’s  
specified product and delivery requirements.”*

# IMPORT O-RING FACE SEAL

Styles may vary from picture



**Y-OFS-0304-C**  
Cap Nut

- Y-OFS-0304-C-04
- Y-OFS-0304-C-06
- Y-OFS-0304-C-08
- Y-OFS-0304-C-10
- Y-OFS-0304-C-12
- Y-OFS-0304-C-16
- Y-OFS-0304-C-20
- Y-OFS-0304-C-24
- Y-OFS-0304-C-32




**Y-OFS-0306**  
Bulkhead Lock Nut

- Y-OFS-0306-04
- Y-OFS-0306-06
- Y-OFS-0306-08
- Y-OFS-0306-10
- Y-OFS-0306-12
- Y-OFS-0306-16
- Y-OFS-0306-20
- Y-OFS-0306-24



**Y-OFS-0318**  
OFS Nut


- Y-OFS-0318-04
- Y-OFS-0318-06
- Y-OFS-0318-08
- Y-OFS-0318-10
- Y-OFS-0318-12
- Y-OFS-0318-16
- Y-OFS-0318-20
- Y-OFS-0318-24
- Y-OFS-0318-32



**Y-OFS-0319**  
OFS Braze Shoulder


- Y-OFS-0319-04
- Y-OFS-0319-06
- Y-OFS-0319-08

- Y-OFS-0319-10
- Y-OFS-0319-12
- Y-OFS-0319-16
- Y-OFS-0319-20
- Y-OFS-0319-24
- Y-OFS-0319-32




**Y-OFS-0403**  
(1) Bore for Brazing  
(2) Male OFS

- Y-OFS-0403-04-04
- Y-OFS-0403-04-06
- Y-OFS-0403-04-08
- Y-OFS-0403-06-04
- Y-OFS-0403-06-06
- Y-OFS-0403-06-08
- Y-OFS-0403-06-10
- Y-OFS-0403-08-06
- Y-OFS-0403-08-08
- Y-OFS-0403-08-10
- Y-OFS-0403-08-12
- Y-OFS-0403-08-16
- Y-OFS-0403-10-06
- Y-OFS-0403-10-08
- Y-OFS-0403-10-10
- Y-OFS-0403-10-12
- Y-OFS-0403-12-08
- Y-OFS-0403-12-10
- Y-OFS-0403-12-12
- Y-OFS-0403-12-16
- Y-OFS-0403-16-12
- Y-OFS-0403-16-16
- Y-OFS-0403-16-20
- Y-OFS-0403-20-16
- Y-OFS-0403-20-20
- Y-OFS-0403-20-24
- Y-OFS-0403-24-20
- Y-OFS-0403-24-24




**Y-OFS-1700-61** - Str.  
(1) Male OFS  
(2) O-Ring Flange  
Code 61

- Y-OFS-1700-61-12-12
- Y-OFS-1700-61-16-16
- Y-OFS-1700-61-20-20
- Y-OFS-1700-61-24-24




**Y-OFS-1700-62** - Str.  
(1) Male OFS  
(2) O-Ring Flange  
Code 62

- Y-OFS-1700-62-12-12
- Y-OFS-1700-62-12-16
- Y-OFS-1700-62-16-12
- Y-OFS-1700-62-16-16
- Y-OFS-1700-62-20-16
- Y-OFS-1700-62-20-20
- Y-OFS-1700-62-24-24



**Y-OFS-1703-F-61** - 45°  
(1) Male OFS  
(2) O-Ring Flange  
Code 61

- Y-OFS-1703-F-61-12-12
- Y-OFS-1703-F-61-16-16
- Y-OFS-1703-F-61-20-20
- Y-OFS-1703-F-61-24-24




**Y-OFS-1703-F-62** - 45°  
(1) Male OFS  
(2) O-Ring Flange  
Code 62

- Y-OFS-1703-F-62-12-12
- Y-OFS-1703-F-62-16-16
- Y-OFS-1703-F-62-20-20
- Y-OFS-1703-F-62-24-24

# IMPORT O-RING FACE SEAL


Styles may vary from picture



**Y-OFS-1704-F-61 - 90°**

- (1) Male OFS
- (2) O-Ring Flange
- Code 61


- Y-OFS-1704-F-61-12-12
- Y-OFS-1704-F-61-16-16
- Y-OFS-1704-F-61-20-20
- Y-OFS-1704-F-61-24-24



**Y-OFS-1704-F-62 - 90°**

- (1) Male OFS
- (2) O-Ring Flange
- Code 62


- Y-OFS-1704-F-62-12-12
- Y-OFS-1704-F-62-16-16
- Y-OFS-1704-F-62-20-20
- Y-OFS-1704-F-62-24-24



**Y-OFS-2403 - Str.**

- (1) (2) Male OFS Union


- Y-OFS-2403-04-04
- Y-OFS-2403-06-04
- Y-OFS-2403-06-06
- Y-OFS-2403-08-06
- Y-OFS-2403-08-08
- Y-OFS-2403-10-08
- Y-OFS-2403-10-10
- Y-OFS-2403-12-08
- Y-OFS-2403-12-10
- Y-OFS-2403-12-12
- Y-OFS-2403-16-08
- Y-OFS-2403-16-12
- Y-OFS-2403-16-16
- Y-OFS-2403-20-16
- Y-OFS-2403-20-20
- Y-OFS-2403-24-20
- Y-OFS-2403-24-24
- Y-OFS-2403-32-32



**Y-OFS-2404 - Str.**

- (1) Male OFS
- (2) Male Pipe

- Y-OFS-2404-04-02
- Y-OFS-2404-04-04
- Y-OFS-2404-04-06
- Y-OFS-2404-04-08
- Y-OFS-2404-06-02
- Y-OFS-2404-06-04
- Y-OFS-2404-06-06
- Y-OFS-2404-06-08
- Y-OFS-2404-08-04
- Y-OFS-2404-08-06
- Y-OFS-2404-08-08
- Y-OFS-2404-08-12
- Y-OFS-2404-08-16
- Y-OFS-2404-10-08
- Y-OFS-2404-10-12
- Y-OFS-2404-10-16
- Y-OFS-2404-12-08
- Y-OFS-2404-12-12
- Y-OFS-2404-12-16
- Y-OFS-2404-16-12
- Y-OFS-2404-16-16
- Y-OFS-2404-16-20
- Y-OFS-2404-20-16
- Y-OFS-2404-20-20
- Y-OFS-2404-24-24




**Y-OFS-2406 - Str.**

- Reducer
- (1) Fem. OFS
- (2) Male OFS

- Y-OFS-2406-04-06
- Y-OFS-2406-04-08
- Y-OFS-2406-06-04
- Y-OFS-2406-06-08
- Y-OFS-2406-08-04
- Y-OFS-2406-08-06
- Y-OFS-2406-08-12
- Y-OFS-2406-10-04
- Y-OFS-2406-10-06
- Y-OFS-2406-10-08
- Y-OFS-2406-10-12
- Y-OFS-2406-12-04
- Y-OFS-2406-12-06
- Y-OFS-2406-12-08
- Y-OFS-2406-12-10
- Y-OFS-2406-12-16


- Y-OFS-2406-16-08
- Y-OFS-2406-16-10
- Y-OFS-2406-16-12
- Y-OFS-2406-16-20
- Y-OFS-2406-20-12
- Y-OFS-2406-20-16
- Y-OFS-2406-20-24
- Y-OFS-2406-24-16
- Y-OFS-2406-24-20



**Y-OFS-2406-BLK - Str.**

- BLANK
- (1) Fem. OFS
- (2) Male OFS


- Y-OFS-2406-BLK-04-04
- Y-OFS-2406-BLK-06-06
- Y-OFS-2406-BLK-08-08



**Y-OFS-2407 - Str.**

- Reducer Less Nut
- (1) Fem. OFS
- (2) Male OFS

- Y-OFS-2407-08-04
- Y-OFS-2407-08-06
- Y-OFS-2407-10-04
- Y-OFS-2407-10-06
- Y-OFS-2407-10-08
- Y-OFS-2407-12-04
- Y-OFS-2407-12-06
- Y-OFS-2407-12-08
- Y-OFS-2407-16-08
- Y-OFS-2407-16-10
- Y-OFS-2407-20-12
- Y-OFS-2407-24-16
- Y-OFS-2407-24-20
- Y-OFS-2407-32-20
- Y-OFS-2407-32-24




**Y-OFS-2408**

- (1) Male OFS Plug

- Y-OFS-2408-04
- Y-OFS-2408-06
- Y-OFS-2408-08
- Y-OFS-2408-10
- Y-OFS-2408-12
- Y-OFS-2408-16
- Y-OFS-2408-20
- Y-OFS-2408-24


# IMPORT O-RING FACE SEAL

Styles may vary from picture




**Y-OFS-2500-F - 90°**  
(1) (2) Male OFS Union

- Y-OFS-2500-F-04-04
- Y-OFS-2500-F-06-04
- Y-OFS-2500-F-06-06
- Y-OFS-2500-F-08-08
- Y-OFS-2500-F-10-10
- Y-OFS-2500-F-12-12
- Y-OFS-2500-F-16-16
- Y-OFS-2500-F-20-20
- Y-OFS-2500-F-24-24
- Y-OFS-2500-F-32-32




**Y-OFS-2501-F - 90°**  
(1) Male OFS  
(2) Male Pipe

- Y-OFS-2501-F-04-02
- Y-OFS-2501-F-04-04
- Y-OFS-2501-F-04-06
- Y-OFS-2501-F-04-08
- Y-OFS-2501-F-06-02
- Y-OFS-2501-F-06-04
- Y-OFS-2501-F-06-06
- Y-OFS-2501-F-06-08
- Y-OFS-2501-F-08-04
- Y-OFS-2501-F-08-06
- Y-OFS-2501-F-08-08
- Y-OFS-2501-F-08-12
- Y-OFS-2501-F-10-08
- Y-OFS-2501-F-10-12
- Y-OFS-2501-F-10-16
- Y-OFS-2501-F-12-08
- Y-OFS-2501-F-12-12
- Y-OFS-2501-F-12-16
- Y-OFS-2501-F-16-12
- Y-OFS-2501-F-16-16
- Y-OFS-2501-F-20-16
- Y-OFS-2501-F-20-20
- Y-OFS-2501-F-24-20
- Y-OFS-2501-F-24-24




**Y-OFS-2503-F - 45°**  
(1) Male OFS  
(2) Male Pipe

- Y-OFS-2503-F-04-02
- Y-OFS-2503-F-04-04
- Y-OFS-2503-F-06-04
- Y-OFS-2503-F-06-06
- Y-OFS-2503-F-08-06
- Y-OFS-2503-F-08-08
- Y-OFS-2503-F-10-08
- Y-OFS-2503-F-12-12
- Y-OFS-2503-F-16-16
- Y-OFS-2503-F-20-20
- Y-OFS-2503-F-24-24



**Y-OFS-2601-F - Tee**  
(1) (2) Male OFS  
(3) Male Pipe


- Y-OFS-2601-F-04-04-02
- Y-OFS-2601-F-04-04-04
- Y-OFS-2601-F-06-06-04
- Y-OFS-2601-F-06-06-06
- Y-OFS-2601-F-08-08-06
- Y-OFS-2601-F-08-08-08
- Y-OFS-2601-F-12-12-12
- Y-OFS-2601-F-16-16-16
- Y-OFS-2601-F-20-20-20



**Y-OFS-2603-F - Tee**  
(1) (2) (3) Male OFS Union


- Y-OFS-2603-F-04-04-04
- Y-OFS-2603-F-06-06-06
- Y-OFS-2603-F-06-06-08
- Y-OFS-2603-F-06-08-08
- Y-OFS-2603-F-08-06-08
- Y-OFS-2603-F-08-08-06
- Y-OFS-2603-F-08-08-08
- Y-OFS-2603-F-08-08-10
- Y-OFS-2603-F-10-10-10
- Y-OFS-2603-F-10-10-12
- Y-OFS-2603-F-12-12-04
- Y-OFS-2603-F-12-12-06
- Y-OFS-2603-F-12-12-08

- Y-OFS-2603-F-12-12-12
- Y-OFS-2603-F-12-12-16
- Y-OFS-2603-F-16-16-12
- Y-OFS-2603-F-16-16-16
- Y-OFS-2603-F-20-20-16
- Y-OFS-2603-F-20-20-20
- Y-OFS-2603-F-24-24-24




**Y-OFS-2605-F - Tee**  
(1) (3) Male OFS  
(2) Male Pipe

- Y-OFS-2605-F-04-04-04
- Y-OFS-2605-F-06-04-06
- Y-OFS-2605-F-06-06-06
- Y-OFS-2605-F-08-08-08



**Y-OFS-2650-F - Cross**  
(1) (2) (3) (4) Male OFS Union

- Y-OFS-2650-F-04-04-04-04
- Y-OFS-2650-F-06-06-06-06
- Y-OFS-2650-F-08-08-08-08
- Y-OFS-2650-F-10-10-10-10
- Y-OFS-2650-F-12-12-12-12
- Y-OFS-2650-F-16-16-16-16
- Y-OFS-2650-F-20-20-20-20
- Y-OFS-2650-F-24-24-24-24




**Y-OFS-2700 - Str.**  
(1) Male OFS  
(2) OFS Bulkhead

- Y-OFS-2700-04-04
- Y-OFS-2700-06-06
- Y-OFS-2700-06-08
- Y-OFS-2700-08-06
- Y-OFS-2700-08-08
- Y-OFS-2700-10-10
- Y-OFS-2700-12-12
- Y-OFS-2700-16-16
- Y-OFS-2700-20-20
- Y-OFS-2700-24-24


# IMPORT O-RING FACE SEAL

Styles may vary from picture




**Y-OFS-2700-LN - Str.**  
 (1) Male OFS  
 (2) OFS Bulkhead with Locknut

- Y-OFS-2700-LN-04-04
- Y-OFS-2700-LN-06-06
- Y-OFS-2700-LN-06-08
- Y-OFS-2700-LN-08-06
- Y-OFS-2700-LN-08-08
- Y-OFS-2700-LN-10-10
- Y-OFS-2700-LN-12-12
- Y-OFS-2700-LN-16-16
- Y-OFS-2700-LN-20-20
- Y-OFS-2700-LN-24-24




**Y-OFS-2701-F - 90°**  
 (1) Male OFS  
 (2) OFS Bulkhead

- Y-OFS-2701-F-04-04
- Y-OFS-2701-F-06-06
- Y-OFS-2701-F-06-08
- Y-OFS-2701-F-08-06
- Y-OFS-2701-F-08-08
- Y-OFS-2701-F-08-10
- Y-OFS-2701-F-10-10
- Y-OFS-2701-F-12-12
- Y-OFS-2701-F-16-16
- Y-OFS-2701-F-20-20
- Y-OFS-2701-F-24-24




**Y-OFS-2701-F-LN - 90°**  
 (1) Male OFS  
 (2) OFS Bulkhead with Locknut

- Y-OFS-2701-F-LN-04-04
- Y-OFS-2701-F-LN-06-06
- Y-OFS-2701-F-LN-08-08
- Y-OFS-2701-F-LN-10-10
- Y-OFS-2701-F-LN-12-12
- Y-OFS-2701-F-LN-16-16
- Y-OFS-2701-F-LN-20-20
- Y-OFS-2701-F-LN-24-24




**Y-OFS-2702-F - 45°**  
 (1) Male OFS  
 (2) OFS Bulkhead

- Y-OFS-2702-F-04-04
- Y-OFS-2702-F-06-06
- Y-OFS-2702-F-08-08
- Y-OFS-2702-F-10-08
- Y-OFS-2702-F-10-10
- Y-OFS-2702-F-12-12
- Y-OFS-2702-F-16-16
- Y-OFS-2702-F-20-20
- Y-OFS-2702-F-24-24




**Y-OFS-2702-F-LN - 45°**  
 (1) Male OFS  
 (2) OFS Bulkhead with Locknut

- Y-OFS-2702-F-LN-04-04
- Y-OFS-2702-F-LN-06-06
- Y-OFS-2702-F-LN-08-08
- Y-OFS-2702-F-LN-10-10
- Y-OFS-2702-F-LN-12-12
- Y-OFS-2702-F-LN-16-16
- Y-OFS-2702-F-LN-20-20
- Y-OFS-2702-F-LN-24-24




**Y-OFS-2703-F - Tee**  
 (1) (2) Male OFS  
 (3) OFS Bulkhead

- Y-OFS-2703-F-04-04-04
- Y-OFS-2703-F-06-06-06
- Y-OFS-2703-F-08-08-08
- Y-OFS-2703-F-10-10-10
- Y-OFS-2703-F-12-12-12
- Y-OFS-2703-F-16-16-16
- Y-OFS-2703-F-20-20-20
- Y-OFS-2703-F-24-24-24




**Y-OFS-2703-F-LN - Tee**  
 (1) (2) Male OFS  
 (3) OFS Bulkhead with Locknut

- Y-OFS-2703-F-LN-04-04-04
- Y-OFS-2703-F-LN-06-06-06
- Y-OFS-2703-F-LN-08-08-08
- Y-OFS-2703-F-LN-10-10-10
- Y-OFS-2703-F-LN-12-12-12
- Y-OFS-2703-F-LN-16-16-16
- Y-OFS-2703-F-LN-20-20-20
- Y-OFS-2703-F-LN-24-24-24



**Y-OFS-2704-F - Tee**  
 (1) (3) Male OFS  
 (2) OFS Bulkhead

- Y-OFS-2704-F-04-04-04
- Y-OFS-2704-F-06-06-06
- Y-OFS-2704-F-08-08-08
- Y-OFS-2704-F-10-10-10
- Y-OFS-2704-F-12-12-12
- Y-OFS-2704-F-16-16-16
- Y-OFS-2704-F-20-20-20
- Y-OFS-2704-F-24-24-24




**Y-OFS-2704-F-LN - Tee**  
 (1) (3) Male OFS  
 (2) OFS Bulkhead with Locknut

- Y-OFS-2704-F-LN-04-04-04
- Y-OFS-2704-F-LN-06-06-06
- Y-OFS-2704-F-LN-08-08-08
- Y-OFS-2704-F-LN-10-10-10
- Y-OFS-2704-F-LN-12-12-12
- Y-OFS-2704-F-LN-16-16-16
- Y-OFS-2704-F-LN-20-20-20
- Y-OFS-2704-F-LN-24-24-24

# IMPORT O-RING FACE SEAL

Styles may vary from picture



**Y-OFS-6400-O - Str.**

- (1) Male OFS
- (2) Male O-Ring


- Y-OFS-6400-04-03-O
- Y-OFS-6400-04-04-O
- Y-OFS-6400-04-05-O
- Y-OFS-6400-04-06-O
- Y-OFS-6400-04-08-O
- Y-OFS-6400-04-10-O
- Y-OFS-6400-06-04-O
- Y-OFS-6400-06-05-O
- Y-OFS-6400-06-06-O
- Y-OFS-6400-06-08-O
- Y-OFS-6400-06-10-O
- Y-OFS-6400-06-12-O
- Y-OFS-6400-06-16-O
- Y-OFS-6400-08-04-O
- Y-OFS-6400-08-06-O
- Y-OFS-6400-08-08-O
- Y-OFS-6400-08-10-O
- Y-OFS-6400-08-12-O
- Y-OFS-6400-08-16-O
- Y-OFS-6400-10-06-O
- Y-OFS-6400-10-08-O
- Y-OFS-6400-10-10-O
- Y-OFS-6400-10-12-O
- Y-OFS-6400-10-16-O
- Y-OFS-6400-12-06-O
- Y-OFS-6400-12-08-O
- Y-OFS-6400-12-10-O
- Y-OFS-6400-12-12-O
- Y-OFS-6400-12-16-O
- Y-OFS-6400-12-20-O
- Y-OFS-6400-16-08-O
- Y-OFS-6400-16-10-O
- Y-OFS-6400-16-12-O
- Y-OFS-6400-16-16-O
- Y-OFS-6400-16-20-O
- Y-OFS-6400-20-16-O
- Y-OFS-6400-20-20-O
- Y-OFS-6400-20-24-O
- Y-OFS-6400-24-20-O
- Y-OFS-6400-24-24-O
- Y-OFS-6400-32-32-O



**Y-OFS-6400-L-O - Str.**

- (1) Male OFS
- (2) Male O-Ring-Long


- Y-OFS-6400-L-04-04-O
- Y-OFS-6400-L-06-06-O
- Y-OFS-6400-L-06-08-O
- Y-OFS-6400-L-08-08-O
- Y-OFS-6400-L-10-10-O
- Y-OFS-6400-L-12-12-O
- Y-OFS-6400-L-16-12-O
- Y-OFS-6400-L-16-16-O
- Y-OFS-6400-L-20-20-O
- Y-OFS-6400-L-24-24-O



**OFS-6402-O - Str.**

- (1) Fem. OFS Swivel
- (2) Male O-Ring


- Y-OFS-6402-04-04-O
- Y-OFS-6402-06-06-O
- Y-OFS-6402-08-08-O
- Y-OFS-6402-10-10-O
- Y-OFS-6402-12-12-O
- Y-OFS-6402-16-16-O
- Y-OFS-6402-20-20-O
- Y-OFS-6402-24-24-O



**Y-OFS-6500-F - 90°**

- (1) Male OFS
- (2) Fem. OFS Swivel


- Y-OFS-6500-F-04-04
- Y-OFS-6500-F-04-06
- Y-OFS-6500-F-06-06
- Y-OFS-6500-F-06-08
- Y-OFS-6500-F-08-06
- Y-OFS-6500-F-08-08
- Y-OFS-6500-F-08-12
- Y-OFS-6500-F-10-10
- Y-OFS-6500-F-12-12
- Y-OFS-6500-F-16-16
- Y-OFS-6500-F-20-20
- Y-OFS-6500-F-24-20
- Y-OFS-6500-F-24-24



**Y-OFS-6502-F - 45°**

- (1) Male OFS
- (2) Fem. OFS Swivel


- Y-OFS-6502-F-04-04
- Y-OFS-6502-F-06-06
- Y-OFS-6502-F-08-08
- Y-OFS-6502-F-10-10
- Y-OFS-6502-F-12-12
- Y-OFS-6502-F-16-16
- Y-OFS-6502-F-20-20



**Y-OFS-6504 - Str.**

- (1) Male OFS
- (2) Fem. OFS Swivel

- Y-OFS-6504-04-04
- Y-OFS-6504-06-06
- Y-OFS-6504-08-08
- Y-OFS-6504-10-10
- Y-OFS-6504-12-12
- Y-OFS-6504-16-16
- Y-OFS-6504-20-20
- Y-OFS-6504-24-24




**Y-OFS-6505 - Str.**

- (1) Fem. OFS Swivel
- (2) Male Pipe

- Y-OFS-6505-04-04
- Y-OFS-6505-06-06
- Y-OFS-6505-08-08
- Y-OFS-6505-10-08
- Y-OFS-6505-12-12
- Y-OFS-6505-16-16
- Y-OFS-6505-20-20
- Y-OFS-6505-24-24


# IMPORT O-RING FACE SEAL

Styles may vary from picture




**Y-OFS-6565 - Str.**  
(1) (2) Fem. OFS Swivel

- Y-OFS-6565-04-04
- Y-OFS-6565-06-06
- Y-OFS-6565-08-08
- Y-OFS-6565-10-10
- Y-OFS-6565-12-12
- Y-OFS-6565-16-16
- Y-OFS-6565-20-20
- Y-OFS-6565-24-24




**Y-OFS-6600-F - Tee**  
(1) (2) Male OFS  
(3) Fem. OFS Swivel

- Y-OFS-6600-F-04-04-04
- Y-OFS-6600-F-04-04-06
- Y-OFS-6600-F-06-06-06
- Y-OFS-6600-F-08-08-08
- Y-OFS-6600-F-10-10-10
- Y-OFS-6600-F-12-12-12
- Y-OFS-6600-F-12-12-16
- Y-OFS-6600-F-16-16-12
- Y-OFS-6600-F-16-16-16
- Y-OFS-6600-F-20-20-20
- Y-OFS-6600-F-24-24-24




**Y-OFS-6602-F - Tee**  
(1) (3) Male OFS  
(2) Fem. OFS Swivel

- Y-OFS-6602-F-04-04-04
- Y-OFS-6602-F-06-06-04
- Y-OFS-6602-F-06-06-06
- Y-OFS-6602-F-06-06-08
- Y-OFS-6602-F-06-08-06
- Y-OFS-6602-F-06-08-08
- Y-OFS-6602-F-08-08-06
- Y-OFS-6602-F-08-08-08
- Y-OFS-6602-F-10-10-10
- Y-OFS-6602-F-12-10-10
- Y-OFS-6602-F-12-12-10
- Y-OFS-6602-F-12-12-12
- Y-OFS-6602-F-16-16-16
- Y-OFS-6602-F-20-20-20
- Y-OFS-6602-F-24-24-24




**Y-OFS-6801-F-NWO - 90°**  
(1) Male OFS  
(2) Adj. O-Ring

- Y-OFS-6801-F-04-03-NWO
- Y-OFS-6801-F-04-04-NWO
- Y-OFS-6801-F-04-06-NWO
- Y-OFS-6801-F-04-08-NWO
- Y-OFS-6801-F-06-04-NWO
- Y-OFS-6801-F-06-05-NWO
- Y-OFS-6801-F-06-06-NWO
- Y-OFS-6801-F-06-08-NWO
- Y-OFS-6801-F-06-10-NWO
- Y-OFS-6801-F-06-12-NWO
- Y-OFS-6801-F-06-16-NWO
- Y-OFS-6801-F-08-04-NWO
- Y-OFS-6801-F-08-06-NWO
- Y-OFS-6801-F-08-08-NWO
- Y-OFS-6801-F-08-10-NWO
- Y-OFS-6801-F-08-12-NWO
- Y-OFS-6801-F-10-08-NWO
- Y-OFS-6801-F-10-10-NWO
- Y-OFS-6801-F-10-12-NWO
- Y-OFS-6801-F-12-08-NWO
- Y-OFS-6801-F-12-10-NWO
- Y-OFS-6801-F-12-12-NWO
- Y-OFS-6801-F-12-16-NWO
- Y-OFS-6801-F-16-12-NWO
- Y-OFS-6801-F-16-14-NWO
- Y-OFS-6801-F-16-16-NWO
- Y-OFS-6801-F-16-20-NWO
- Y-OFS-6801-F-20-12-NWO
- Y-OFS-6801-F-20-16-NWO
- Y-OFS-6801-F-20-20-NWO
- Y-OFS-6801-F-20-24-NWO
- Y-OFS-6801-F-24-20-NWO
- Y-OFS-6801-F-24-24-NWO




**Y-OFS-6801-F-L-NWO - 90°**  
(1) Male OFS  
(2) Adj. O-Ring-Long

- Y-OFS-6801-F-L-04-04-NWO
- Y-OFS-6801-F-L-06-06-NWO
- Y-OFS-6801-F-L-08-08-NWO
- Y-OFS-6801-F-L-10-10-NWO
- Y-OFS-6801-F-L-12-12-NWO
- Y-OFS-6801-F-L-16-16-NWO
- Y-OFS-6801-F-L-20-20-NWO



**Y-OFS-6801-F-LL-NWO - 90°**  
(1) Male OFS  
(2) Adj. O-Ring-Ex. Long

- Y-OFS-6801-F-LL-08-08-NWO
- Y-OFS-6801-F-LL-12-12-NWO
- Y-OFS-6801-F-LL-16-16-NWO




**Y-OFS-6802-F-NWO - 45°**  
(1) Male OFS  
(2) Adj. O-Ring

- Y-OFS-6802-F-04-03-NWO
- Y-OFS-6802-F-04-04-NWO
- Y-OFS-6802-F-04-05-NWO
- Y-OFS-6802-F-04-06-NWO
- Y-OFS-6802-F-06-04-NWO
- Y-OFS-6802-F-06-06-NWO
- Y-OFS-6802-F-06-08-NWO
- Y-OFS-6802-F-06-10-NWO
- Y-OFS-6802-F-08-06-NWO
- Y-OFS-6802-F-08-08-NWO
- Y-OFS-6802-F-08-10-NWO
- Y-OFS-6802-F-08-12-NWO
- Y-OFS-6802-F-10-08-NWO
- Y-OFS-6802-F-10-10-NWO
- Y-OFS-6802-F-10-12-NWO
- Y-OFS-6802-F-12-08-NWO
- Y-OFS-6802-F-12-10-NWO
- Y-OFS-6802-F-12-12-NWO
- Y-OFS-6802-F-12-16-NWO
- Y-OFS-6802-F-16-12-NWO
- Y-OFS-6802-F-16-16-NWO
- Y-OFS-6802-F-16-20-NWO
- Y-OFS-6802-F-20-16-NWO
- Y-OFS-6802-F-20-20-NWO
- Y-OFS-6802-F-24-24-NWO



# IMPORT O-RING FACE SEAL


Styles may vary from picture



**Y-OFS-6803-F-NWO - Tee**

(1) (2) Male OFS  
(3) Adj. O-Ring


- Y-OFS-6803-F-04-04-04-NWO
- Y-OFS-6803-F-06-06-03-NWO
- Y-OFS-6803-F-06-06-04-NWO
- Y-OFS-6803-F-06-06-06-NWO
- Y-OFS-6803-F-06-06-08-NWO
- Y-OFS-6803-F-08-08-06-NWO
- Y-OFS-6803-F-08-08-08-NWO
- Y-OFS-6803-F-10-10-10-NWO
- Y-OFS-6803-F-12-12-10-NWO
- Y-OFS-6803-F-12-12-12-NWO
- Y-OFS-6803-F-12-12-16-NWO
- Y-OFS-6803-F-12-16-16-NWO
- Y-OFS-6803-F-16-16-16-NWO
- Y-OFS-6803-F-16-16-20-NWO
- Y-OFS-6803-F-20-20-16-NWO
- Y-OFS-6803-F-20-20-20-NWO
- Y-OFS-6803-F-24-24-24-NWO



**Y-OFS-6804-F-NWO - Tee**

(1) (3) Male OFS  
(2) Adj. O-Ring


- Y-OFS-6804-F-04-04-04-NWO
- Y-OFS-6804-F-04-04-06-NWO
- Y-OFS-6804-F-04-06-04-NWO
- Y-OFS-6804-F-06-04-06-NWO
- Y-OFS-6804-F-06-06-06-NWO
- Y-OFS-6804-F-08-06-08-NWO
- Y-OFS-6804-F-08-08-04-NWO
- Y-OFS-6804-F-08-08-08-NWO
- Y-OFS-6804-F-08-10-08-NWO
- Y-OFS-6804-F-08-12-04-NWO
- Y-OFS-6804-F-08-12-08-NWO
- Y-OFS-6804-F-08-16-08-NWO
- Y-OFS-6804-F-10-10-08-NWO
- Y-OFS-6804-F-10-10-10-NWO
- Y-OFS-6804-F-10-12-10-NWO
- Y-OFS-6804-F-10-12-12-NWO
- Y-OFS-6804-F-12-08-12-NWO
- Y-OFS-6804-F-12-12-08-NWO
- Y-OFS-6804-F-12-12-10-NWO
- Y-OFS-6804-F-12-12-12-NWO
- Y-OFS-6804-F-12-12-16-NWO



**Y-OFS-MJIC-6504 - Str.**

(1) Fem. OFS Swivel  
(2) Male JIC


- Y-OFS-MJIC-6504-04-04
- Y-OFS-MJIC-6504-06-06
- Y-OFS-MJIC-6504-08-06
- Y-OFS-MJIC-6504-08-08
- Y-OFS-MJIC-6504-10-10
- Y-OFS-MJIC-6504-12-12
- Y-OFS-MJIC-6504-16-16
- Y-OFS-MJIC-6504-20-20
- Y-OFS-MJIC-6504-24-24



**Y-OFS-6809-F-NWO - 90°**

(1) Fem. OFS Swivel  
(2) Adj. O-Ring


- Y-OFS-6809-F-04-04-NWO
- Y-OFS-6809-F-06-06-NWO
- Y-OFS-6809-F-08-08-NWO
- Y-OFS-6809-F-10-10-NWO
- Y-OFS-6809-F-12-12-NWO
- Y-OFS-6809-F-16-16-NWO
- Y-OFS-6809-F-20-20-NWO
- Y-OFS-6809-F-24-24-NWO



**Y-OFS-FJIC-6504 - Str.**

(1) Male OFS  
(2) Fem. JIC Swivel

- Y-OFS-FJIC-6504-04-04
- Y-OFS-FJIC-6504-06-06
- Y-OFS-FJIC-6504-08-08
- Y-OFS-FJIC-6504-10-10
- Y-OFS-FJIC-6504-12-12
- Y-OFS-FJIC-6504-16-16
- Y-OFS-FJIC-6504-20-20
- Y-OFS-FJIC-6504-24-24



**Y-OFS-MJIC-2403 - Str.**

(1) Male OFS  
(2) Male JIC

- Y-OFS-MJIC-2403-04-04
- Y-OFS-MJIC-2403-06-06
- Y-OFS-MJIC-2403-08-08
- Y-OFS-MJIC-2403-10-10
- Y-OFS-MJIC-2403-12-08
- Y-OFS-MJIC-2403-12-12
- Y-OFS-MJIC-2403-16-16
- Y-OFS-MJIC-2403-20-20
- Y-OFS-MJIC-2403-24-24

# Imported O-Ring Face Seal Fittings

<b>Dash Number</b>	4	6	8	10	12	16	20	24
<b>Tube O.D.</b>	¼	⅜	½	⅝	¾	1	1-¼	1-½
<b>O-Ring Face Seal Thread</b>	⅝-18	1¼-16	1⅜-16	1-14	1⅜-12	1⅞-12	1⅞-12	2-12
<b>O-Ring Face Seal PSI 4:1</b>	6000	6000	6000	6000	6000	5500	4000	4000
<b>Adjustable Fittings PSI</b>	5000	5000	5000	4500	4000	3000	2500	2000
<b>Pipe Thread Std. 4:1</b>	5000	4500	3000		3000	1750	1500	1500

Notes: \_\_\_\_\_

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---

## PARTS INDEX

Y-OFS-0304-C .....	1	Y-OFS-2701-F-LN .....	4
Y-OFS-0306 .....	1	Y-OFS-2702-F .....	4
Y-OFS-0318 .....	1	Y-OFS-2702-F-LN .....	4
Y-OFS-0319 .....	1	Y-OFS-2703-F .....	4
Y-OFS-0403 .....	1	Y-OFS-2703-F-LN .....	4
Y-OFS-1700-61 .....	1	Y-OFS-2704-F .....	4
Y-OFS-1700-62 .....	1	Y-OFS-2704-F-LN .....	4
Y-OFS-1703-F-61 .....	1	Y-OFS-6400-O .....	5
Y-OFS-1703-F-62 .....	1	Y-OFS-6400-L-O .....	5
Y-OFS-1704-F-61 .....	2	Y-OFS-6402-O .....	5
Y-OFS-1704-F-62 .....	2	Y-OFS-6500-F .....	5
Y-OFS-2403 .....	2	Y-OFS-6502-F .....	5
Y-OFS-2404 .....	2	Y-OFS-6504 .....	5
Y-OFS-2406 .....	2	Y-OFS-6505 .....	5
Y-OFS-2406-BLK .....	2	Y-OFS-6565 .....	6
Y-OFS-2407 .....	2	Y-OFS-6600-F .....	6
Y-OFS-2408 .....	2	Y-OFS-6602-F .....	6
Y-OFS-2500-F .....	3	Y-OFS-6801-F-NWO .....	6
Y-OFS-2501-F .....	3	Y-OFS-6801-F-L-NWO .....	6
Y-OFS-2503-F .....	3	Y-OFS-6801-F-LL-NWO .....	6
Y-OFS-2601-F .....	3	Y-OFS-6802-F-NWO .....	6
Y-OFS-2603-F .....	3	Y-OFS-6803-F-NWO .....	7
Y-OFS-2605-F .....	3	Y-OFS-6804-F-NWO .....	7
Y-OFS-2650-F .....	3	Y-OFS-6809-F-NWO .....	7
Y-OFS-2700 .....	3	Y-OFS-FJIC-6504 .....	7
Y-OFS-2700-LN .....	4	Y-OFS-MJIC-2403 .....	7
Y-OFS-2701-F .....	4	Y-OFS-MJIC-6504 .....	7



*Adapter & Fitting Specialist*

**1-800-348-8467**