

www.myfui.com

Price List 04/09

Prices subject to change without notice.

CORPORATE SALES

DALLAS, TX

3000 AVENUE F
ARLINGTON, TX 76011

(800) 348-8467 (817) 860-8517 FAX

CLEVELAND, OH

(800) 348-8467 (817) 860-8517 FAX

HOUSTON, TX

(800) 633-5340 (713) 672-8101 FAX

SALT LAKE CITY, UT

(800) 348-8467 (817) 860-8517 FAX

CANADA

CFA Industries – Fittings Unlimited, Inc.
305 INDUSTRIAL PARKWAY S., UNIT 11
AURORA, ONTARIO L4G 6X7
(877) 644-4403 (905) 713-3927 FAX

TERMS - All invoices are 2%-10 Net 30 with approved credit. A 1½% finance charge will be assessed on all past due accounts. All accounts due and payable in Arlington, Tarrant County, Texas.

MINIMUM ORDER - \$25.00 per order

POR - Price On Request

RETURNS - Fittings may be returned only with authorization from FITTINGS UNLIMITED, INC. - subject to our inspection and must be shipped freight prepaid within 30 days of original shipment. A restocking fee of 20% or \$10.00, whichever is greater, will apply. In case of shipping errors, notification must be made within 30 days to receive an adjustment. Special fittings and made to order items are non-cancelable and not returnable without written consent of FITTINGS UNLIMITED, INC.




*International and
Conversion Adapters*

TABLE OF CONTENTS

British Parallel Pipe	3-18
British Standard Taper	19-20
Japanese Industrial Standard	21-23
Metric	24-31
Metric Flareless	32-48
Metric Miscellaneous	49

Identifying Metric Connections

German DIN Compression



Male



Female

Series	Oper. Press. (bar)	Tube O.D.	Thread Size
LL	100	4	M 8x1
LL	100	6	M 10x1
LL	100	8	M 12x1
L	250	6	M 12x1.5
L	250	8	M 14x1.5
L	250	10	M 16x1.5
L	250	12	M 18x1.5
L	250	15	M 22x1.5
L	160	18	M 26x1.5
L	160	22	M 30x2
L	100	28	M 36x2
L	100	35	M 45x2
L	100	42	M 52x2
S	630	6	M 14x1.5
S	630	8	M 16x1.5
S	630	10	M 18x1.5
S	630	12	M 20x1.5
S	630	14	M 22x1.5
S	400	16	M 24x1.5
S	400	20	M 30x2
S	400	25	M 36x2
S	250	30	M 42x2
S	250	38	M 52x2

Tube O.D. Light MM	Tube O.D. Heavy MM	Metric Thread Size	Male Thread O.D.		Female Thread I.D.	
			MM	Frac. (in.)	MM	Frac. (in.)
6		M12x1.5	12	15/32	10.5	13/32
8	6	M14x1.5	14	9/16	12.5	1/2
10	8	M16x1.5	16	5/8	14.5	9/16
12	10	M18x1.5	18	23/32	16.5	21/32
	12	M20x1.5	20	25/32	18.5	23/32
15	14	M22x1.5	22	7/8	20.5	13/16
	16	M24x1.5	24	15/16	22.5	7/8
18		M26x1.5	26	1-1/32	24.5	31/32
22	20	M30x2.0	30	1-3/16	28	1-1/8
28	25	M36x2.0	36	1-13/32	34	1-11/32
	30	M42x2.0	42	1-21/32	40	1-9/16
35		M45x2.0	45	1-25/32	43	1-23/32
42	38	M52x2.0	52	2-1/32	50	1-31/32

This connection style consists of a common male and three different female styles.

The male has a straight metric thread, a 24° included angle and a recessed counterbore that matches the tube O.D. used with it. The female may be a tube, nut and sleeve, a globeseal or a globeseal with an O-Ring in the nose.

Metric Thread Size	Male Thread O.D. (A) (mm)	Female Thread I.D. (B) (mm)
M 10x1	10	8.5
M 12x1.5	12	10.5
M 14x1.5	14	12.5
M 16x1.5	16	14.5
M 18x1.5	18	16.5
M 20x1.5	20	18.5
M 22x1.5	22	20.5
M 26x1.5	26	24.5
M 27x2	27	25.5
M 30x2	30	28.5
M 33x2	33	31.5
M 42x2	42	39.9
M 48x2	48	46.5
M 52x2	52	50.5
M 65x2	65	62.9
M 78x2	78	75.9
M 90x2	90	87.9

Common Port Sealing Designs



DIN 3852 Form B: Sealing by means of a sealing "shoulder."

Female thread is parallel.



DIN 3852 Form C: Sealing by means of tapered thread. Female thread must be tapered to achieve rated operating pressure.



Form PEFLEX: Sealing by means of a profiled elastomer ring recessed into the fitting body. Female thread is parallel.




DIN 3852 Form A (formerly Form D): Sealing by means of a washer or bonded seal. Female thread is parallel.




Form SAE J514: Sealing by means of an O-Ring in the thread undercut. Female thread is parallel.

British Standard Pipe




The BSPT (tapered) connection is similar to the NPT except that the thread pitches are different in most sizes. To achieve full pressure rating, a tapered male must be threaded into a tapered female.

Dash Size	Inch Size	Thread	Male Thread O.D.		Female Thread I.D.	
			mm	in	mm	in
-2	1/8	1/8 - 28	9.4	.37	8.1	.32
-4	1/4	1/4 - 19	13.7	.53	12.4	.49
-6	3/8	3/8 - 19	17.2	.68	16.0	.62
-8	1/2	1/2 - 14	21.5	.84	19.8	.77
-10	5/8	5/8 - 14	23.1	.91	20.6	.81
-12	3/4	3/4 - 14	26.9	1.06	25.4	1.00
-16	1	1 - 11	34.0	1.34	31.8	1.25
-20	1 1/4	1 1/4 - 11	42.6	1.68	40.4	1.59
-24	1 1/2	1 1/2 - 11	48.5	1.90	46.2	1.81
-32	2	2	60.4	2.37	58.2	2.29



The BSPP (parallel) male is similar to the NPSM male except the thread pitches are different in most sizes. The mating female swivel is a BSP globe seal, which seals on the cone of the male.

JAPANESE Metric and British JIS 30° Flare



METRIC

Dash No.	Metric Size Equiv.	Metric Thread	Male Thread O.D.		Female Thread I.D.	
			mm	in	mm	in
-4		M14x1.5	14	.55	12.5	.85
-6	9	M18x1.5	18	.71	16.5	.82
-8	12	M22x1.5	22	.87	20.5	.88
-10	16	M24x1.5	24	.94	22.5	1.12
-12	19	M30x1.5	30	1.18	28.5	1.24
-16	25	M33x1.5	33	1.30	31.5	1.36
-20	32	M36x1.5	36	1.42	34.5	1.59
-24	38	M42x1.5	42	1.65	40.5	

METRIC

Used extensively on Komatsu equipment this 30° flare connector has parallel metric threads and is sometimes confused with JIS 30° flare which has BSPP threads.


BSPP

This Japanese connector is similar to the American 37° JIC flare except for the 30° seat angle. The straight (parallel) threads are the same as BSPP.

BSPP

Dash Size	Inch Size	Thread	Male Thread O.D.		Female Thread I.D.	
			mm	in	mm	in
-2	1/8	1/8 - 28	9.4	.37	8.1	.32
-4	1/4	1/4 - 19	13.7	.53	12.4	.49
-6	3/8	3/8 - 19	17.2	.68	16.0	.62
-8	1/2	1/2 - 14	21.5	.84	19.8	.77
-10	5/8	5/8 - 14	23.1	.91	20.6	.81
-12	3/4	3/4 - 14	26.9	1.06	25.4	1.00
-16	1	1 - 11	34.0	1.34	31.8	1.25
-20	1 1/4	1 1/4 - 11	42.6	1.68	40.4	1.59
-24	1 1/2	1 1/2 - 11	48.5	1.90	46.2	1.81
-32	2	2	60.4	2.37	58.2	2.29

DIGITAL CALIPER



- Manual power on/off**
- Metric/Inch system interchange at any position**
- Zero setting at any position**
- With data output interface**
- With carbide tipped measuring faces**
- Carrying case**

List price \$195.65

THREAD IDENTIFICATION KIT



Thread Identification Kit for male and female threads includes:

1/8-28 BSP through 2-11 BSP thread gauges
M8 x 1.0 through M52 x 2.0 metric thread gauges
Thread and Port Guide

This kit includes carrying case and 31 dual threaded gauges that allow you to identify BSP and Metric threads quickly. Fittings Unlimited, Inc. also carries optional Digital Calipers.

Metric ID kit 31 pieces and box
List price \$1486.25

BRITISH PARALLEL PIPE

Styles may vary from picture



BPP-0304-C

Fem. BPP Swivel Cap

BPP-0304-C-02
BPP-0304-C-04
BPP-0304-C-06
BPP-0304-C-08
BPP-0304-C-10
BPP-0304-C-12
BPP-0304-C-16
BPP-0304-C-20
BPP-0304-C-24
BPP-0304-C-32



BPP-0306

Bulkhead Lock Nut

BPP-0306-02
BPP-0306-04
BPP-0306-06
BPP-0306-08
BPP-0306-10
BPP-0306-12
BPP-0306-16
BPP-0306-20
BPP-0306-24
BPP-0306-32



BPP-1404-Str.

(1) Male BPP
(2) Fem. BPP Swivel

BPP-1404-02-02
BPP-1404-02-04
BPP-1404-04-02
BPP-1404-04-04
BPP-1404-04-06
BPP-1404-04-08
BPP-1404-06-02
BPP-1404-06-04
BPP-1404-06-06
BPP-1404-06-08
BPP-1404-06-12


BPP-1404-08-04
BPP-1404-08-06
BPP-1404-08-08
BPP-1404-08-10
BPP-1404-08-12
BPP-1404-08-16
BPP-1404-10-06
BPP-1404-10-08
BPP-1404-10-10
BPP-1404-10-12
BPP-1404-12-06
BPP-1404-12-08
BPP-1404-12-10
BPP-1404-12-12
BPP-1404-12-16
BPP-1404-12-20
BPP-1404-16-08
BPP-1404-16-10
BPP-1404-16-12
BPP-1404-16-16
BPP-1404-16-20
BPP-1404-16-24
BPP-1404-20-12
BPP-1404-20-16
BPP-1404-20-20
BPP-1404-20-24
BPP-1404-20-32
BPP-1404-24-16
BPP-1404-24-20
BPP-1404-24-24
BPP-1404-24-32
BPP-1404-32-24
BPP-1404-32-32



BPP-1406-Str.

(1) (2) Fem. BPP Swivel


BPP-1406-02-02
BPP-1406-04-02
BPP-1406-04-04
BPP-1406-06-04
BPP-1406-06-06
BPP-1406-08-04
BPP-1406-08-06
BPP-1406-08-08
BPP-1406-10-08
BPP-1406-10-10
BPP-1406-12-04
BPP-1406-12-06
BPP-1406-12-08
BPP-1406-12-10
BPP-1406-12-12
BPP-1406-16-08
BPP-1406-16-10
BPP-1406-16-12
BPP-1406-16-16
BPP-1406-20-16
BPP-1406-20-20
BPP-1406-24-24
BPP-1406-32-32



BPP-1501-90°

(1) Male BPP
(2) Fem. BPP Swivel

BPP-1501-02-02
BPP-1501-04-04
BPP-1501-04-06
BPP-1501-06-04
BPP-1501-06-06
BPP-1501-06-08
BPP-1501-08-06
BPP-1501-08-08
BPP-1501-10-10
BPP-1501-12-12
BPP-1501-16-12
BPP-1501-16-16
BPP-1501-20-20
BPP-1501-24-24
BPP-1501-32-32




BPP-1501-L-90°

(1) Male BPP
(2) Fem. BPP Swivel - Long

BPP-1501-L-04-04
BPP-1501-L-06-06
BPP-1501-L-08-08
BPP-1501-L-10-10
BPP-1501-L-12-12
BPP-1501-L-16-16
BPP-1501-L-20-20
BPP-1501-L-24-24
BPP-1501-L-32-32


BRITISH PARALLEL PIPE

Styles may vary from picture




BPP-1503-L - 45°
 (1) Male BPP
 (2) Fem. BPP Swivel - Long

- BPP-1503-L-04-04
- BPP-1503-L-06-06
- BPP-1503-L-08-08
- BPP-1503-L-10-10
- BPP-1503-L-12-12
- BPP-1503-L-16-16
- BPP-1503-L-20-20
- BPP-1503-L-24-24




BPP-1514-L - 45°
 (1) (2) Fem. BPP Swivel - Long

- BPP-1514-L-04-04
- BPP-1514-L-06-06
- BPP-1514-L-08-08
- BPP-1514-L-10-10
- BPP-1514-L-12-12
- BPP-1514-L-16-16
- BPP-1514-L-20-20




BPP-1652 - Cross
 (1) (2) (3) (4) Fem. BPP Swivel

- BPP-1652-04-04-04-04
- BPP-1652-06-06-06-06
- BPP-1652-08-08-08-08
- BPP-1652-10-10-10-10
- BPP-1652-12-12-12-12
- BPP-1652-16-16-16-16
- BPP-1652-20-20-20-20
- BPP-1652-24-24-24-24
- BPP-1652-32-32-32-32




BPP-1506 - 90°
 (1) (2) Fem. BPP Swivel

- BPP-1506-02-02
- BPP-1506-04-04
- BPP-1506-06-06
- BPP-1506-08-08
- BPP-1506-10-10
- BPP-1506-12-12
- BPP-1506-16-16
- BPP-1506-20-20
- BPP-1506-24-24
- BPP-1506-32-32




BPP-1603 - Tee
 (1) (2) (3) Fem. BPP Swivel

- BPP-1603-02-02-02
- BPP-1603-04-04-04
- BPP-1603-06-06-06
- BPP-1603-08-08-08
- BPP-1603-10-10-10
- BPP-1603-12-12-12
- BPP-1603-16-16-16
- BPP-1603-20-20-20
- BPP-1603-24-24-24
- BPP-1603-32-32-32




BPP-1660 - Tee
 (1) (2) Male BPP
 (3) Fem. BPP Swivel

- BPP-1660-02-02-02
- BPP-1660-04-04-04
- BPP-1660-06-06-06
- BPP-1660-08-08-08
- BPP-1660-10-10-10
- BPP-1660-12-12-12
- BPP-1660-16-16-16
- BPP-1660-20-20-20
- BPP-1660-24-24-24
- BPP-1660-32-32-32



BPP-1506-L - 90°
 (1) (2) Fem. BPP Swivel - Long

- BPP-1506-L-04-04
- BPP-1506-L-06-06
- BPP-1506-L-08-08
- BPP-1506-L-10-10
- BPP-1506-L-12-12
- BPP-1506-L-16-16
- BPP-1506-L-20-20
- BPP-1506-L-24-24




BPP-1662 - Tee
 (1) (3) Male BPP
 (2) Fem. BPP Swivel

- BPP-1662-02-02-02
- BPP-1662-04-04-04
- BPP-1662-06-06-06
- BPP-1662-08-08-08
- BPP-1662-10-10-10
- BPP-1662-12-12-12
- BPP-1662-16-16-16
- BPP-1662-20-20-20
- BPP-1662-24-24-24
- BPP-1662-32-32-32

BRITISH PARALLEL PIPE

Styles may vary from picture



BPP-1663 - Tee
(1) Male BPP
(2) (3) Fem. BPP Swivel

BPP-1663-02-02-02	74.15
BPP-1663-04-04-04	19.56
BPP-1663-06-06-06	37.28
BPP-1663-08-08-08	49.45
BPP-1663-10-10-10	102.25
BPP-1663-12-12-12	61.88
BPP-1663-16-16-16	155.35
BPP-1663-20-20-20	292.81




BPP-4000
O-Ring (use w/ retainer washer)

BPP-4000-02	0.65
BPP-4000-04	0.85
BPP-4000-06	1.05
BPP-4000-08	1.55
BPP-4000-10	3.65
BPP-4000-12	1.95
BPP-4000-16	2.60
BPP-4000-20	2.85
BPP-4000-24	5.25




BPP-4000-EO
Peflex Seal

BPP-4000-EO-02	0.80
BPP-4000-EO-04	0.80
BPP-4000-EO-06	0.95
BPP-4000-EO-08	0.95
BPP-4000-EO-12	2.35
BPP-4000-EO-16	1.50
BPP-4000-EO-20	1.95
BPP-4000-EO-24	2.55



BPP-5000 - Str.
(1) (2) Fem. BPP

BPP-5000-02-02	14.15
BPP-5000-04-02	20.10
BPP-5000-04-04	8.55
BPP-5000-06-02	11.00
BPP-5000-06-04	19.25
BPP-5000-06-06	9.45
BPP-5000-08-04	22.00
BPP-5000-08-06	19.75
BPP-5000-08-08	10.25
BPP-5000-10-08	39.00
BPP-5000-10-10	16.75
BPP-5000-12-04	64.80
BPP-5000-12-06	26.35
BPP-5000-12-08	29.75
BPP-5000-12-10	20.80
BPP-5000-12-12	21.80
BPP-5000-16-06	58.75
BPP-5000-16-08	52.75
BPP-5000-16-12	45.85
BPP-5000-16-16	34.25
BPP-5000-20-08	97.90
BPP-5000-20-12	255.40
BPP-5000-20-16	65.95
BPP-5000-20-20	51.60
BPP-5000-24-16	97.90
BPP-5000-24-20	87.90
BPP-5000-24-24	87.90
BPP-5000-32-24	175.85
BPP-5000-32-32	129.95




BPP-5404 - Str.
(1) (2) Male BPP

BPP-5404-02-02	5.10
BPP-5404-04-02	6.05
BPP-5404-04-04	4.70
BPP-5404-06-02	11.35
BPP-5404-06-04	6.20
BPP-5404-06-06	6.15
BPP-5404-08-02	14.30
BPP-5404-08-04	7.65
BPP-5404-08-06	7.65
BPP-5404-08-08	7.55
BPP-5404-10-04	17.55
BPP-5404-10-06	11.35
BPP-5404-10-08	10.10
BPP-5404-10-10	10.05
BPP-5404-12-04	16.75
BPP-5404-12-06	13.75
BPP-5404-12-08	13.10
BPP-5404-12-10	13.10
BPP-5404-12-12	12.95
BPP-5404-16-04	41.75
BPP-5404-16-06	29.05
BPP-5404-16-08	23.25
BPP-5404-16-10	33.25
BPP-5404-16-12	23.75
BPP-5404-16-16	22.25
BPP-5404-20-06	114.30
BPP-5404-20-08	114.30
BPP-5404-20-10	114.30
BPP-5404-20-12	103.55
BPP-5404-20-16	54.80
BPP-5404-20-20	47.30
BPP-5404-24-08	141.55
BPP-5404-24-10	153.85
BPP-5404-24-12	122.85
BPP-5404-24-16	66.40
BPP-5404-24-20	64.75
BPP-5404-24-24	57.75
BPP-5404-32-12	199.80
BPP-5404-32-16	134.75
BPP-5404-32-20	132.65
BPP-5404-32-24	87.95
BPP-5404-32-32	79.10
BPP-5404-40-24	567.20
BPP-5404-40-32	506.40
BPP-5404-40-40	382.00
BPP-5404-48-32	983.15
BPP-5404-48-40	675.75
BPP-5404-48-48	585.65

BRITISH PARALLEL PIPE


Styles may vary from picture



BPP-5404-BH-LN - Str.

(1) Male BPP
(2) Male BPP Bulkhead w/ locknut

BPP-5404-BH-LN-02-02	38.55
BPP-5404-BH-LN-04-04	11.88
BPP-5404-BH-LN-04-06	24.40
BPP-5404-BH-LN-06-06	15.94
BPP-5404-BH-LN-06-08	23.95
BPP-5404-BH-LN-08-06	64.95
BPP-5404-BH-LN-08-08	20.95
BPP-5404-BH-LN-08-12	51.95
BPP-5404-BH-LN-10-10	27.25
BPP-5404-BH-LN-12-06	93.50
BPP-5404-BH-LN-12-08	44.35
BPP-5404-BH-LN-12-12	28.30
BPP-5404-BH-LN-12-16	66.10
BPP-5404-BH-LN-16-12	102.30
BPP-5404-BH-LN-16-16	54.65
BPP-5404-BH-LN-20-20	124.85
BPP-5404-BH-LN-24-24	289.20
BPP-5404-BH-LN-32-32	419.95




***BPP-5405 - Str.**

(1) Male BPP
(2) Fem. BPP

BPP-5405-02-02	17.85
BPP-5405-02-04	11.75
BPP-5405-02-06	17.05
BPP-5405-04-02	8.55
BPP-5405-04-04	13.12
BPP-5405-04-06	11.70
BPP-5405-04-08	17.75
BPP-5405-04-12	54.15
BPP-5405-06-04	11.75
BPP-5405-06-06	11.90
BPP-5405-06-08	12.55
BPP-5405-06-12	49.80
BPP-5405-08-06	12.35
BPP-5405-08-08	13.75
BPP-5405-08-10	34.00
BPP-5405-08-12	15.95
BPP-5405-08-16	27.75
BPP-5405-08-20	217.35
BPP-5405-10-08	10.75
BPP-5405-10-10	33.20
BPP-5405-10-12	39.55
BPP-5405-12-08	18.25

BPP-5405-12-10	26.05
BPP-5405-12-12	12.05
BPP-5405-12-16	29.05
BPP-5405-12-20	148.65
BPP-5405-12-24	255.10
BPP-5405-16-12	32.40
BPP-5405-16-16	43.03
BPP-5405-16-20	84.70
BPP-5405-16-24	162.80
BPP-5405-16-32	241.80
BPP-5405-20-16	76.55
BPP-5405-20-20	89.80
BPP-5405-20-24	138.10
BPP-5405-20-32	180.25
BPP-5405-24-20	118.75
BPP-5405-24-24	131.90
BPP-5405-24-32	241.80
BPP-5405-32-24	180.25
BPP-5405-32-32	197.45




***BPP-5406 - Str. Bushing**

(1) Male BPP
(2) Fem. BPP

BPP-5406-06-02	9.80
BPP-5406-08-02	15.25
BPP-5406-08-04	9.80
BPP-5406-10-06	25.60
BPP-5406-12-04	16.15
BPP-5406-12-06	15.75
BPP-5406-16-04	35.40
BPP-5406-16-06	35.40
BPP-5406-16-08	26.45
BPP-5406-20-08	74.60
BPP-5406-20-12	51.45
BPP-5406-20-16	71.65
BPP-5406-24-08	91.65
BPP-5406-24-12	72.30
BPP-5406-24-16	94.45
BPP-5406-32-12	174.75
BPP-5406-32-16	174.75
BPP-5406-32-20	174.75
BPP-5406-32-24	179.25


* Some BPP may not be Chamfer



BPP-5500 - 90°

(1) (2) Male BPP


BPP-5500-02-02	42.55
BPP-5500-04-04	22.25
BPP-5500-06-04	35.80
BPP-5500-06-06	34.55
BPP-5500-08-06	45.05
BPP-5500-08-08	37.70
BPP-5500-10-10	52.15
BPP-5500-12-08	68.20
BPP-5500-12-12	30.40
BPP-5500-16-12	143.45
BPP-5500-16-16	65.80
BPP-5500-20-20	173.75
BPP-5500-24-24	279.12
BPP-5500-32-32	521.75



BPP-5502 - 90°

(1) Male BPP
(2) Fem. BPP

BPP-5502-02-02	37.45
BPP-5502-04-04	30.45
BPP-5502-06-06	33.30
BPP-5502-08-08	36.00
BPP-5502-10-10	66.45
BPP-5502-12-12	66.45
BPP-5502-16-16	91.40




BPP-5504 - 90°

(1) (2) Fem. BPP

BPP-5504-02-02	49.95
BPP-5504-04-04	40.75
BPP-5504-06-06	39.46
BPP-5504-08-08	48.05
BPP-5504-10-10	88.80
BPP-5504-12-12	74.15
BPP-5504-16-16	91.10


BRITISH PARALLEL PIPE

Styles may vary from picture




BPP-5505 - 45°
(1) (2) Fem. BPP

BPP-5505-02-02	44.40
BPP-5505-04-04	44.40
BPP-5505-06-06	48.05
BPP-5505-08-08	59.20
BPP-5505-10-10	92.55
BPP-5505-12-12	92.55




BPP-5600 - Tee
(1) (2) (3) Male BPP

BPP-5600-02-02-02	30.80
BPP-5600-04-04-04	16.95
BPP-5600-06-06-06	17.75
BPP-5600-08-08-08	30.10
BPP-5600-10-10-10	68.95
BPP-5600-12-12-12	59.95
BPP-5600-16-16-16	105.85
BPP-5600-20-20-20	233.40
BPP-5600-24-24-24	302.81
BPP-5600-32-32-32	575.63




BPP-5605 - Tee
(1) (2) (3) Fem. BPP

BPP-5605-02-02-02	19.38
BPP-5605-04-04-04	24.38
BPP-5605-06-06-06	33.75
BPP-5605-08-08-08	40.05
BPP-5605-10-10-10	88.85
BPP-5605-12-12-12	90.55
BPP-5605-16-16-16	175.85



BPP-6000
BPP Retainer Washer

BPP-6000-02	3.05
BPP-6000-04	3.65
BPP-6000-06	4.15
BPP-6000-08	4.40
BPP-6000-10	11.55
BPP-6000-12	4.60
BPP-6000-16	6.60
BPP-6000-20	12.65
BPP-6000-24	13.85
BPP-6000-32	27.70




BPP-6000-C
Copper Crush Washer

BPP-6000-C-02	0.95
BPP-6000-C-04	1.40
BPP-6000-C-06	2.05
BPP-6000-C-08	3.05
BPP-6000-C-10	5.40
BPP-6000-C-12	4.80
BPP-6000-C-16	7.15
BPP-6000-C-20	8.95
BPP-6000-C-24	13.95
BPP-6000-C-32	22.90




BPP-6001
BPP Bonded Seal

BPP-6001-02	0.95
BPP-6001-04	0.95
BPP-6001-06	1.00
BPP-6001-08	1.20
BPP-6001-10	1.50
BPP-6001-12	1.60
BPP-6001-16	2.55
BPP-6001-20	5.75
BPP-6001-24	7.45
BPP-6001-32	12.65
BPP-6001-40	36.80
BPP-6001-48	140.55



BPP-6403-EO - Str.
(1) Male BPP w/ Peflex Seal
(2) Male BPP w/ Peflex Seal

BPP-6403-02-02-EO	14.70
BPP-6403-04-04-EO	13.85
BPP-6403-06-06-EO	17.45
BPP-6403-08-08-EO	20.70
BPP-6403-12-12-EO	30.45
BPP-6403-16-16-EO	44.55
BPP-6403-20-20-EO	69.15
BPP-6403-24-24-EO	96.85




BPP-6408
(1) Male BPP Plug

BPP-6408-02	4.05
BPP-6408-04	4.25
BPP-6408-06	5.50
BPP-6408-08	6.50
BPP-6408-10	8.70
BPP-6408-12	10.15
BPP-6408-16	14.80
BPP-6408-20	33.40
BPP-6408-24	46.30
BPP-6408-32	76.60
BPP-6408-40	309.05
BPP-6408-48	441.95


BRITISH PARALLEL PIPE

Styles may vary from picture




BPP-6408-HHP-EO - Str.
(1) Male BPP Hollow Hex Plug
w/ Peflex Seal

BPP-6408-HHP-02-EO	5.30
BPP-6408-HHP-04-EO	7.60
BPP-6408-HHP-06-EO	9.20
BPP-6408-HHP-08-EO	13.85
BPP-6408-HHP-12-EO	18.15
BPP-6408-HHP-16-EO	30.85
BPP-6408-HHP-20-EO	58.25
BPP-6408-HHP-24-EO	67.65




BPP-6410-EO - Str.
(1) Male BPP w/ Peflex Seal
(2) Fem. BPP

BPP-6410-02-04-EO	22.85
BPP-6410-02-06-EO	56.95
BPP-6410-04-02-EO	18.20
BPP-6410-04-06-EO	29.90
BPP-6410-04-08-EO	34.95
BPP-6410-04-12-EO	81.50
BPP-6410-06-02-EO	84.30
BPP-6410-06-04-EO	16.30
BPP-6410-06-08-EO	31.80
BPP-6410-06-12-EO	42.95
BPP-6410-08-02-EO	40.85
BPP-6410-08-04-EO	12.90
BPP-6410-08-06-EO	18.55
BPP-6410-08-12-EO	57.00
BPP-6410-08-16-EO	113.15
BPP-6410-08-20-EO	389.50
BPP-6410-12-04-EO	18.95
BPP-6410-12-06-EO	29.25
BPP-6410-12-08-EO	21.65
BPP-6410-12-16-EO	64.25
BPP-6410-12-20-EO	207.35
BPP-6410-16-04-EO	110.55
BPP-6410-16-06-EO	42.10
BPP-6410-16-08-EO	19.95
BPP-6410-16-12-EO	24.60
BPP-6410-16-20-EO	158.70
BPP-6410-16-24-EO	181.35
BPP-6410-20-08-EO	74.30
BPP-6410-20-12-EO	57.55
BPP-6410-20-16-EO	70.40
BPP-6410-20-24-EO	194.20
BPP-6410-24-08-EO	86.45
BPP-6410-24-12-EO	74.15
BPP-6410-24-16-EO	66.35
BPP-6410-24-20-EO	103.30
BPP-6410-32-24-EO	492.10




BPP-7801-NW0 - 90°
(1) Male BPP
(2) Male BPP Adj. O-Ring

BPP-7801-02-02-NW0	146.20
BPP-7801-04-04-NW0	28.25
BPP-7801-04-06-NW0	32.95
BPP-7801-06-04-NW0	58.05
BPP-7801-06-06-NW0	32.95
BPP-7801-08-06-NW0	40.85
BPP-7801-08-08-NW0	40.25
BPP-7801-12-12-NW0	57.05
BPP-7801-16-16-NW0	113.05




BPP-7802-NW0 - 45°
(1) Male BPP
(2) Male BPP Adj. O-Ring

BPP-7802-04-04-NW0	32.45
BPP-7802-06-04-NW0	46.25
BPP-7802-06-06-NW0	40.25
BPP-7802-08-06-NW0	61.85
BPP-7802-08-08-NW0	50.75
BPP-7802-12-12-NW0	73.35
BPP-7802-16-16-NW0	135.15




BPP-7803-NW0 - Tee
(1) (2) Male BPP
(3) Male BPP Adj. O-Ring

BPP-7803-04-04-04-NW0	36.40
BPP-7803-06-06-04-NW0	74.35
BPP-7803-06-06-06-NW0	59.10
BPP-7803-08-08-06-NW0	104.15
BPP-7803-08-08-08-NW0	73.90
BPP-7803-12-12-12-NW0	110.90
BPP-7803-16-16-16-NW0	134.90



BPP-7804-NW0 - Tee
(1) (3) Male BPP
(2) Male BPP Adj. O-Ring

BPP-7804-04-04-04-NW0	36.40
BPP-7804-06-06-04-NW0	83.10
BPP-7804-06-06-06-NW0	51.20
BPP-7804-08-08-06-NW0	84.60
BPP-7804-08-08-08-NW0	62.75
BPP-7804-12-12-12-NW0	96.15
BPP-7804-16-16-16-NW0	134.90




BPP-BST-5404 - Str.
(1) Male BPP
(2) Male BSPT

BPP-BST-5404-02-02	7.50
BPP-BST-5404-02-04	11.95
BPP-BST-5404-02-06	15.05
BPP-BST-5404-02-08	39.95
BPP-BST-5404-04-02	8.51
BPP-BST-5404-04-04	7.50
BPP-BST-5404-04-06	11.20
BPP-BST-5404-04-08	16.59
BPP-BST-5404-06-02	18.80
BPP-BST-5404-06-04	8.55
BPP-BST-5404-06-06	7.80
BPP-BST-5404-06-08	15.25
BPP-BST-5404-06-12	27.45
BPP-BST-5404-06-16	55.05
BPP-BST-5404-08-02	23.60
BPP-BST-5404-08-04	10.65
BPP-BST-5404-08-06	12.18
BPP-BST-5404-08-08	9.00
BPP-BST-5404-08-10	21.05
BPP-BST-5404-08-12	22.65
BPP-BST-5404-08-16	43.95
BPP-BST-5404-10-04	25.55
BPP-BST-5404-10-06	28.00
BPP-BST-5404-10-08	20.15
BPP-BST-5404-10-10	16.40
BPP-BST-5404-10-12	32.05
BPP-BST-5404-10-16	43.95
BPP-BST-5404-12-04	36.65
BPP-BST-5404-12-06	25.15
BPP-BST-5404-12-08	18.06
BPP-BST-5404-12-12	13.95
BPP-BST-5404-12-16	31.24
BPP-BST-5404-12-20	99.45
BPP-BST-5404-16-04	59.95
BPP-BST-5404-16-06	59.95
BPP-BST-5404-16-08	43.55

BRITISH PARALLEL PIPE


Styles may vary from picture

BPP-BST-5404-16-12	35.40
BPP-BST-5404-16-16	24.85
BPP-BST-5404-16-20	94.95
BPP-BST-5404-16-24	113.65
BPP-BST-5404-16-32	206.35
BPP-BST-5404-20-12	99.45
BPP-BST-5404-20-16	71.35
BPP-BST-5404-20-20	59.05
BPP-BST-5404-20-24	118.75
BPP-BST-5404-20-32	194.85
BPP-BST-5404-24-12	136.25
BPP-BST-5404-24-16	138.05
BPP-BST-5404-24-20	118.75
BPP-BST-5404-24-24	81.55
BPP-BST-5404-24-32	193.05
BPP-BST-5404-32-16	180.25
BPP-BST-5404-32-20	180.25
BPP-BST-5404-32-24	193.05
BPP-BST-5404-32-32	136.75
BPP-BST-5404-40-40	901.10
BPP-BST-5404-48-48	1015.25




BPP-BST-5500 - 90°
(1) Male BPP
(2) Male BSPT

BPP-BST-5500-02-02	27.45
BPP-BST-5500-04-04	22.90
BPP-BST-5500-06-04	32.60
BPP-BST-5500-06-06	28.65
BPP-BST-5500-06-08	81.95
BPP-BST-5500-08-06	35.00
BPP-BST-5500-08-08	34.80
BPP-BST-5500-10-10	82.75
BPP-BST-5500-12-12	48.30
BPP-BST-5500-16-12	171.05
BPP-BST-5500-16-16	74.35




BPP-BST-5501 - 45°
(1) Male BPP
(2) Male BSPT

BPP-BST-5501-04-02	34.30
BPP-BST-5501-04-04	21.35
BPP-BST-5501-04-06	38.60
BPP-BST-5501-06-04	36.25
BPP-BST-5501-06-06	24.45
BPP-BST-5501-08-06	48.95
BPP-BST-5501-08-08	31.35
BPP-BST-5501-12-12	46.51
BPP-BST-5501-16-16	88.15




BPP-FB-6410 - Str.
(1) Male BPP
(2) Fem. O-Ring

BPP-FB-6410-02-04	29.65
BPP-FB-6410-04-04	20.20
BPP-FB-6410-06-06	36.85
BPP-FB-6410-08-08	44.15
BPP-FB-6410-08-10	49.85
BPP-FB-6410-12-12	58.25
BPP-FB-6410-16-16	62.70




BPP-FB-6410-WO - Str.
(1) Male BPP w/ Washer O-ring
(2) Fem. O-Ring

BPP-FB-6410-02-04-WO	21.80
BPP-FB-6410-04-02-WO	24.50
BPP-FB-6410-04-04-WO	14.75
BPP-FB-6410-04-06-WO	29.15
BPP-FB-6410-06-04-WO	31.80
BPP-FB-6410-06-06-WO	27.25
BPP-FB-6410-06-08-WO	45.05
BPP-FB-6410-08-06-WO	51.20
BPP-FB-6410-08-08-WO	30.10
BPP-FB-6410-12-06-WO	59.80
BPP-FB-6410-12-08-WO	73.30
BPP-FB-6410-12-10-WO	78.30
BPP-FB-6410-12-12-WO	37.95
BPP-FB-6410-12-16-WO	120.15
BPP-FB-6410-16-12-WO	116.85
BPP-FB-6410-16-16-WO	44.00
BPP-FB-6410-20-20-WO	189.35
BPP-FB-6410-24-24-WO	251.30




BPP-FBST-1405 - Str.
(1) Fem. BSPT
(2) Fem. BPP Swivel

BPP-FBST-1405-04-04	107.45
BPP-FBST-1405-06-06	92.60
BPP-FBST-1405-08-08	93.95
BPP-FBST-1405-12-12	94.25
BPP-FBST-1405-16-16	98.05



BPP-FBST-5405 - Str.
(1) Male BPP
(2) Fem. BSPT

BPP-FBST-5405-04-04	11.90
BPP-FBST-5405-06-06	12.25
BPP-FBST-5405-08-08	16.95
BPP-FBST-5405-12-08	22.65
BPP-FBST-5405-12-12	31.85
BPP-FBST-5405-16-16	37.25




BPP-FJX-6402-DS - Str.
(1) 37° Fem. Swivel
(2) Male BPP w/ Bonded Seal

BPP-FJX-6402-04-02-DS	42.35
BPP-FJX-6402-04-04-DS	16.65
BPP-FJX-6402-04-06-DS	18.55
BPP-FJX-6402-05-04-DS	25.15
BPP-FJX-6402-06-04-DS	17.00
BPP-FJX-6402-06-06-DS	17.00
BPP-FJX-6402-06-08-DS	27.30
BPP-FJX-6402-08-04-DS	35.75
BPP-FJX-6402-08-06-DS	17.00
BPP-FJX-6402-08-08-DS	18.65
BPP-FJX-6402-08-10-DS	35.90
BPP-FJX-6402-08-12-DS	39.55
BPP-FJX-6402-10-06-DS	27.15
BPP-FJX-6402-10-08-DS	24.55
BPP-FJX-6402-10-10-DS	26.65
BPP-FJX-6402-10-12-DS	45.55
BPP-FJX-6402-12-08-DS	54.00
BPP-FJX-6402-12-12-DS	40.35
BPP-FJX-6402-12-16-DS	63.35
BPP-FJX-6402-14-12-DS	68.30
BPP-FJX-6402-16-16-DS	71.35
BPP-FJX-6402-20-16-DS	132.25
BPP-FJX-6402-20-20-DS	106.60
BPP-FJX-6402-24-24-DS	169.25


BRITISH PARALLEL PIPE

Styles may vary from picture




BPP-FJX-6402-EO - Str.
 (1) 37° Fem. Swivel
 (2) Male BPP w/ Peflex Seal

BPP-FJX-6402-04-02-EO	49.25
BPP-FJX-6402-04-04-EO	24.95
BPP-FJX-6402-04-06-EO	49.95
BPP-FJX-6402-05-04-EO	64.25
BPP-FJX-6402-06-04-EO	42.05
BPP-FJX-6402-06-06-EO	25.05
BPP-FJX-6402-08-04-EO	48.50
BPP-FJX-6402-08-06-EO	48.50
BPP-FJX-6402-08-08-EO	26.95
BPP-FJX-6402-10-06-EO	126.00
BPP-FJX-6402-10-08-EO	55.45
BPP-FJX-6402-12-08-EO	94.60
BPP-FJX-6402-12-12-EO	44.35
BPP-FJX-6402-16-16-EO	69.75
BPP-FJX-6402-20-16-EO	182.10
BPP-FJX-6402-20-20-EO	79.75
BPP-FJX-6402-24-20-EO	256.85
BPP-FJX-6402-24-24-EO	238.25
BPP-FJX-6402-32-32-EO	584.30




BPP-FJX-6501 - 90°
 (1) 37° Fem. Swivel
 (2) Male BPP

BPP-FJX-6501-04-04	49.10
BPP-FJX-6501-06-06	54.15
BPP-FJX-6501-06-08	73.10
BPP-FJX-6501-08-06	81.70
BPP-FJX-6501-08-08	81.70
BPP-FJX-6501-10-08	90.70
BPP-FJX-6501-12-12	124.25




BPP-FJX-6505 - Str.
 (1) 37° Fem. Swivel
 (2) Male BPP

BPP-FJX-6505-04-02	21.25
BPP-FJX-6505-04-04	7.69
BPP-FJX-6505-04-06	16.05
BPP-FJX-6505-05-04	21.25
BPP-FJX-6505-06-02	23.75
BPP-FJX-6505-06-04	8.99
BPP-FJX-6505-06-06	15.06
BPP-FJX-6505-06-08	21.25
BPP-FJX-6505-08-04	34.65
BPP-FJX-6505-08-06	15.30
BPP-FJX-6505-08-08	16.05
BPP-FJX-6505-08-10	38.50
BPP-FJX-6505-08-12	37.95
BPP-FJX-6505-10-06	26.05
BPP-FJX-6505-10-08	23.30
BPP-FJX-6505-10-10	25.05
BPP-FJX-6505-10-12	43.95
BPP-FJX-6505-12-08	52.75
BPP-FJX-6505-12-12	22.88
BPP-FJX-6505-12-16	60.75
BPP-FJX-6505-14-12	66.75
BPP-FJX-6505-16-12	80.85
BPP-FJX-6505-16-16	47.50
BPP-FJX-6505-20-16	129.65
BPP-FJX-6505-20-20	101.25
BPP-FJX-6505-24-24	161.85
BPP-FJX-6505-32-32	360.10




BPP-FJX-6565 - Str.
 (1) 37° Fem. Swivel
 (2) Fem. BPP Swivel

BPP-FJX-6565-04-04	17.50
BPP-FJX-6565-04-06	26.35
BPP-FJX-6565-05-04	24.55
BPP-FJX-6565-05-06	24.55
BPP-FJX-6565-06-04	21.15
BPP-FJX-6565-06-06	18.30
BPP-FJX-6565-06-08	19.25
BPP-FJX-6565-08-06	18.25
BPP-FJX-6565-08-08	19.25
BPP-FJX-6565-08-12	36.75
BPP-FJX-6565-10-08	33.20
BPP-FJX-6565-10-10	26.25
BPP-FJX-6565-10-12	52.75
BPP-FJX-6565-12-12	48.35
BPP-FJX-6565-16-12	81.25
BPP-FJX-6565-16-16	67.07
BPP-FJX-6565-16-20	131.90
BPP-FJX-6565-20-16	114.30
BPP-FJX-6565-20-20	109.18
BPP-FJX-6565-24-24	190.25
BPP-FJX-6565-32-32	330.75



BPP-FOFS-6510 - Str.
 (1) Male BPP
 (2) Fem. O-Ring Face Seal Swivel (SAE)

BPP-FOFS-6510-02-04	24.15
BPP-FOFS-6510-04-04	22.65
BPP-FOFS-6510-04-06	22.65
BPP-FOFS-6510-06-06	22.65
BPP-FOFS-6510-06-08	24.15
BPP-FOFS-6510-08-06	30.35
BPP-FOFS-6510-08-08	30.35
BPP-FOFS-6510-08-10	45.10
BPP-FOFS-6510-08-12	51.70
BPP-FOFS-6510-12-12	51.55




BPP-FJX-6402-WO - Str.
 (1) 37° Fem. Swivel
 (2) Male BPP w/ Washer O-Ring

BPP-FJX-6402-04-02-WO	67.70
BPP-FJX-6402-04-04-WO	70.35
BPP-FJX-6402-05-04-WO	57.30
BPP-FJX-6402-06-04-WO	72.50
BPP-FJX-6402-06-06-WO	61.80
BPP-FJX-6402-08-06-WO	55.00
BPP-FJX-6402-10-08-WO	72.50
BPP-FJX-6402-12-12-WO	111.10
BPP-FJX-6402-16-16-WO	229.90
BPP-FJX-6402-20-20-WO	357.25
BPP-FJX-6402-24-24-WO	666.07

BRITISH PARALLEL PIPE


Styles may vary from picture



BPP-FP-5000 - Str.

(1) Fem. BPP
(2) Fem. Pipe


BPP-FP-5000-04-04	33.95
BPP-FP-5000-06-06	37.07
BPP-FP-5000-08-08	39.75
BPP-FP-5000-10-08	47.30
BPP-FP-5000-12-12	41.75
BPP-FP-5000-16-16	59.65
BPP-FP-5000-20-20	76.82
BPP-FP-5000-24-24	95.24
BPP-FP-5000-32-32	182.51
BPP-FP-5000-40-40	935.30
BPP-FP-5000-48-48	1295.00



BPP-FP-5405 - Str.

(1) Male BPP
(2) Fem. Pipe


BPP-FP-5405-02-02	8.70
BPP-FP-5405-02-04	9.85
BPP-FP-5405-04-02	11.06
BPP-FP-5405-04-04	9.20
BPP-FP-5405-04-06	15.40
BPP-FP-5405-06-02	22.60
BPP-FP-5405-06-04	13.88
BPP-FP-5405-06-06	13.88
BPP-FP-5405-06-08	34.19
BPP-FP-5405-08-02	34.05
BPP-FP-5405-08-04	25.90
BPP-FP-5405-08-06	18.13
BPP-FP-5405-08-08	17.51
BPP-FP-5405-12-04	41.85
BPP-FP-5405-12-06	32.40
BPP-FP-5405-12-08	36.85
BPP-FP-5405-12-12	19.25
BPP-FP-5405-16-04	68.73
BPP-FP-5405-16-06	88.90
BPP-FP-5405-16-08	88.90
BPP-FP-5405-16-12	48.67
BPP-FP-5405-16-16	35.63
BPP-FP-5405-16-20	112.90
BPP-FP-5405-20-12	122.00
BPP-FP-5405-20-16	74.10
BPP-FP-5405-20-20	60.85
BPP-FP-5405-24-20	110.40
BPP-FP-5405-24-24	70.35
BPP-FP-5405-24-32	277.55
BPP-FP-5405-32-24	307.75
BPP-FP-5405-32-32	165.55
BPP-FP-5405-40-32	600.80
BPP-FP-5405-40-40	681.40
BPP-FP-5405-48-32	970.45



BPP-FP-6405-DS - Str.

(1) Male BPP w/ Bonded Seal
(2) Fem. Pipe


BPP-FP-6405-02-02-DS	13.55
BPP-FP-6405-02-04-DS	23.70
BPP-FP-6405-04-02-DS	14.85
BPP-FP-6405-04-04-DS	12.60
BPP-FP-6405-04-06-DS	38.30
BPP-FP-6405-06-02-DS	21.85
BPP-FP-6405-06-04-DS	16.90
BPP-FP-6405-06-06-DS	16.90
BPP-FP-6405-08-02-DS	32.25
BPP-FP-6405-08-04-DS	25.00
BPP-FP-6405-08-06-DS	21.75
BPP-FP-6405-08-08-DS	21.10
BPP-FP-6405-12-04-DS	39.45
BPP-FP-6405-12-06-DS	39.45
BPP-FP-6405-12-08-DS	48.62
BPP-FP-6405-12-12-DS	24.30
BPP-FP-6405-16-04-DS	82.25
BPP-FP-6405-16-06-DS	82.25
BPP-FP-6405-16-08-DS	82.25
BPP-FP-6405-16-16-DS	42.30
BPP-FP-6405-20-16-DS	112.10
BPP-FP-6405-20-20-DS	92.15
BPP-FP-6405-24-20-DS	136.10
BPP-FP-6405-24-24-DS	109.35
BPP-FP-6405-32-24-DS	287.45
BPP-FP-6405-32-32-DS	220.45
BPP-FP-6405-40-32-DS	755.90
BPP-FP-6405-40-40-DS	896.35



BPP-FP-6405-WO - Str.

(1) Male BPP w/ Washer O-Ring
(2) Fem. Pipe

BPP-FP-6405-02-02-WO	22.95
BPP-FP-6405-02-04-WO	26.10
BPP-FP-6405-04-02-WO	27.30
BPP-FP-6405-04-04-WO	23.25
BPP-FP-6405-04-06-WO	34.75
BPP-FP-6405-06-04-WO	34.75
BPP-FP-6405-06-06-WO	29.35
BPP-FP-6405-06-08-WO	38.90
BPP-FP-6405-08-06-WO	38.90
BPP-FP-6405-08-08-WO	34.65
BPP-FP-6405-12-08-WO	34.95
BPP-FP-6405-12-12-WO	42.30
BPP-FP-6405-16-16-WO	66.60
BPP-FP-6405-20-16-WO	119.85
BPP-FP-6405-20-20-WO	119.90
BPP-FP-6405-24-24-WO	146.90
BPP-FP-6405-32-32-WO	310.70




BPP-M-5404 - Str.

(1) Male BPP
(2) Male Metric

BPP-M-5404-02-10X1.0	19.30
BPP-M-5404-02-12	14.55
BPP-M-5404-02-14	18.85
BPP-M-5404-04-08X1.0	16.75
BPP-M-5404-04-10	14.55
BPP-M-5404-04-12	14.55
BPP-M-5404-04-14	10.45
BPP-M-5404-04-16	14.85
BPP-M-5404-04-18	16.80
BPP-M-5404-04-20	44.35
BPP-M-5404-04-22	18.40
BPP-M-5404-06-12	15.25
BPP-M-5404-06-14	15.25
BPP-M-5404-06-16	10.45
BPP-M-5404-06-18	12.00
BPP-M-5404-06-20	13.20
BPP-M-5404-06-22	18.65
BPP-M-5404-06-24	17.55
BPP-M-5404-08-12	17.15
BPP-M-5404-08-14	17.15
BPP-M-5404-08-16	16.80
BPP-M-5404-08-18	12.25
BPP-M-5404-08-20	18.65
BPP-M-5404-08-22	18.65
BPP-M-5404-08-24	20.85
BPP-M-5404-08-26	20.85
BPP-M-5404-08-27	31.95
BPP-M-5404-10-22	18.65
BPP-M-5404-10-26	24.25
BPP-M-5404-12-16	20.85
BPP-M-5404-12-18	12.25
BPP-M-5404-12-20	14.70
BPP-M-5404-12-22	14.70
BPP-M-5404-12-24	24.25
BPP-M-5404-12-26	13.90
BPP-M-5404-12-27	53.15
BPP-M-5404-12-30	41.75
BPP-M-5404-16-18	54.00
BPP-M-5404-16-22	41.75
BPP-M-5404-16-24	41.75
BPP-M-5404-16-26	41.75
BPP-M-5404-16-27	78.75
BPP-M-5404-16-30	41.75
BPP-M-5404-16-33	111.10
BPP-M-5404-20-30	100.60
BPP-M-5404-20-38	108.35
BPP-M-5404-20-48	137.85
BPP-M-5404-24-38	141.10
BPP-M-5404-24-45	141.10
BPP-M-5404-32-45	170.50
BPP-M-5404-32-52	170.50

BRITISH PARALLEL PIPE


Styles may vary from picture



BPP-MB-6401-O - Str.

(1) Male O-Ring (SAE)
(2) Male BPP


BPP-MB-6401-04-04-O	7.45
BPP-MB-6401-04-06-O	9.85
BPP-MB-6401-05-04-O	5.60
BPP-MB-6401-05-06-O	11.95
BPP-MB-6401-06-04-O	8.40
BPP-MB-6401-06-06-O	8.55
BPP-MB-6401-06-08-O	10.60
BPP-MB-6401-08-04-O	15.25
BPP-MB-6401-08-06-O	12.35
BPP-MB-6401-08-08-O	9.45
BPP-MB-6401-08-10-O	16.05
BPP-MB-6401-08-12-O	22.75
BPP-MB-6401-10-06-O	20.50
BPP-MB-6401-10-08-O	14.85
BPP-MB-6401-10-10-O	17.55
BPP-MB-6401-10-12-O	22.35
BPP-MB-6401-12-06-O	33.20
BPP-MB-6401-12-08-O	19.90
BPP-MB-6401-12-10-O	35.20
BPP-MB-6401-12-12-O	16.40
BPP-MB-6401-12-16-O	28.60
BPP-MB-6401-16-12-O	28.60
BPP-MB-6401-16-16-O	28.60
BPP-MB-6401-16-20-O	67.65
BPP-MB-6401-20-12-O	124.30
BPP-MB-6401-20-16-O	73.75
BPP-MB-6401-20-20-O	71.75
BPP-MB-6401-20-24-O	123.35
BPP-MB-6401-24-16-O	233.40
BPP-MB-6401-24-20-O	118.25
BPP-MB-6401-24-24-O	100.75



BPP-MB-6804-NWO - Tee

(1) (3) Male BPP
(2) Male Adj. O-Ring (SAE)


BPP-MB-6804-02-04-02-NWO	51.40
BPP-MB-6804-04-06-04-NWO	49.30
BPP-MB-6804-06-08-06-NWO	80.40
BPP-MB-6804-08-10-08-NWO	97.30
BPP-MB-6804-12-12-12-NWO	143.65
BPP-MB-6804-16-16-16-NWO	157.50



BPP-MBST-1501 - 90°

(1) Male BSPT
(2) Fem. BPP Swivel


BPP-MBST-1501-04-04	53.25
BPP-MBST-1501-06-06	57.40
BPP-MBST-1501-08-08	71.13
BPP-MBST-1501-12-12	103.20
BPP-MBST-1501-16-16	138.60



BPP-MB-6806-NWO - Tee

(1) Male BPP
(2) Male Adj. O-Ring (SAE)


BPP-MB-6806-02-04-NWO	36.50
BPP-MB-6806-04-06-NWO	37.85
BPP-MB-6806-06-06-NWO	45.95
BPP-MB-6806-06-08-NWO	43.25
BPP-MB-6806-08-08-NWO	58.05
BPP-MB-6806-08-10-NWO	52.80
BPP-MB-6806-12-12-NWO	78.40
BPP-MB-6806-16-16-NWO	121.75



BPP-MBST-1404 - Str.

(1) Male BSPT
(2) Fem. BPP Swivel

BPP-MBST-1404-02-02	14.96
BPP-MBST-1404-04-04	12.95
BPP-MBST-1404-06-06	9.05
BPP-MBST-1404-08-08	18.50
BPP-MBST-1404-12-12	23.31
BPP-MBST-1404-16-16	49.95
BPP-MBST-1404-20-20	155.50
BPP-MBST-1404-24-24	222.00




BPP-MB-6803-NWO - Tee

(1) (2) Male BPP
(3) Male Adj. O-Ring (SAE)

BPP-MB-6803-02-02-04-NWO	51.40
BPP-MB-6803-06-06-08-NWO	80.40
BPP-MB-6803-08-08-08-NWO	98.70
BPP-MB-6803-08-08-10-NWO	97.30
BPP-MB-6803-12-12-12-NWO	143.65
BPP-MB-6803-16-16-16-NWO	157.50

BRITISH PARALLEL PIPE


Styles may vary from picture



BPP-MJ-2404 - Str.

(1) Male 37°
(2) Male BPP 30° Seat


BPP-MJ-2404-04-02	7.25
BPP-MJ-2404-04-04	5.80
BPP-MJ-2404-04-06	6.95
BPP-MJ-2404-04-08	10.30
BPP-MJ-2404-04-12	29.35
BPP-MJ-2404-05-02	8.15
BPP-MJ-2404-05-04	7.75
BPP-MJ-2404-05-06	8.85
BPP-MJ-2404-05-08	16.25
BPP-MJ-2404-05-12	17.25
BPP-MJ-2404-06-02	14.15
BPP-MJ-2404-06-04	6.35
BPP-MJ-2404-06-06	6.35
BPP-MJ-2404-06-08	8.25
BPP-MJ-2404-06-10	28.00
BPP-MJ-2404-06-12	16.85
BPP-MJ-2404-08-04	8.40
BPP-MJ-2404-08-06	7.95
BPP-MJ-2404-08-08	9.15
BPP-MJ-2404-08-10	13.01
BPP-MJ-2404-08-12	17.75
BPP-MJ-2404-08-16	40.75
BPP-MJ-2404-10-04	25.15
BPP-MJ-2404-10-06	10.40
BPP-MJ-2404-10-08	9.75
BPP-MJ-2404-10-10	16.25
BPP-MJ-2404-10-12	14.50
BPP-MJ-2404-10-16	19.60
BPP-MJ-2404-12-06	14.95
BPP-MJ-2404-12-08	13.25
BPP-MJ-2404-12-10	14.65
BPP-MJ-2404-12-12	12.25
BPP-MJ-2404-12-16	18.91
BPP-MJ-2404-12-20	52.95
BPP-MJ-2404-14-08	49.20
BPP-MJ-2404-14-12	17.01
BPP-MJ-2404-14-16	39.45
BPP-MJ-2404-16-06	55.55
BPP-MJ-2404-16-08	24.90
BPP-MJ-2404-16-10	25.15
BPP-MJ-2404-16-12	21.50
BPP-MJ-2404-16-16	21.25
BPP-MJ-2404-16-20	32.45
BPP-MJ-2404-16-24	87.90
BPP-MJ-2404-20-12	62.30
BPP-MJ-2404-20-16	52.50
BPP-MJ-2404-20-20	35.25
BPP-MJ-2404-20-24	48.75
BPP-MJ-2404-20-32	254.95
BPP-MJ-2404-24-16	89.60
BPP-MJ-2404-24-20	69.30
BPP-MJ-2404-24-24	74.25
BPP-MJ-2404-24-32	147.90
BPP-MJ-2404-32-16	387.60
BPP-MJ-2404-32-20	287.60
BPP-MJ-2404-32-24	209.15
BPP-MJ-2404-32-32	127.00



BPP-MJ-2405 - Str.

(1) Male 37°
(2) Fem. BPP (Rigid)


BPP-MJ-2405-04-02	49.28
BPP-MJ-2405-04-04	17.44
BPP-MJ-2405-04-06	26.85
BPP-MJ-2405-05-02	29.95
BPP-MJ-2405-05-04	31.60
BPP-MJ-2405-06-04	32.88
BPP-MJ-2405-06-06	18.44
BPP-MJ-2405-08-06	19.50
BPP-MJ-2405-08-08	20.94
BPP-MJ-2405-10-08	18.95
BPP-MJ-2405-12-12	26.02
BPP-MJ-2405-16-16	78.75
BPP-MJ-2405-20-20	144.38
BPP-MJ-2405-24-24	181.75
BPP-MJ-2405-32-32	363.80



BPP-MJ-2501 - 90°

(1) Male 37°
(2) Male BPP 30° Seat

BPP-MJ-2501-04-02	34.95
BPP-MJ-2501-04-04	32.15
BPP-MJ-2501-06-04	32.10
BPP-MJ-2501-06-06	40.09
BPP-MJ-2501-08-06	63.13
BPP-MJ-2501-08-08	62.69
BPP-MJ-2501-12-12	93.95
BPP-MJ-2501-16-16	129.45
BPP-MJ-2501-20-20	213.55
BPP-MJ-2501-24-24	295.05
BPP-MJ-2501-32-32	575.50




BPP-MJ-6400-DS - Str.

(1) Male 37°
(2) Male BPP w/ Bonded Seal

BPP-MJ-6400-04-02-DS	11.20
BPP-MJ-6400-04-04-DS	7.85
BPP-MJ-6400-04-06-DS	9.25
BPP-MJ-6400-04-08-DS	18.15
BPP-MJ-6400-04-12-DS	31.10
BPP-MJ-6400-05-02-DS	13.20
BPP-MJ-6400-05-04-DS	11.70
BPP-MJ-6400-05-06-DS	11.70
BPP-MJ-6400-05-08-DS	24.15
BPP-MJ-6400-06-02-DS	17.25
BPP-MJ-6400-06-04-DS	8.70
BPP-MJ-6400-06-06-DS	8.70
BPP-MJ-6400-06-08-DS	10.95
BPP-MJ-6400-06-10-DS	29.75
BPP-MJ-6400-06-12-DS	31.10
BPP-MJ-6400-08-04-DS	12.45
BPP-MJ-6400-08-06-DS	10.40
BPP-MJ-6400-08-08-DS	10.65
BPP-MJ-6400-08-10-DS	26.90
BPP-MJ-6400-08-12-DS	22.20
BPP-MJ-6400-08-16-DS	48.15
BPP-MJ-6400-10-04-DS	29.25
BPP-MJ-6400-10-06-DS	19.10
BPP-MJ-6400-10-08-DS	12.70
BPP-MJ-6400-10-10-DS	24.50
BPP-MJ-6400-10-12-DS	22.20
BPP-MJ-6400-10-16-DS	48.40
BPP-MJ-6400-12-06-DS	28.70
BPP-MJ-6400-12-08-DS	20.90
BPP-MJ-6400-12-10-DS	24.50
BPP-MJ-6400-12-12-DS	16.10
BPP-MJ-6400-12-16-DS	34.80
BPP-MJ-6400-12-20-DS	95.45
BPP-MJ-6400-14-12-DS	37.10
BPP-MJ-6400-14-16-DS	42.20
BPP-MJ-6400-16-08-DS	41.50
BPP-MJ-6400-16-12-DS	26.35
BPP-MJ-6400-16-16-DS	27.35
BPP-MJ-6400-16-20-DS	89.20
BPP-MJ-6400-16-24-DS	158.60
BPP-MJ-6400-20-12-DS	103.55
BPP-MJ-6400-20-16-DS	86.20
BPP-MJ-6400-20-20-DS	69.90
BPP-MJ-6400-20-24-DS	109.55
BPP-MJ-6400-24-20-DS	128.35
BPP-MJ-6400-24-24-DS	102.00
BPP-MJ-6400-24-32-DS	199.70
BPP-MJ-6400-32-16-DS	378.10
BPP-MJ-6400-32-20-DS	274.40
BPP-MJ-6400-32-24-DS	231.60
BPP-MJ-6400-32-32-DS	199.70


BRITISH PARALLEL PIPE

Styles may vary from picture




BPP-MJ-6400-WO - Str.
 (1) Male 37°
 (2) Male BPP w/ Washer O-Ring

BPP-MJ-6400-04-02-WO	6.60
BPP-MJ-6400-04-04-WO	6.72
BPP-MJ-6400-04-06-WO	11.25
BPP-MJ-6400-04-08-WO	20.45
BPP-MJ-6400-05-02-WO	18.35
BPP-MJ-6400-05-04-WO	9.85
BPP-MJ-6400-05-06-WO	13.65
BPP-MJ-6400-06-02-WO	23.15
BPP-MJ-6400-06-04-WO	7.12
BPP-MJ-6400-06-06-WO	6.90
BPP-MJ-6400-06-08-WO	11.33
BPP-MJ-6400-06-12-WO	31.25
BPP-MJ-6400-08-04-WO	16.65
BPP-MJ-6400-08-06-WO	9.30
BPP-MJ-6400-08-08-WO	9.97
BPP-MJ-6400-08-12-WO	18.90
BPP-MJ-6400-10-06-WO	19.90
BPP-MJ-6400-10-08-WO	11.61
BPP-MJ-6400-10-12-WO	24.55
BPP-MJ-6400-10-16-WO	48.80
BPP-MJ-6400-12-06-WO	29.95
BPP-MJ-6400-12-08-WO	16.69
BPP-MJ-6400-12-10-WO	31.85
BPP-MJ-6400-12-12-WO	16.15
BPP-MJ-6400-12-16-WO	25.65
BPP-MJ-6400-12-20-WO	84.45
BPP-MJ-6400-14-12-WO	83.35
BPP-MJ-6400-14-16-WO	68.25
BPP-MJ-6400-16-12-WO	25.85
BPP-MJ-6400-16-16-WO	26.45
BPP-MJ-6400-16-20-WO	68.55
BPP-MJ-6400-16-24-WO	155.75
BPP-MJ-6400-20-16-WO	88.55
BPP-MJ-6400-20-20-WO	52.65
BPP-MJ-6400-20-24-WO	145.70
BPP-MJ-6400-24-20-WO	86.20
BPP-MJ-6400-24-24-WO	110.55




BPP-MJ-6400-L-WO - Str.
 (1) Male 37°
 (2) Male BPP - Long w/ Washer & O-Ring

BPP-MJ-6400-L-06-04-WO	24.40
BPP-MJ-6400-L-08-06-WO	31.60
BPP-MJ-6400-L-08-08-WO	35.90
BPP-MJ-6400-L-10-08-WO	36.10
BPP-MJ-6400-L-12-12-WO	67.80
BPP-MJ-6400-L-12-16-WO	87.90
BPP-MJ-6400-L-16-16-WO	85.35
BPP-MJ-6400-L-20-20-WO	202.80




BPP-MJ-6500 - 90°
 (1) Male 37°
 (2) Fem. BPP Swivel

BPP-MJ-6500-04-04	24.25
BPP-MJ-6500-06-06	33.40
BPP-MJ-6500-08-08	43.15
BPP-MJ-6500-12-12	73.75
BPP-MJ-6500-16-16	132.15




BPP-MJ-6500-L - 90°
 (1) Male 37°
 (2) Fem. BPP Swivel - Long

BPP-MJ-6500-L-04-04	50.60
BPP-MJ-6500-L-06-06	56.80
BPP-MJ-6500-L-08-08	74.60
BPP-MJ-6500-L-10-10	152.10
BPP-MJ-6500-L-12-12	115.05
BPP-MJ-6500-L-16-16	188.75



BPP-MJ-6502-L - 45°
 (1) Male 37°
 (2) Fem. BPP Swivel - Long

BPP-MJ-6502-L-04-04	50.60
BPP-MJ-6502-L-06-06	56.80
BPP-MJ-6502-L-08-08	74.60
BPP-MJ-6502-L-12-12	115.05
BPP-MJ-6502-L-16-16	188.75




BPP-MJ-6510 - Str.
 (1) Male 37°
 (2) Fem. BPP Swivel

BPP-MJ-6510-04-02	14.15
BPP-MJ-6510-04-04	8.85
BPP-MJ-6510-04-06	20.05
BPP-MJ-6510-05-04	21.25
BPP-MJ-6510-05-06	26.05
BPP-MJ-6510-06-04	16.35
BPP-MJ-6510-06-06	10.75
BPP-MJ-6510-06-08	17.75
BPP-MJ-6510-08-06	14.15
BPP-MJ-6510-08-08	13.45
BPP-MJ-6510-08-10	20.23
BPP-MJ-6510-08-12	28.05
BPP-MJ-6510-10-06	32.05
BPP-MJ-6510-10-08	13.65
BPP-MJ-6510-10-10	22.76
BPP-MJ-6510-10-12	39.55
BPP-MJ-6510-12-12	21.05
BPP-MJ-6510-12-16	28.76
BPP-MJ-6510-16-12	58.15
BPP-MJ-6510-16-16	30.60
BPP-MJ-6510-20-20	105.85
BPP-MJ-6510-24-24	129.52
BPP-MJ-6510-32-32	273.67

BRITISH PARALLEL PIPE


Styles may vary from picture



BPP-MJ-6801-NWO - 90°

(1) Male 37°
(2) Male BPP Adj. O-Ring w/ Retainer Washer


BPP-MJ-6801-04-02-NWO	16.65
BPP-MJ-6801-04-04-NWO	17.40
BPP-MJ-6801-04-06-NWO	22.38
BPP-MJ-6801-05-02-NWO	66.00
BPP-MJ-6801-05-04-NWO	26.25
BPP-MJ-6801-05-06-NWO	31.95
BPP-MJ-6801-06-04-NWO	17.43
BPP-MJ-6801-06-06-NWO	18.80
BPP-MJ-6801-06-08-NWO	26.88
BPP-MJ-6801-08-04-NWO	39.25
BPP-MJ-6801-08-06-NWO	25.05
BPP-MJ-6801-08-08-NWO	26.25
BPP-MJ-6801-08-12-NWO	45.95
BPP-MJ-6801-10-06-NWO	37.60
BPP-MJ-6801-10-08-NWO	29.50
BPP-MJ-6801-10-12-NWO	57.20
BPP-MJ-6801-12-08-NWO	31.13
BPP-MJ-6801-12-10-NWO	83.65
BPP-MJ-6801-12-12-NWO	42.95
BPP-MJ-6801-12-16-NWO	64.60
BPP-MJ-6801-14-08-NWO	98.85
BPP-MJ-6801-14-12-NWO	117.35
BPP-MJ-6801-16-12-NWO	60.80
BPP-MJ-6801-16-16-NWO	62.75
BPP-MJ-6801-16-20-NWO	153.35
BPP-MJ-6801-20-16-NWO	138.15
BPP-MJ-6801-20-20-NWO	97.75
BPP-MJ-6801-24-20-NWO	300.00
BPP-MJ-6801-24-24-NWO	118.81
BPP-MJ-6801-32-32-NWO	275.75



BPP-MJ-6801-L-NWO - 90°

(1) Male 37°
(2) Male BPP Adj. O-Ring w/ Retainer Washer - Long


BPP-MJ-6801-L-06-06-NWO	92.00
BPP-MJ-6801-L-08-06-NWO	92.00
BPP-MJ-6801-L-08-08-NWO	112.90



BPP-MJ-6802-NWO - 45°

(1) Male 37°
(2) Male BPP Adj. O-Ring w/ Retainer Washer


BPP-MJ-6802-04-02-NWO	20.60
BPP-MJ-6802-04-04-NWO	28.40
BPP-MJ-6802-06-04-NWO	28.15
BPP-MJ-6802-06-06-NWO	30.80
BPP-MJ-6802-08-06-NWO	32.60
BPP-MJ-6802-08-08-NWO	41.35
BPP-MJ-6802-10-08-NWO	50.73
BPP-MJ-6802-12-08-NWO	56.50
BPP-MJ-6802-12-12-NWO	54.90
BPP-MJ-6802-16-16-NWO	77.20
BPP-MJ-6802-20-20-NWO	149.10
BPP-MJ-6802-24-24-NWO	270.35



BPP-MJ-6803-NWO - Tee

(1) (2) Male 37°
(3) Male BPP Adj. O-Ring w/ Retainer Washer

BPP-MJ-6803-04-04-02-NWO	64.50
BPP-MJ-6803-04-04-04-NWO	40.80
BPP-MJ-6803-05-05-04-NWO	50.25
BPP-MJ-6803-06-06-04-NWO	30.35
BPP-MJ-6803-06-06-06-NWO	59.95
BPP-MJ-6803-08-08-06-NWO	40.35
BPP-MJ-6803-08-08-08-NWO	84.38
BPP-MJ-6803-10-10-08-NWO	52.35
BPP-MJ-6803-12-12-12-NWO	77.01
BPP-MJ-6803-16-16-16-NWO	125.63
BPP-MJ-6803-20-20-20-NWO	170.33




BPP-MJ-6804-NWO - Tee

(1) (3) Male 37°
(2) Male BPP Adj. O-Ring w/ Retainer Washer

BPP-MJ-6804-04-02-04-NWO	22.13
BPP-MJ-6804-04-04-04-NWO	32.25
BPP-MJ-6804-06-04-06-NWO	38.13
BPP-MJ-6804-06-06-06-NWO	59.38
BPP-MJ-6804-08-06-08-NWO	53.13
BPP-MJ-6804-08-08-08-NWO	75.64
BPP-MJ-6804-10-08-10-NWO	65.31
BPP-MJ-6804-12-12-12-NWO	79.36
BPP-MJ-6804-16-16-16-NWO	144.38
BPP-MJ-6804-20-20-20-NWO	197.50


BRITISH PARALLEL PIPE



BPP-MP-1404 - Str.

(1) Male NPT Pipe
(2) Fem. BPP Swivel


BPP-MP-1404-02-02	20.63
BPP-MP-1404-04-04	9.25
BPP-MP-1404-04-06	22.60
BPP-MP-1404-06-04	16.67
BPP-MP-1404-06-06	10.40
BPP-MP-1404-06-08	20.90
BPP-MP-1404-08-06	19.83
BPP-MP-1404-08-08	14.25
BPP-MP-1404-12-08	22.15
BPP-MP-1404-12-12	30.15
BPP-MP-1404-12-16	46.80
BPP-MP-1404-16-12	31.55
BPP-MP-1404-16-16	31.65
BPP-MP-1404-20-20	97.36
BPP-MP-1404-24-24	208.50
BPP-MP-1404-32-32	365.04



BPP-MP-1501 - 90°

(1) Male NPT Pipe
(2) Fem. BPP Swivel


BPP-MP-1501-02-02	51.07
BPP-MP-1501-04-04	53.27
BPP-MP-1501-06-06	57.40
BPP-MP-1501-08-08	71.13
BPP-MP-1501-12-12	103.20
BPP-MP-1501-16-16	138.60
BPP-MP-1501-20-20	326.00
BPP-MP-1501-24-24	537.67
BPP-MP-1501-32-32	1270.20



BPP-MP-5404 - Str.

(1) Male BPP 30°
(2) Male NPT Pipe


BPP-MP-5404-02-02	5.65
BPP-MP-5404-02-04	4.75
BPP-MP-5404-02-06	13.20
BPP-MP-5404-02-08	24.80
BPP-MP-5404-04-02	5.10
BPP-MP-5404-04-04	6.00
BPP-MP-5404-04-06	8.10
BPP-MP-5404-04-08	10.50
BPP-MP-5404-04-12	28.80
BPP-MP-5404-06-02	9.45
BPP-MP-5404-06-04	7.75
BPP-MP-5404-06-06	6.70
BPP-MP-5404-06-08	10.15
BPP-MP-5404-06-12	39.35
BPP-MP-5404-06-16	68.75
BPP-MP-5404-08-02	24.80
BPP-MP-5404-08-04	10.45
BPP-MP-5404-08-06	9.75
BPP-MP-5404-08-08	7.80
BPP-MP-5404-08-12	15.75
BPP-MP-5404-08-16	34.25
BPP-MP-5404-10-08	13.25
BPP-MP-5404-10-12	20.75
BPP-MP-5404-12-04	16.05
BPP-MP-5404-12-06	26.25
BPP-MP-5404-12-08	16.75
BPP-MP-5404-12-12	12.30
BPP-MP-5404-12-16	22.40
BPP-MP-5404-12-20	48.75
BPP-MP-5404-16-06	48.35
BPP-MP-5404-16-08	27.10
BPP-MP-5404-16-12	25.85
BPP-MP-5404-16-16	22.75
BPP-MP-5404-16-20	36.80
BPP-MP-5404-16-24	59.65
BPP-MP-5404-16-32	421.00
BPP-MP-5404-20-12	84.35
BPP-MP-5404-20-16	66.65
BPP-MP-5404-20-20	39.05
BPP-MP-5404-20-24	50.60
BPP-MP-5404-20-32	105.45
BPP-MP-5404-24-12	266.70
BPP-MP-5404-24-16	79.65
BPP-MP-5404-24-20	74.25
BPP-MP-5404-24-24	63.60
BPP-MP-5404-24-32	105.45
BPP-MP-5404-32-16	197.80
BPP-MP-5404-32-20	111.40
BPP-MP-5404-32-24	105.45
BPP-MP-5404-32-32	93.35
BPP-MP-5404-40-32	1214.30
BPP-MP-5404-40-40	1319.80
BPP-MP-5404-48-48	1208.15



BPP-MP-5405 - Str.

(1) Male NPT Pipe
(2) Fem. BPP (Rigid)

BPP-MP-5405-02-02	21.45
BPP-MP-5405-02-04	52.50
BPP-MP-5405-04-02	23.75
BPP-MP-5405-04-04	9.80
BPP-MP-5405-04-06	41.02
BPP-MP-5405-04-08	32.50
BPP-MP-5405-06-04	16.88
BPP-MP-5405-06-06	14.69
BPP-MP-5405-06-08	56.05
BPP-MP-5405-08-04	25.63
BPP-MP-5405-08-06	17.50
BPP-MP-5405-08-08	17.81
BPP-MP-5405-12-04	29.07
BPP-MP-5405-12-06	62.03
BPP-MP-5405-12-08	28.40
BPP-MP-5405-12-12	24.40
BPP-MP-5405-16-04	89.83
BPP-MP-5405-16-12	53.75
BPP-MP-5405-16-16	48.13
BPP-MP-5405-20-08	170.94
BPP-MP-5405-20-12	176.05
BPP-MP-5405-20-16	195.05
BPP-MP-5405-20-20	75.75
BPP-MP-5405-24-20	198.25
BPP-MP-5405-24-24	121.25
BPP-MP-5405-32-32	170.75




BPP-MP-5500 - 90°

(1) Male BPP 30°
(2) Male NPT Pipe

BPP-MP-5500-02-02	20.63
BPP-MP-5500-04-04	20.63
BPP-MP-5500-06-06	30.01
BPP-MP-5500-08-08	36.25
BPP-MP-5500-12-12	43.76
BPP-MP-5500-16-16	77.50
BPP-MP-5500-20-20	245.02
BPP-MP-5500-24-24	367.75


BRITISH PARALLEL PIPE

Styles may vary from picture




BPP-OFS-2404 - Str.
 (1) Male O-Ring Face Seal (SAE)
 (2) Male BPP 30°

BPP-OFS-2404-04-02	15.99
BPP-OFS-2404-04-04	15.95
BPP-OFS-2404-06-04	17.45
BPP-OFS-2404-06-06	24.30
BPP-OFS-2404-08-06	24.30
BPP-OFS-2404-08-08	26.00
BPP-OFS-2404-10-08	26.05
BPP-OFS-2404-12-08	34.17
BPP-OFS-2404-12-12	32.45
BPP-OFS-2404-16-16	51.30
BPP-OFS-2404-20-20	103.30
BPP-OFS-2404-24-24	221.45




BPP-OFS-6400-EO - Str.
 (1) Male O-Ring Face Seal (SAE)
 (2) Male BPP w/ Peflex Seal

BPP-OFS-6400-04-02-EO	37.20
BPP-OFS-6400-04-04-EO	44.45
BPP-OFS-6400-04-06-EO	17.60
BPP-OFS-6400-04-08-EO	34.35
BPP-OFS-6400-06-02-EO	34.05
BPP-OFS-6400-06-04-EO	27.40
BPP-OFS-6400-06-06-EO	12.85
BPP-OFS-6400-06-08-EO	38.90
BPP-OFS-6400-06-12-EO	39.65
BPP-OFS-6400-08-04-EO	31.85
BPP-OFS-6400-08-06-EO	64.85
BPP-OFS-6400-08-08-EO	72.25
BPP-OFS-6400-08-12-EO	36.70
BPP-OFS-6400-10-06-EO	32.85
BPP-OFS-6400-10-08-EO	44.25
BPP-OFS-6400-10-12-EO	30.95
BPP-OFS-6400-12-08-EO	69.35
BPP-OFS-6400-12-12-EO	51.80
BPP-OFS-6400-12-16-EO	102.60
BPP-OFS-6400-12-20-EO	164.75
BPP-OFS-6400-16-12-EO	68.40
BPP-OFS-6400-16-16-EO	104.00
BPP-OFS-6400-16-20-EO	107.95
BPP-OFS-6400-16-24-EO	330.55
BPP-OFS-6400-20-16-EO	74.40
BPP-OFS-6400-20-20-EO	128.15
BPP-OFS-6400-20-24-EO	216.90
BPP-OFS-6400-24-24-EO	228.60




BPP-OFS-6400-WO - Str.
 (1) Male O-Ring Face Seal (SAE)
 (2) Male BPP w/ Washer & O-Ring

BPP-OFS-6400-04-02-WO	14.35
BPP-OFS-6400-04-04-WO	14.15
BPP-OFS-6400-04-06-WO	29.85
BPP-OFS-6400-06-04-WO	13.45
BPP-OFS-6400-06-06-WO	14.95
BPP-OFS-6400-06-08-WO	28.15
BPP-OFS-6400-08-06-WO	15.65
BPP-OFS-6400-08-08-WO	21.75
BPP-OFS-6400-08-12-WO	30.40
BPP-OFS-6400-10-08-WO	21.75
BPP-OFS-6400-10-12-WO	33.00
BPP-OFS-6400-12-08-WO	32.95
BPP-OFS-6400-12-12-WO	37.45
BPP-OFS-6400-12-16-WO	67.85
BPP-OFS-6400-16-12-WO	40.25
BPP-OFS-6400-16-16-WO	59.75
BPP-OFS-6400-20-16-WO	68.65
BPP-OFS-6400-20-20-WO	104.80
BPP-OFS-6400-24-24-WO	165.55



BPP-OFS-6400-L-WO - Str.
 (1) Male O-Ring Face Seal - Long (SAE)
 (2) Male BPP w/Washer & O-Ring

BPP-OFS-6400-L-08-06-WO	49.50
BPP-OFS-6400-L-08-08-WO	56.50
BPP-OFS-6400-L-10-08-WO	56.70
BPP-OFS-6400-L-10-12-WO	123.15
BPP-OFS-6400-L-12-12-WO	106.55
BPP-OFS-6400-L-16-16-WO	134.10
BPP-OFS-6400-L-20-20-WO	210.40



BPP-OFS-6801-NWO - Str.
 (1) Male O-Ring Face Seal (SAE)
 (2) Male BPP Adj. O-Ring w/ Retainer Washer


BPP-OFS-6801-04-02-NWO	41.85
BPP-OFS-6801-04-04-NWO	45.50
BPP-OFS-6801-04-06-NWO	63.50
BPP-OFS-6801-06-04-NWO	29.80

BPP-OFS-6801-06-06-NWO	37.95
BPP-OFS-6801-06-08-NWO	76.80
BPP-OFS-6801-08-04-NWO	31.95
BPP-OFS-6801-08-06-NWO	38.45
BPP-OFS-6801-08-08-NWO	62.40
BPP-OFS-6801-10-08-NWO	63.95
BPP-OFS-6801-10-12-NWO	103.25
BPP-OFS-6801-12-08-NWO	120.35
BPP-OFS-6801-12-12-NWO	82.25
BPP-OFS-6801-12-16-NWO	117.55
BPP-OFS-6801-16-12-NWO	121.20
BPP-OFS-6801-16-16-NWO	111.25
BPP-OFS-6801-16-20-NWO	299.70
BPP-OFS-6801-20-16-NWO	267.55
BPP-OFS-6801-20-20-NWO	160.30
BPP-OFS-6801-24-24-NWO	219.15



BPP-OFS-6802-NWO - 45°
 (1) Male O-Ring Face Seal (SAE)
 (2) Male BPP Adj. O-Ring w/ Retainer Washer

BPP-OFS-6802-04-02-NWO	46.88
BPP-OFS-6802-04-04-NWO	66.25
BPP-OFS-6802-06-04-NWO	66.25
BPP-OFS-6802-06-06-NWO	66.25
BPP-OFS-6802-08-06-NWO	61.25
BPP-OFS-6802-08-08-NWO	118.75
BPP-OFS-6802-10-08-NWO	113.87
BPP-OFS-6802-12-12-NWO	93.05
BPP-OFS-6802-16-16-NWO	138.50




BPP-OFS-6803-NWO - Tee
 (1) (2) Male O-Ring Face Seal (SAE)
 (3) Male BPP Adj. O-Ring w/ Retainer Washer

BPP-OFS-6803-04-04-02-NWO	61.13
BPP-OFS-6803-04-04-04-NWO	90.45
BPP-OFS-6803-06-06-04-NWO	90.45
BPP-OFS-6803-06-06-06-NWO	90.45
BPP-OFS-6803-08-08-06-NWO	80.53
BPP-OFS-6803-08-08-08-NWO	115.77
BPP-OFS-6803-10-10-08-NWO	127.15
BPP-OFS-6803-12-12-12-NWO	154.50
BPP-OFS-6803-16-16-16-NWO	209.06

BRITISH PARALLEL PIPE


Styles may vary from picture



BPP-OFS-6804-NWO - Tee

- (1) (3) Male O-Ring Face Seal (SAE)
- (2) Male BPP Adj. O-Ring w/ Retainer Washer


BPP-OFS-6804-04-02-04-NWO	39.50
BPP-OFS-6804-04-04-04-NWO	47.05
BPP-OFS-6804-06-04-06-NWO	90.45
BPP-OFS-6804-06-06-06-NWO	90.45
BPP-OFS-6804-08-06-08-NWO	90.45
BPP-OFS-6804-08-08-08-NWO	118.80
BPP-OFS-6804-10-08-10-NWO	125.33
BPP-OFS-6804-12-12-12-NWO	151.85
BPP-OFS-6804-12-16-12-NWO	274.65
BPP-OFS-6804-16-16-16-NWO	222.60



BPP-SPO-2305 - 45°

- (1) Steel Push On
- (2) Fem. BPP (30° Cone) Bent Tube Swivel


BPP-SPO-2305-04-04	36.35
BPP-SPO-2305-06-06	42.85
BPP-SPO-2305-08-08	51.50
BPP-SPO-2305-10-10	70.15
BPP-SPO-2305-12-12	77.10
BPP-SPO-2305-16-16	147.00



BPPOFS-MJ-6510 - Str.

- (1) Male 37°
- (2) Fem. BPP O-Ring Face Seal Swivel


BPPOFS-MJ-6510-06-06	40.45
BPPOFS-MJ-6510-06-08	40.95
BPPOFS-MJ-6510-08-08	25.35
BPPOFS-MJ-6510-08-10	50.60
BPPOFS-MJ-6510-08-12	58.25
BPPOFS-MJ-6510-10-08	44.75
BPPOFS-MJ-6510-10-12	62.10
BPPOFS-MJ-6510-12-12	62.10



BPP-SPO-2272-Str.

- (1) Steel Push On
- (2) Male BPP

BPP-SPO-2272-04-02	25.75
BPP-SPO-2272-04-04	12.60
BPP-SPO-2272-06-04	39.95
BPP-SPO-2272-06-06	13.60
BPP-SPO-2272-08-08	16.60
BPP-SPO-2272-12-12	31.25
BPP-SPO-2272-16-16	59.20



BPP-SPO-2306 - 90°

- (1) Steel Push On
- (2) Fem. BPP (30° Cone) Bent Tube Swivel

BPP-SPO-2306-04-04	36.35
BPP-SPO-2306-06-06	42.85
BPP-SPO-2306-08-08	51.50
BPP-SPO-2306-10-10	70.15
BPP-SPO-2306-12-12	77.10
BPP-SPO-2306-16-16	147.00




BPP-SPO-2278-Str.

- (1) Steel Push On
- (2) Fem. BPP Swivel

BPP-SPO-2278-04-04	9.88
BPP-SPO-2278-06-06	12.85
BPP-SPO-2278-08-08	16.47
BPP-SPO-2278-10-10	22.39
BPP-SPO-2278-12-12	30.25
BPP-SPO-2278-16-16	46.70


BRITISH STANDARD TAPER PIPE

Styles may vary from picture



BST-5404 - Str.
(1) (2) Male BSPT

BST-5404-02-02	10.75
BST-5404-04-02	18.30
BST-5404-04-04	11.75
BST-5404-06-02	33.70
BST-5404-06-04	13.15
BST-5404-06-06	12.25
BST-5404-08-04	18.65
BST-5404-08-06	18.65
BST-5404-08-08	12.75
BST-5404-10-10	37.50
BST-5404-12-08	31.25
BST-5404-12-12	21.65
BST-5404-16-12	50.25
BST-5404-16-16	34.95
BST-5404-20-16	48.75
BST-5404-20-20	60.50
BST-5404-24-20	133.35
BST-5404-24-24	129.38
BST-5404-32-24	153.50
BST-5404-32-32	208.10



BST-5406 - Str.
(1) Male BSPT
(2) Fem. BSPT

BST-5406-04-02	26.95
BST-5406-06-02	29.80
BST-5406-06-04	29.80
BST-5406-08-04	31.75
BST-5406-08-06	31.75
BST-5406-12-06	40.45
BST-5406-12-08	40.45
BST-5406-16-08	54.35
BST-5406-16-12	54.35



BST-5406-HHP
(1) BSPT Hollow Hex Plug

BST-5406-HHP-02	1.70
BST-5406-HHP-04	2.20
BST-5406-HHP-06	3.60
BST-5406-HHP-08	4.55
BST-5406-HHP-12	10.45
BST-5406-HHP-16	22.40



BST-5406-P
(1) Male BSPT Plug

BST-5406-P-02	26.60
BST-5406-P-04	6.95
BST-5406-P-06	8.20
BST-5406-P-08	8.85
BST-5406-P-10	12.90
BST-5406-P-12	14.55
BST-5406-P-16	21.75
BST-5406-P-20	49.10
BST-5406-P-24	66.90
BST-5406-P-32	114.30




BST-BPO-2272 - Str.
(1) Brass Push On
(2) Male BSPT

BST-BPO-2272-04-04	42.05
BST-BPO-2272-06-04	22.85
BST-BPO-2272-06-06	56.35
BST-BPO-2272-08-06	56.50
BST-BPO-2272-08-08	87.55
BST-BPO-2272-12-12	248.15




BST-SPO-2272 - Str.
(1) Steel Push On
(2) Male BSPT

BST-SPO-2272-04-04	16.40
BST-SPO-2272-06-06	27.65
BST-SPO-2272-06-08	33.35
BST-SPO-2272-08-06	33.35
BST-SPO-2272-08-08	20.00
BST-SPO-2272-12-12	43.05
BST-SPO-2272-16-16	72.45



BST-FBPP-5405 - Str.
(1) Male BSPT
(2) Fem. BPP

BST-FBPP-5405-04-02	31.35
BST-FBPP-5405-04-04	18.55
BST-FBPP-5405-06-02	29.80
BST-FBPP-5405-06-04	29.80
BST-FBPP-5405-06-06	51.40
BST-FBPP-5405-08-04	11.60
BST-FBPP-5405-08-08	65.95
BST-FBPP-5405-12-04	40.45
BST-FBPP-5405-12-06	40.45
BST-FBPP-5405-16-08	54.35




BST-FJX-6505 - Str.
(1) Fem. 37° Swivel
(2) Male BSPT

BST-FJX-6505-04-02	131.10
BST-FJX-6505-04-04	49.85
BST-FJX-6505-05-04	47.30
BST-FJX-6505-06-04	46.55
BST-FJX-6505-06-06	122.00
BST-FJX-6505-08-04	61.40
BST-FJX-6505-08-06	68.30
BST-FJX-6505-08-08	68.10
BST-FJX-6505-10-08	61.45
BST-FJX-6505-12-08	66.55
BST-FJX-6505-12-12	59.75
BST-FJX-6505-16-12	74.45
BST-FJX-6505-16-16	95.70
BST-FJX-6505-20-20	99.45

BRITISH STANDARD TAPER PIPE


Styles may vary from picture



BST-FP-5405 - Str.

(1) Male BSPT
(2) Fem. NPT Pipe


BST-FP-5405-02-02	17.10
BST-FP-5405-02-04	36.58
BST-FP-5405-04-02	26.95
BST-FP-5405-04-04	17.85
BST-FP-5405-06-06	25.65
BST-FP-5405-08-08	26.15
BST-FP-5405-12-12	37.90
BST-FP-5405-16-16	80.30
BST-FP-5405-20-20	137.45
BST-FP-5405-24-24	236.50
BST-FP-5405-32-32	304.10



BST-MJ-2404 - Str.

(1) Male 37°
(2) Male BSPT


BST-MJ-2404-02-02	17.05
BST-MJ-2404-04-02	4.45
BST-MJ-2404-04-04	4.15
BST-MJ-2404-04-06	7.25
BST-MJ-2404-05-02	7.25
BST-MJ-2404-05-04	7.75
BST-MJ-2404-05-06	26.10
BST-MJ-2404-06-02	13.40
BST-MJ-2404-06-04	6.30
BST-MJ-2404-06-06	9.70
BST-MJ-2404-06-08	11.50
BST-MJ-2404-08-04	11.90
BST-MJ-2404-08-06	8.05
BST-MJ-2404-08-08	10.75
BST-MJ-2404-08-12	30.95
BST-MJ-2404-08-16	55.05
BST-MJ-2404-10-06	22.95
BST-MJ-2404-10-08	12.90
BST-MJ-2404-10-12	21.45
BST-MJ-2404-12-08	21.45
BST-MJ-2404-12-12	15.55
BST-MJ-2404-12-16	28.30
BST-MJ-2404-14-12	59.85
BST-MJ-2404-16-08	45.30
BST-MJ-2404-16-12	37.65
BST-MJ-2404-16-16	26.85
BST-MJ-2404-16-20	115.55
BST-MJ-2404-20-16	81.50
BST-MJ-2404-20-20	65.45
BST-MJ-2404-24-20	271.80
BST-MJ-2404-24-24	134.95
BST-MJ-2404-32-32	318.25



BST-MJ-2501 - 90°

(1) Male 37°
(2) Male BSPT


BST-MJ-2501-02-02	23.05
BST-MJ-2501-04-02	10.81
BST-MJ-2501-04-04	11.25
BST-MJ-2501-04-06	38.75
BST-MJ-2501-05-02	50.25
BST-MJ-2501-05-04	45.15
BST-MJ-2501-06-02	35.15
BST-MJ-2501-06-04	12.56
BST-MJ-2501-06-06	13.88
BST-MJ-2501-06-08	38.55
BST-MJ-2501-08-04	35.00
BST-MJ-2501-08-06	18.60
BST-MJ-2501-08-08	21.80
BST-MJ-2501-10-06	80.45
BST-MJ-2501-10-08	34.80
BST-MJ-2501-10-12	118.55
BST-MJ-2501-12-08	38.50
BST-MJ-2501-12-12	36.90
BST-MJ-2501-16-12	94.25
BST-MJ-2501-16-16	54.19
BST-MJ-2501-20-16	146.50
BST-MJ-2501-20-20	123.45
BST-MJ-2501-24-24	213.05



BST-MJ-2503 - 45°

(1) Male 37°
(2) Male BSPT


BST-MJ-2503-04-02	31.10
BST-MJ-2503-04-04	31.10
BST-MJ-2503-06-04	31.10
BST-MJ-2503-06-06	35.10
BST-MJ-2503-08-06	36.65
BST-MJ-2503-08-08	47.20
BST-MJ-2503-10-08	45.95
BST-MJ-2503-12-12	68.10
BST-MJ-2503-16-16	98.70
BST-MJ-2503-20-20	306.85



BST-MJ-2601 - Tee

(1) (2) Male 37°
(3) Male BSPT


BST-MJ-2601-04-04-04	51.10
BST-MJ-2601-06-06-04	51.10
BST-MJ-2601-08-08-06	60.95
BST-MJ-2601-10-10-08	102.90
BST-MJ-2601-12-12-12	115.20



BST-MJ-2605 - Tee

(1) (3) Male 37°
(2) Male BSPT

BST-MJ-2605-04-04-04	51.10
BST-MJ-2605-06-04-06	51.10
BST-MJ-2605-08-06-08	60.95
BST-MJ-2605-10-08-10	102.90
BST-MJ-2605-12-12-12	115.20




BST-MP-5404 - Str.

(1) Male BSPT
(2) Male NPT Pipe


BST-MP-5404-02-02	30.20
BST-MP-5404-04-04	27.80
BST-MP-5404-04-06	30.35
BST-MP-5404-06-04	30.35
BST-MP-5404-06-06	31.60
BST-MP-5404-08-08	32.25
BST-MP-5404-12-12	48.40
BST-MP-5404-16-16	78.65
BST-MP-5404-20-20	158.45
BST-MP-5404-24-24	219.95
BST-MP-5404-32-32	350.05
BST-MP-5404-40-40	1325.20

JAPANESE INDUSTRIAL STANDARD



JISBP-0304-C
(1) Fem. 30° BPP (Flare) Cap


JISBP-0304-C-04	7.90
JISBP-0304-C-06	9.75
JISBP-0304-C-08	10.29
JISBP-0304-C-12	18.10
JISBP-0304-C-16	29.70
JISBP-0304-C-20	88.06
JISBP-0304-C-24	133.45
JISBP-0304-C-32	149.18



JISBP-0321
JIS Sealing Seat
(Converts Male 30° BPP
Coneseat To 30° JIS Flare)


JISBP-0321-04	8.10
JISBP-0321-06	8.80
JISBP-0321-08	9.90
JISBP-0321-12	12.70
JISBP-0321-16	24.60
JISBP-0321-20	32.25
JISBP-0321-24	82.90

Styles may vary from picture




JISBP-2403 - Str.
(1) (2) Male 30° BPP (Flare)

JISBP-2403-04-04	17.45
JISBP-2403-06-06	16.75
JISBP-2403-08-08	31.45
JISBP-2403-12-12	35.63
JISBP-2403-16-16	97.21




JISBP-2408
(1) Male 30° BPP (Flare) Plug

JISBP-2408-02	22.90
JISBP-2408-04	9.15
JISBP-2408-06	7.50
JISBP-2408-08	8.75
JISBP-2408-12	20.20
JISBP-2408-16	31.60
JISBP-2408-20	77.82
JISBP-2408-24	140.76
JISBP-2408-32	187.15




JISBP-6500 - 90°
(1) Male 30° BPP (Flare)
(2) Fem. 30° BPP (Flare) Swivel

JISBP-6500-04-04	38.75
JISBP-6500-06-06	58.15
JISBP-6500-08-08	54.25
JISBP-6500-12-12	82.60




JISBP-6602 - Tee
(1) (3) Male 30° BPP (Flare)
(2) Fem. 30° BPP (Flare) Swivel

JISBP-6602-04-04-04	42.00
JISBP-6602-06-06-06	37.00
JISBP-6602-08-08-08	70.40
JISBP-6602-12-12-12	146.70



JISBP-BPP-6801-NWO - 90°
(1) Male 30° BPP (Flare)
(2) Male BPP Adj. O-Ring

JISBP-BPP-6801-06-06-NWO	42.60
JISBP-BPP-6801-08-08-NWO	52.00




JISBP-BST-2404 - Str.
(1) Male 30° BPP (Flare)
(2) Male BSPT

JISBP-BST-2404-04-04	7.95
JISBP-BST-2404-04-06	10.90
JISBP-BST-2404-06-04	12.45
JISBP-BST-2404-06-06	8.25
JISBP-BST-2404-08-06	9.75
JISBP-BST-2404-08-08	9.95
JISBP-BST-2404-12-12	18.75
JISBP-BST-2404-16-16	27.35

JAPANESE INDUSTRIAL STANDARD


Styles may vary from picture

All JISM - Komatsu 1.5mm thread



JISBP-BST-2501 - 90°
(1) Male 30° BPP (Flare)
(2) Male BSPT

JISBP-BST-2501-04-02	24.15
JISBP-BST-2501-04-04	11.55
JISBP-BST-2501-06-06	14.45
JISBP-BST-2501-08-08	18.25
JISBP-BST-2501-12-12	30.25
JISBP-BST-2501-16-16	43.65




JISBP-BST-2503 - 90°
(1) Male 30° BPP (Flare)
(2) Male BSPT

JISBP-BST-2503-04-04	33.05
JISBP-BST-2503-06-06	33.75
JISBP-BST-2503-08-08	44.55
JISBP-BST-2503-12-12	82.10
JISBP-BST-2503-16-16	77.55




JISBP-MB-6400-O - Str.
(1) Male 30° BPP (Flare)
(2) Male O-Ring (SAE)

JISBP-MB-6400-04-04-O	66.90
JISBP-MB-6400-06-06-O	72.90
JISBP-MB-6400-08-06-O	19.40
JISBP-MB-6400-08-08-O	88.00
JISBP-MB-6400-12-12-O	104.45
JISBP-MB-6400-16-16-O	144.20
JISBP-MB-6400-20-20-O	183.80




JISBP-MJ-2403 - Str.
(1) Male 30° BPP (Flare)
(2) Male 37°

JISBP-MJ-2403-04-04	27.25
JISBP-MJ-2403-06-06	23.60
JISBP-MJ-2403-08-08	34.25
JISBP-MJ-2403-12-12	35.70



JISBP-MJ-2406 - Str.
(1) Fem. 30° BPP (Flare)
(2) Male 37°

JISBP-MJ-2406-04-04	15.63
JISBP-MJ-2406-04-06	21.35
JISBP-MJ-2406-06-06	19.20
JISBP-MJ-2406-08-08	17.35
JISBP-MJ-2406-12-12	29.25
JISBP-MJ-2406-16-16	85.85
JISBP-MJ-2406-20-20	175.50
JISBP-MJ-2406-24-24	303.75
JISBP-MJ-2406-32-32	443.95




JISBP-MOFS-2406 - Str.
(1) Fem. 30° BPP (Flare)
(2) Male O-Ring Face Seal (SAE)

JISBP-MOFS-2406-04-04	35.90
JISBP-MOFS-2406-06-06	35.90
JISBP-MOFS-2406-08-08	44.45
JISBP-MOFS-2406-12-12	75.25




JISBP-MP-2404 - Str.
(1) Male 30° BPP (Flare)
(2) Male NPT Pipe

JISBP-MP-2404-04-02	148.45
JISBP-MP-2404-04-04	110.10
JISBP-MP-2404-06-06	130.45
JISBP-MP-2404-08-08	138.05
JISBP-MP-2404-12-12	156.65



JISBP-OFS-2403 - Str.
(1) Male 30° BPP (Flare)
(2) Male O-Ring Face Seal (SAE)

JISBP-OFS-2403-04-04	35.90
JISBP-OFS-2403-06-06	35.90
JISBP-OFS-2403-08-08	44.45



JISM-0304-C
(1) Fem. 30° Metric Komatsu Cap


JISM-0304-C-14	8.65
JISM-0304-C-16	9.75
JISM-0304-C-18	9.20
JISM-0304-C-22	9.65
JISM-0304-C-24	14.75
JISM-0304-C-30	21.80
JISM-0304-C-33	31.25

JAPANESE INDUSTRIAL STANDARD




JISM-2403 - Str.
(1) (2) Male 30° Metric Komatsu Union

JISM-2403-14-14	13.69
JISM-2403-16-16	34.55
JISM-2403-18-18	17.05
JISM-2403-22-22	24.95
JISM-2403-24-24	26.98
JISM-2403-30-30	29.75
JISM-2403-33-33	63.85



JISM-2408
(1) Male 30° Metric Komatsu Plug


JISM-2408-14	7.55
JISM-2408-16	34.55
JISM-2408-18	8.35
JISM-2408-22	8.75
JISM-2408-24	9.35
JISM-2408-30	17.95
JISM-2408-33	38.79



JISM-6500 - 90°
(1) Male 30° Metric Komatsu
(2) Fem. 30° Metric Komatsu Swivel


JISM-6500-14-14	37.65
JISM-6500-18-18	47.75
JISM-6500-22-22	59.15
JISM-6500-24-24	78.05
JISM-6500-30-30	81.45
JISM-6500-33-33	114.85

Styles may vary from picture
All JISM - Komatsu 1.5mm thread




JISM-6602 - Tee
(1) (3) Male 30° Metric Komatsu
(2) Fem. 30° Metric Komatsu Swivel

JISM-6602-14-14-14	30.90
JISM-6602-18-18-18	37.60
JISM-6602-22-22-22	45.90
JISM-6602-24-24-24	61.00
JISM-6602-30-30-30	76.50




JISM-MJ-2403 - Str.
(1) Male 30° Metric Komatsu
(2) Male 37°

JISM-MJ-2403-14-04	23.95
JISM-MJ-2403-18-06	22.70
JISM-MJ-2403-22-08	36.40
JISM-MJ-2403-24-10	35.10
JISM-MJ-2403-30-12	56.50
JISM-MJ-2403-33-16	116.80




JISM-MJ-2406 - Str.
(1) Fem. 30° Metric Komatsu
(2) Male 37°

JISM-MJ-2406-14-04	20.95
JISM-MJ-2406-16-06	44.45
JISM-MJ-2406-18-06	21.05
JISM-MJ-2406-22-08	24.90
JISM-MJ-2406-24-10	27.80
JISM-MJ-2406-30-12	46.10
JISM-MJ-2406-33-16	170.95




JISM-MOFS-2406 - Str.
(1) Fem. 30° Metric Komatsu
(2) Male O-Ring Face Seal (SAE)

JISM-MOFS-2406-14-04	35.90
JISM-MOFS-2406-18-06	35.90
JISM-MOFS-2406-22-08	44.45
JISM-MOFS-2406-24-10	50.40



JISM-MP-2404 - Str.
(1) Male 30° Metric Komatsu
(2) Male NPT Pipe

JISM-MP-2404-14-04	94.15
JISM-MP-2404-16-06	94.15
JISM-MP-2404-18-06	94.15
JISM-MP-2404-22-08	95.80
JISM-MP-2404-24-08	110.65
JISM-MP-2404-30-12	113.95
JISM-MP-2404-33-16	133.10



JISM-OFS-2403 - Str.
(1) Male 30° Metric Komatsu
(2) Male O-Ring Face Seal (SAE)

JISM-OFS-2403-14-04	35.90
JISM-OFS-2403-18-06	35.90
JISM-OFS-2403-22-08	44.45
JISM-OFS-2403-24-10	50.40
JISM-OFS-2403-30-12	75.25
JISM-OFS-2403-33-16	239.35

METRIC

Styles may vary from picture



M-0319

37° Tube Sleeve (SAE)
for Metric Tubing

Sleeve #	Required JIC Size	
M-0319-06	04	5.25
M-0319-08	05	3.55
M-0319-10	06	4.20
M-0319-12	08	5.62
M-0319-14	10	9.25
M-0319-15	10	8.15
M-0319-16	10	10.20
M-0319-18	12	14.35
M-0319-20	12	16.65
M-0319-22	14	8.35
M-0319-25	16	10.75
M-0319-30	20	23.25
M-0319-32	20	22.08
M-0319-38	24	41.55



M-4000

Metric Buna-N 90 Duro O-Ring
(for use w/ M-6000)

M-4000-10	1.20
M-4000-12	0.95
M-4000-14	0.90
M-4000-16	0.30
M-4000-18	1.15
M-4000-20	0.40
M-4000-22	1.50
M-4000-24	0.50
M-4000-26	1.70
M-4000-27	0.85
M-4000-33	2.60
M-4000-42	2.85
M-4000-48	3.05



M-4000-EO

Metric Peflex Seal

M-4000-EO-08	0.85
M-4000-EO-10	0.75
M-4000-EO-12	0.75
M-4000-EO-14	0.75
M-4000-EO-16	0.90
M-4000-EO-18	1.05
M-4000-EO-20	1.20
M-4000-EO-22	1.25
M-4000-EO-26	1.70
M-4000-EO-27	1.70
M-4000-EO-33	1.50
M-4000-EO-42	1.90
M-4000-EO-48	2.45



M-4000-ISO

Metric ISO O-Ring (6149)


M-4000-ISO-08	1.00
M-4000-ISO-10	2.35
M-4000-ISO-12	0.85
M-4000-ISO-14	0.30
M-4000-ISO-16	0.30
M-4000-ISO-18	0.75
M-4000-ISO-22	0.60
M-4000-ISO-27	0.95
M-4000-ISO-33	1.20
M-4000-ISO-38	1.40
M-4000-ISO-42	1.50
M-4000-ISO-48	5.70
M-4000-ISO-60	2.70



M-5000 - Str.

(1) (2) Fem. Metric (Rigid, Parallel)

M-5000-10X1.0-10X1.0	23.00
M-5000-12X1.5-12X1.5	23.00
M-5000-14X1.5-14X1.5	12.15
M-5000-16X1.5-16X1.5	12.15
M-5000-18X1.5-18X1.5	12.15
M-5000-20X1.5-20X1.5	23.05
M-5000-22X1.5-22X1.5	16.85
M-5000-26X1.5-26X1.5	20.70




M-5404 - Str.

(1) (2) Male Metric (Parallel)

M-5404-10X1.5-10X1.5	16.33
M-5404-12X1.5-10X1.5	18.17
M-5404-12X1.5-12X1.5	14.15
M-5404-14X1.5-12X1.5	14.17
M-5404-14X1.5-14X1.5	12.25
M-5404-16X1.5-12X1.5	20.38
M-5404-16X1.5-14X1.5	16.95
M-5404-16X1.5-16X1.5	12.85
M-5404-18X1.5-16X1.5	16.80
M-5404-18X1.5-18X1.5	14.30
M-5404-20X1.5-18X1.5	15.45
M-5404-20X1.5-20X1.5	14.05
M-5404-22X1.5-18X1.5	18.65
M-5404-22X1.5-20X1.5	18.65
M-5404-22X1.5-22X1.5	15.85
M-5404-24X1.5-20X1.5	20.25
M-5404-24X1.5-22X1.5	20.25
M-5404-24X1.5-24X1.5	17.70
M-5404-26X1.5-24X1.5	24.00
M-5404-26X1.5-26X1.5	18.40
M-5404-30X1.5-30X1.5	33.45

METRIC

Styles may vary from picture




M-6000
Metric Steel Retaining Ring
(use w/ M-4000)

M-6000-10	4.25
M-6000-12	4.50
M-6000-14	4.75
M-6000-16	4.85
M-6000-18	4.95
M-6000-20	5.00
M-6000-22	5.25
M-6000-24	5.50
M-6000-26	7.45
M-6000-27	8.05
M-6000-33	9.25
M-6000-42	9.65
M-6000-48	10.95




M-6001
Metric Bonded Seal

M-6001-06	1.30
M-6001-08	1.30
M-6001-10	1.25
M-6001-12	1.10
M-6001-14	1.10
M-6001-16	1.45
M-6001-18	1.50
M-6001-20	1.60
M-6001-22	2.55
M-6001-24	3.90
M-6001-26	1.85
M-6001-27	5.95
M-6001-30	3.25
M-6001-33	6.75
M-6001-36	9.45
M-6001-42	9.95
M-6001-45	24.40
M-6001-50	32.75
M-6001-52	33.30




M-6408 - Str.
(1) Metric Hex Plug
(Parallel, use w/ M-6001)

M-6408-08X1.0	16.40
M-6408-10X1.0	4.90
M-6408-10X1.5	9.65
M-6408-12X1.0	16.40
M-6408-12X1.5	6.55
M-6408-14X1.5	6.55
M-6408-16X1.5	8.40
M-6408-18X1.5	8.50
M-6408-20X1.5	10.80
M-6408-22X1.5	11.85
M-6408-24X1.5	13.75
M-6408-26X1.5	15.10
M-6408-30X1.5	50.40



M-6408-ISO - Str.
(1) Metric Hex Plug
(Parallel) w/ ISO O-Ring

M-6408-08X1.0-ISO	20.01
M-6408-10X1.0-ISO	22.80
M-6408-12X1.5-ISO	11.40
M-6408-14X1.5-ISO	7.83
M-6408-16X1.5-ISO	12.25
M-6408-18X1.5-ISO	14.02
M-6408-22X1.5-ISO	16.50
M-6408-27X2.0-ISO	34.08
M-6408-33X2.0-ISO	40.75
M-6408-42X2.0-ISO	53.25



M-6408-HHP-EO - Str.
(1) Metric Countersunk Hollow Hex
Plug w/ Peflex Seal


M-6408-HHP-08X1.0-EO	11.05
M-6408-HHP-10X1.0-EO	6.15
M-6408-HHP-12X1.5-EO	8.15
M-6408-HHP-14X1.5-EO	8.25
M-6408-HHP-16X1.5-EO	11.80
M-6408-HHP-18X1.5-EO	12.20

M-6408-HHP-20X1.5-EO	16.15
M-6408-HHP-22X1.5-EO	17.00
M-6408-HHP-24X1.5-EO	30.95
M-6408-HHP-26X1.5-EO	25.80
M-6408-HHP-27X2.0-EO	23.95
M-6408-HHP-33X2.0-EO	40.70
M-6408-HHP-42X2.0-EO	52.60
M-6408-HHP-48X2.0-EO	76.30



M-6408-HHP-ISO - Str.
(1) Metric Countersunk Hollow Hex
Plug w/ ISO O-Ring 6149

M-6408-HHP-10X1.0-ISO	14.33
M-6408-HHP-12X1.5-ISO	7.92
M-6408-HHP-14X1.5-ISO	8.92
M-6408-HHP-16X1.5-ISO	30.83
M-6408-HHP-18X1.5-ISO	10.08
M-6408-HHP-20X1.5-ISO	104.33
M-6408-HHP-22X1.5-ISO	10.25
M-6408-HHP-27X2.0-ISO	16.75
M-6408-HHP-42X2.0-ISO	44.15




M-6410 - Str.
(1) Male Metric (Parallel)
(2) Fem. Metric (Parallel)
(Length of Hex may vary)

M-6410-12X1.5-12X1.5	18.90
M-6410-12X1.5-14X1.5	93.25
M-6410-16X1.5-10X1.0	112.25
M-6410-16X1.5-22X1.5	88.42
M-6410-18X1.5-10X1.0	484.05
M-6410-18X1.5-12X1.5	82.42
M-6410-22X1.5-10X1.0	95.25
M-6410-22X1.5-12X1.5	82.92
M-6410-22X1.5-14X1.5	68.92
M-6410-22X1.5-16X1.5	36.45
M-6410-22X1.5-22X1.5	31.00
M-6410-22X1.5-26X1.5	110.83
M-6410-26X1.5-22X1.5	147.33


METRIC

Styles may vary from picture




M-FB-6410-WO - Str.
 (1) Male Metric w/ Washer O-Ring
 (2) Fem. O-Ring (SAE)

M-FB-6410-10X1.0-04-WO	119.15
M-FB-6410-14X1.5-06-WO	88.05
M-FB-6410-16X1.5-08-WO	70.55
M-FB-6410-18X1.5-08-WO	87.45




M-FBPP-5405 - Str.
 (1) Male Metric (Parallel)
 (2) Fem. BPP (Rigid)

M-FBPP-5405-08X1.0-02	95.25
M-FBPP-5405-12X1.5-04	95.25
M-FBPP-5405-14X1.5-04	19.70
M-FBPP-5405-16X1.5-04	29.65
M-FBPP-5405-16X1.5-06	29.65
M-FBPP-5405-16X1.5-08	46.40
M-FBPP-5405-18X1.5-02	57.50
M-FBPP-5405-18X1.5-04	19.65
M-FBPP-5405-18X1.5-06	19.65
M-FBPP-5405-18X1.5-08	21.70
M-FBPP-5405-22X1.5-08	35.15



M-FBPP-6510 - Str.
 (1) Male Metric (Parallel)
 (2) Fem. BPP Pipe Swivel

M-FBPP-6510-12X1.5-04	37.88
M-FBPP-6510-14X1.5-04	28.13
M-FBPP-6510-14X1.5-06	28.44
M-FBPP-6510-16X1.5-06	28.56
M-FBPP-6510-18X1.5-06	29.69
M-FBPP-6510-18X1.5-08	29.81
M-FBPP-6510-20X1.5-08	31.25
M-FBPP-6510-22X1.5-08	31.31
M-FBPP-6510-22X1.5-12	43.75
M-FBPP-6510-26X1.5-08	73.40
M-FBPP-6510-26X1.5-12	73.40
M-FBPP-6510-30X2.0-06	104.55
M-FBPP-6510-30X2.0-08	104.55




M-FJX-6402-DS - Str.
 (1) Fem. 37° Swivel
 (2) Male Metric w/ Dowty Seal (Parallel)

M-FJX-6402-06-14X1.5-DS	30.33
M-FJX-6402-06-22X1.5-DS	36.40
M-FJX-6402-08-18X1.5-DS	33.25
M-FJX-6402-08-20X1.5-DS	35.45
M-FJX-6402-08-22X1.5-DS	36.40
M-FJX-6402-10-16X1.5-DS	35.40
M-FJX-6402-10-18X1.5-DS	35.45
M-FJX-6402-10-20X1.5-DS	35.45




M-FJX-6402-WO - Str.
 (1) Fem. 37° Swivel
 (2) Male Metric w/ Washer & O-Ring (Parallel)

M-FJX-6402-04-10X1.0-WO	43.30
M-FJX-6402-05-12X1.5-WO	35.80
M-FJX-6402-06-14X1.5-WO	36.10
M-FJX-6402-08-16X1.5-WO	46.40
M-FJX-6402-10-22X1.5-WO	48.00
M-FJX-6402-12-27X2.0-WO	69.45
M-FJX-6402-16-33X2.0-WO	226.05



M-FJX-6505 - Str.
 (1) Fem. 37° Swivel
 (2) Male Metric (Parallel)

M-FJX-6505-05-12X1.5	17.70
M-FJX-6505-06-14X1.5	19.75
M-FJX-6505-06-16X1.5	22.40
M-FJX-6505-06-18X1.5	22.40
M-FJX-6505-06-20X1.5	23.65
M-FJX-6505-06-22X1.5	25.25
M-FJX-6505-08-16X1.5	22.45
M-FJX-6505-08-18X1.5	22.45
M-FJX-6505-08-20X1.5	23.65
M-FJX-6505-08-22X1.5	26.45
M-FJX-6505-10-16X1.5	25.65
M-FJX-6505-10-18X1.5	23.65
M-FJX-6505-10-20X1.5	23.65
M-FJX-6505-10-22X1.5	24.35




M-FP-5405 - Str.
 (1) Male Metric (Parallel)
 (2) Fem. NPT Pipe

M-FP-5405-06X.75-02	26.15
M-FP-5405-06X1.0-02	22.80
M-FP-5405-08X1.0-02	22.80
M-FP-5405-10X1.0-02	15.00
M-FP-5405-10X1.0-04	37.55
M-FP-5405-10X1.25-02	26.10
M-FP-5405-10X1.5-02	26.10
M-FP-5405-12X1.0-04	81.60
M-FP-5405-12X1.25-04	31.10
M-FP-5405-12X1.5-02	18.85
M-FP-5405-12X1.5-04	20.00
M-FP-5405-12X1.5-06	31.35
M-FP-5405-14X1.5-02	56.20
M-FP-5405-14X1.5-04	19.85
M-FP-5405-14X1.5-06	28.45
M-FP-5405-16X1.5-02	28.45
M-FP-5405-16X1.5-04	29.90
M-FP-5405-16X1.5-06	22.20
M-FP-5405-16X1.5-08	29.90
M-FP-5405-18X1.5-04	44.70
M-FP-5405-18X1.5-06	30.45
M-FP-5405-18X1.5-08	36.60
M-FP-5405-20X1.5-06	35.75
M-FP-5405-22X1.5-06	33.80
M-FP-5405-22X1.5-08	33.80
M-FP-5405-22X1.5-12	60.70
M-FP-5405-24X1.5-12	56.95
M-FP-5405-26X1.5-12	63.40
M-FP-5405-27X2.0-12	59.55
M-FP-5405-30X1.5-08	92.25
M-FP-5405-30X1.5-12	92.25
M-FP-5405-30X2.0-12	131.75
M-FP-5405-33X2.0-16	89.45
M-FP-5405-42X2.0-16	123.75

METRIC


Styles may vary from picture



M-FP-6405-DS - Str.

(1) Male Metric w/ Bonded Seal
(2) Fem. NPT Pipe


M-FP-6405-06X.75-02-DS	28.50
M-FP-6405-08X1.0-02-DS	23.00
M-FP-6405-10X1.0-02-DS	15.60
M-FP-6405-10X1.0-04-DS	35.75
M-FP-6405-10X1.5-02-DS	25.45
M-FP-6405-12X1.25-04-DS	30.25
M-FP-6405-12X1.5-02-DS	19.85
M-FP-6405-12X1.5-04-DS	20.35
M-FP-6405-12X1.5-06-DS	30.50
M-FP-6405-14X1.5-02-DS	59.00
M-FP-6405-14X1.5-04-DS	20.50
M-FP-6405-14X1.5-06-DS	33.45
M-FP-6405-16X1.5-02-DS	31.25
M-FP-6405-16X1.5-06-DS	22.55
M-FP-6405-16X1.5-08-DS	29.50
M-FP-6405-18X1.5-04-DS	51.00
M-FP-6405-18X1.5-06-DS	33.25
M-FP-6405-18X1.5-08-DS	35.50
M-FP-6405-20X1.5-06-DS	38.55
M-FP-6405-22X1.5-06-DS	39.70
M-FP-6405-22X1.5-08-DS	39.70
M-FP-6405-22X1.5-12-DS	63.55
M-FP-6405-24X1.5-08-DS	105.95
M-FP-6405-24X1.5-12-DS	60.35
M-FP-6405-26X1.5-12-DS	66.90
M-FP-6405-27X2.0-12-DS	71.40
M-FP-6405-33X2.0-16-DS	88.15
M-FP-6405-42X2.0-16-DS	159.10



M-FP-6405-WO - Str.

(1) Male Metric w/ Washer & O-Ring
(2) Fem. NPT Pipe

M-FP-6405-10X1.0-02-WO	20.55
M-FP-6405-10X1.0-04-WO	20.55
M-FP-6405-12X1.5-02-WO	21.60
M-FP-6405-12X1.5-04-WO	19.95
M-FP-6405-14X1.5-02-WO	19.95
M-FP-6405-14X1.5-04-WO	20.25
M-FP-6405-14X1.5-06-WO	25.92
M-FP-6405-14X1.5-08-WO	63.50
M-FP-6405-16X1.5-02-WO	30.15
M-FP-6405-16X1.5-04-WO	30.15
M-FP-6405-16X1.5-06-WO	24.95
M-FP-6405-16X1.5-08-WO	27.15
M-FP-6405-18X1.5-04-WO	41.05
M-FP-6405-18X1.5-06-WO	24.95
M-FP-6405-18X1.5-08-WO	24.95
M-FP-6405-20X1.5-06-WO	45.15
M-FP-6405-22X1.5-06-WO	36.15
M-FP-6405-22X1.5-08-WO	27.55
M-FP-6405-22X1.5-12-WO	49.75
M-FP-6405-24X1.5-08-WO	63.80
M-FP-6405-24X1.5-12-WO	58.25
M-FP-6405-26X1.5-12-WO	49.65
M-FP-6405-27X1.5-12-WO	44.75
M-FP-6405-27X2.0-12-WO	38.20
M-FP-6405-30X1.5-08-WO	49.95
M-FP-6405-30X1.5-12-WO	53.90
M-FP-6405-33X2.0-12-WO	53.90
M-FP-6405-33X2.0-16-WO	58.20
M-FP-6405-42X2.0-16-WO	85.50




M-MJ-2404 - Str.

(1) Male 37°
(2) Male Metric (Parallel)
(Some w/ 30° seat and some w/ 24° seat)

M-MJ-2404-04-08X1.0	60.70
M-MJ-2404-04-08X1.25	31.25
M-MJ-2404-04-10X1.0	24.10
M-MJ-2404-04-10X1.25	26.75
M-MJ-2404-04-10X1.5	26.88
M-MJ-2404-04-12X1.5	23.75
M-MJ-2404-04-14X1.5	22.75
M-MJ-2404-04-16X1.5	16.50
M-MJ-2404-05-10X1.0	88.35
M-MJ-2404-06-10X1.0	81.55
M-MJ-2404-06-12X1.0	17.50
M-MJ-2404-06-12X1.25	28.65
M-MJ-2404-06-12X1.5	23.75
M-MJ-2404-06-14X1.5	23.75
M-MJ-2404-06-16X1.5	20.63
M-MJ-2404-06-18X1.5	23.75
M-MJ-2404-06-20X1.5	23.75
M-MJ-2404-06-22X1.5	26.25
M-MJ-2404-08-12X1.5	17.45
M-MJ-2404-08-14X1.5	25.63
M-MJ-2404-08-16X1.5	21.85
M-MJ-2404-08-18X1.5	21.85
M-MJ-2404-08-20X1.5	23.75
M-MJ-2404-08-22X1.5	25.63
M-MJ-2404-08-24X1.5	93.70
M-MJ-2404-10-16X1.5	24.55
M-MJ-2404-10-18X1.5	25.63
M-MJ-2404-10-20X1.5	24.55
M-MJ-2404-10-22X1.5	22.95
M-MJ-2404-10-24X1.5	22.05
M-MJ-2404-10-26X1.5	26.45
M-MJ-2404-10-30X2.0	172.85
M-MJ-2404-12-22X1.5	25.35
M-MJ-2404-12-24X1.5	25.45
M-MJ-2404-12-26X1.5	26.45
M-MJ-2404-12-30X1.5	34.15
M-MJ-2404-12-30X2.0	41.15
M-MJ-2404-12-34X1.5	76.95
M-MJ-2404-12-36X1.5	73.80
M-MJ-2404-12-36X2.0	63.40
M-MJ-2404-16-30X1.5	44.30
M-MJ-2404-16-36X2.0	82.65
M-MJ-2404-16-40X1.5	86.50
M-MJ-2404-16-42X2.0	81.85
M-MJ-2404-16-45X1.5	85.35
M-MJ-2404-20-38X1.5	200.30
M-MJ-2404-20-45X2.0	124.85
M-MJ-2404-20-48X1.5	122.80
M-MJ-2404-24-52X2.0	194.35

METRIC


Styles may vary from picture



M-MJ-6400-DS - Str.

- (1) Male 37°
- (2) Male Metric w/ Bonded Seal

M-MJ-6400-04-10X1.25-DS	39.70
M-MJ-6400-04-10X1.5-DS	39.70
M-MJ-6400-04-12X1.5-DS	20.30
M-MJ-6400-04-14X1.5-DS	33.08
M-MJ-6400-04-16X1.5-DS	21.35
M-MJ-6400-05-10X1.0-DS	91.50
M-MJ-6400-06-10X1.0-DS	90.55
M-MJ-6400-06-12X1.0-DS	62.25
M-MJ-6400-06-12X1.25-DS	40.75
M-MJ-6400-06-12X1.5-DS	28.00
M-MJ-6400-06-14X1.5-DS	30.35
M-MJ-6400-06-16X1.5-DS	24.60
M-MJ-6400-06-18X1.5-DS	27.85
M-MJ-6400-06-20X1.5-DS	30.50
M-MJ-6400-06-22X1.5-DS	33.90
M-MJ-6400-08-12X1.5-DS	32.60
M-MJ-6400-08-14X1.5-DS	32.60
M-MJ-6400-08-16X1.5-DS	27.00
M-MJ-6400-08-18X1.5-DS	30.50
M-MJ-6400-08-20X1.5-DS	28.15
M-MJ-6400-08-22X1.5-DS	32.90
M-MJ-6400-08-24X1.5-DS	104.15
M-MJ-6400-10-16X1.5-DS	32.65
M-MJ-6400-10-18X1.5-DS	64.40
M-MJ-6400-10-20X1.5-DS	30.25
M-MJ-6400-10-22X1.5-DS	32.90
M-MJ-6400-10-24X1.5-DS	34.25
M-MJ-6400-10-26X1.5-DS	40.60
M-MJ-6400-12-22X1.5-DS	33.90
M-MJ-6400-12-24X1.5-DS	36.25
M-MJ-6400-12-26X1.5-DS	37.35
M-MJ-6400-12-30X1.5-DS	50.25
M-MJ-6400-12-30X2.0-DS	52.35
M-MJ-6400-12-36X1.5-DS	85.25
M-MJ-6400-12-36X2.0-DS	74.95
M-MJ-6400-16-30X1.5-DS	61.65
M-MJ-6400-16-30X2.0-DS	214.50
M-MJ-6400-16-36X2.0-DS	91.80
M-MJ-6400-16-42X2.0-DS	88.90
M-MJ-6400-16-45X1.5-DS	109.85
M-MJ-6400-20-45X2.0-DS	196.45
M-MJ-6400-24-52X2.0-DS	230.40




M-MJ-6400-WO - Str.

- (1) Male 37°
- (2) Male Metric w/ Washer & O-Ring

M-MJ-6400-04-08X1.0-WO	33.15
M-MJ-6400-04-10X1.0-WO	6.23

M-MJ-6400-04-12X1.5-WO	6.44
M-MJ-6400-04-14X1.5-WO	9.60
M-MJ-6400-04-16X1.5-WO	17.95
M-MJ-6400-05-10X1.0-WO	33.10
M-MJ-6400-05-12X1.5-WO	11.45
M-MJ-6400-05-14X1.5-WO	34.55
M-MJ-6400-06-12X1.5-WO	9.98
M-MJ-6400-06-14X1.5-WO	8.31
M-MJ-6400-06-16X1.5-WO	9.38
M-MJ-6400-06-18X1.5-WO	19.65
M-MJ-6400-08-12X1.5-WO	14.80
M-MJ-6400-08-14X1.5-WO	14.65
M-MJ-6400-08-16X1.5-WO	9.94
M-MJ-6400-08-18X1.5-WO	10.94
M-MJ-6400-08-20X1.5-WO	37.10
M-MJ-6400-08-22X1.5-WO	11.95
M-MJ-6400-08-24X1.5-WO	31.45
M-MJ-6400-10-16X1.5-WO	31.45
M-MJ-6400-10-18X1.5-WO	12.50
M-MJ-6400-10-20X1.5-WO	14.69
M-MJ-6400-10-22X1.5-WO	16.25
M-MJ-6400-10-24X1.5-WO	28.75
M-MJ-6400-10-26X1.5-WO	28.75
M-MJ-6400-12-22X1.5-WO	16.25
M-MJ-6400-12-24X1.5-WO	27.55
M-MJ-6400-12-26X1.5-WO	19.38
M-MJ-6400-12-27X2.0-WO	19.69
M-MJ-6400-14-22X1.5-WO	83.95
M-MJ-6400-14-26X1.5-WO	83.95
M-MJ-6400-16-26X1.5-WO	49.95
M-MJ-6400-16-27X2.0-WO	35.02
M-MJ-6400-16-33X2.0-WO	26.56
M-MJ-6400-20-42X2.0-WO	59.38
M-MJ-6400-24-48X2.0-WO	167.45




M-MJ-6801-NWO - 90°

- (1) Male 37°
- (2) Male Metric Adj. w/ Washer & O-Ring

M-MJ-6801-04-10X1.0-NWO	16.40
M-MJ-6801-04-12X1.5-NWO	16.25
M-MJ-6801-04-14X1.5-NWO	17.50
M-MJ-6801-05-10X1.0-NWO	32.45
M-MJ-6801-05-12X1.5-NWO	23.10
M-MJ-6801-05-14X1.5-NWO	49.15
M-MJ-6801-06-12X1.5-NWO	19.69
M-MJ-6801-06-14X1.5-NWO	20.80
M-MJ-6801-06-16X1.5-NWO	19.79


M-MJ-6801-06-18X1.5-NWO	23.25
M-MJ-6801-08-16X1.5-NWO	19.95
M-MJ-6801-08-18X1.5-NWO	19.95
M-MJ-6801-08-20X1.5-NWO	59.40
M-MJ-6801-08-22X1.5-NWO	22.50
M-MJ-6801-10-16X1.5-NWO	39.02
M-MJ-6801-10-18X1.5-NWO	27.05
M-MJ-6801-10-20X1.5-NWO	31.25
M-MJ-6801-10-22X1.5-NWO	31.88
M-MJ-6801-12-22X1.5-NWO	36.44
M-MJ-6801-12-26X1.5-NWO	39.69
M-MJ-6801-12-27X2.0-NWO	41.50
M-MJ-6801-14-26X1.5-NWO	93.80
M-MJ-6801-16-27X2.0-NWO	74.95
M-MJ-6801-16-33X2.0-NWO	60.75
M-MJ-6801-20-42X2.0-NWO	133.13
M-MJ-6801-24-48X2.0-NWO	219.75



M-MJ-6801-L-NWO - 90°

- (1) Male 37°
- (2) Male Metric Adj. w/ Washer & O-Ring - Long

M-MJ-6801-L-08-18X1.5-NWO	92.10
M-MJ-6801-L-10-22X1.5-NWO	112.90




M-MJ-6802-NWO - 45°

- (1) Male 37°
- (2) Male Metric Adj. w/ Washer & O-Ring

M-MJ-6802-04-10X1.0-NWO	40.50
M-MJ-6802-04-12X1.5-NWO	30.33
M-MJ-6802-06-14X1.5-NWO	40.50
M-MJ-6802-06-16X1.5-NWO	43.58
M-MJ-6802-08-16X1.5-NWO	46.65
M-MJ-6802-08-18X1.5-NWO	46.50
M-MJ-6802-10-18X1.5-NWO	52.50
M-MJ-6802-10-22X1.5-NWO	56.33
M-MJ-6802-12-22X1.5-NWO	71.17
M-MJ-6802-12-27X2.0-NWO	83.92
M-MJ-6802-16-27X2.0-NWO	101.17
M-MJ-6802-16-33X2.0-NWO	106.08

METRIC


Styles may vary from picture



M-MJ-6803-NWO - Tee

- (1) (2) Male 37°
- (3) Male Metric Adj. w/ Washer & O-Ring


M-MJ-6803-04-04-10X1.0-NWO	45.85
M-MJ-6803-04-04-12X1.5-NWO	56.65
M-MJ-6803-06-06-14X1.5-NWO	48.00
M-MJ-6803-08-08-16X1.5-NWO	63.40
M-MJ-6803-08-08-18X1.5-NWO	81.75
M-MJ-6803-10-10-22X1.5-NWO	68.83
M-MJ-6803-12-12-27X2.0-NWO	99.50
M-MJ-6803-16-16-33X2.0-NWO	197.05



M-MJ-6804-NWO - Tee

- (1) (3) Male 37°
- (2) Male Metric Adj. w/ Washer & O-Ring


M-MJ-6804-04-10X1.0-04-NWO	50.25
M-MJ-6804-04-12X1.5-04-NWO	56.65
M-MJ-6804-06-14X1.5-06-NWO	53.75
M-MJ-6804-08-16X1.5-08-NWO	63.40
M-MJ-6804-08-18X1.5-08-NWO	81.75
M-MJ-6804-10-22X1.5-10-NWO	67.33
M-MJ-6804-12-27X2.0-12-NWO	99.50



M-MP-5405 - Str.

- (1) Male NPT Pipe
- (2) Fem. Metric (Parallel)


M-MP-5405-04-14X1.5	54.15
M-MP-5405-06-16X1.5	56.25
M-MP-5405-06-18X1.5	64.95
M-MP-5405-08-22X1.5	59.55



M-OFS-6400-EO - Str.

- (1) Male O-Ring Face Seal (SAE)
- (2) Male Metric w/ Peflex Seal

M-OFS-6400-04-12X1.5-EO	22.95
M-OFS-6400-06-14X1.5-EO	23.25
M-OFS-6400-06-16X1.5-EO	28.80
M-OFS-6400-08-18X1.5-EO	34.50
M-OFS-6400-10-22X1.5-EO	33.60
M-OFS-6400-12-27X2.0-EO	51.55
M-OFS-6400-16-33X2.0-EO	87.05



M-OFS-6400-WO - Str.

- (1) Male O-Ring Face Seal (SAE)
- (2) Male Metric w/ Peflex Seal


M-OFS-6400-04-08X1.0-WO	81.01
M-OFS-6400-04-10X1.0-WO	11.40
M-OFS-6400-04-12X1.5-WO	14.67
M-OFS-6400-04-14X1.5-WO	14.67
M-OFS-6400-06-12X1.5-WO	16.47
M-OFS-6400-06-14X1.5-WO	14.13
M-OFS-6400-06-16X1.5-WO	19.33
M-OFS-6400-06-18X1.5-WO	19.83
M-OFS-6400-08-14X1.5-WO	13.20
M-OFS-6400-08-16X1.5-WO	19.95
M-OFS-6400-08-18X1.5-WO	19.95
M-OFS-6400-08-22X1.5-WO	19.95
M-OFS-6400-08-27X2.0-WO	24.50
M-OFS-6400-08-33X2.0-WO	61.58
M-OFS-6400-10-16X1.5-WO	203.58
M-OFS-6400-10-18X1.5-WO	29.02
M-OFS-6400-10-22X1.5-WO	29.02
M-OFS-6400-10-27X2.0-WO	43.31
M-OFS-6400-12-18X1.5-WO	24.17
M-OFS-6400-12-22X1.5-WO	39.87
M-OFS-6400-12-26X1.5-WO	56.00
M-OFS-6400-12-27X2.0-WO	39.87
M-OFS-6400-12-33X2.0-WO	39.87
M-OFS-6400-16-27X2.0-WO	43.67
M-OFS-6400-16-33X2.0-WO	55.40
M-OFS-6400-20-33X2.0-WO	60.67
M-OFS-6400-20-42X2.0-WO	107.58
M-OFS-6400-24-38X2.0-WO	166.25
M-OFS-6400-24-42X2.0-WO	202.03



M-OFS-6400-L-WO - Str.

- (1) Male O-Ring Face Seal (SAE)
- (2) Male Metric w/ Washer & O-Ring

M-OFS-6400-L-06-14X1.5-WO	16.92
M-OFS-6400-L-06-16X1.5-WO	18.17
M-OFS-6400-L-08-18X1.5-WO	24.83
M-OFS-6400-L-10-22X1.5-WO	28.75
M-OFS-6400-L-12-27X2.0-WO	77.33




M-OFS-6801-NWO - 90°

- (1) Male O-Ring Face Seal (SAE)
- (2) Male Metric Adj. w/ Washer O-Ring

M-OFS-6801-04-12X1.5-NWO	25.08
M-OFS-6801-04-14X1.5-NWO	28.67
M-OFS-6801-06-10X1.5-NWO	42.58
M-OFS-6801-06-12X1.5-NWO	26.67
M-OFS-6801-06-14X1.5-NWO	29.02
M-OFS-6801-06-16X1.5-NWO	30.50
M-OFS-6801-06-18X1.5-NWO	32.55
M-OFS-6801-08-12X1.5-NWO	34.92
M-OFS-6801-08-14X1.5-NWO	34.98
M-OFS-6801-08-16X1.5-NWO	35.92
M-OFS-6801-08-18X1.5-NWO	35.97
M-OFS-6801-08-22X1.5-NWO	40.42
M-OFS-6801-08-27X2.0-NWO	46.25
M-OFS-6801-10-18X1.5-NWO	47.25
M-OFS-6801-10-22X1.5-NWO	47.35
M-OFS-6801-10-27X2.0-NWO	47.35
M-OFS-6801-12-22X1.5-NWO	47.08
M-OFS-6801-12-27X2.0-NWO	47.09
M-OFS-6801-16-27X2.0-NWO	74.08
M-OFS-6801-16-33X2.0-NWO	74.25
M-OFS-6801-20-33X2.0-NWO	95.83
M-OFS-6801-20-42X2.0-NWO	96.02

METRIC


Styles may vary from picture



M-OFS-6801-NWO-ISO - 90°

- (1) Male O-Ring Face Seal (SAE)
- (2) Male Metric Adj. w/ Washer ISO O-Ring 6149


M-OFS-6801-04-12X1.5-NWO-ISO	23.05
M-OFS-6801-06-12X1.5-NWO-ISO	53.65
M-OFS-6801-06-14X1.5-NWO-ISO	33.50
M-OFS-6801-06-16X1.5-NWO-ISO	39.55
M-OFS-6801-08-14X1.5-NWO-ISO	55.25
M-OFS-6801-08-18X1.5-NWO-ISO	41.70
M-OFS-6801-08-22X1.5-NWO-ISO	73.15
M-OFS-6801-10-18X1.5-NWO-ISO	104.60
M-OFS-6801-10-22X1.5-NWO-ISO	78.40
M-OFS-6801-12-22X1.5-NWO-ISO	105.10
M-OFS-6801-12-27X2.0-NWO-ISO	105.10
M-OFS-6801-16-33X2.0-NWO-ISO	151.40
M-OFS-6801-20-42X2.0-NWO-ISO	252.60



M-OFS-6802-NWO-ISO - 45°

- (1) Male O-Ring Face Seal (SAE)
- (2) Male Metric Adj. w/ Washer ISO O-Ring 6149


M-OFS-6802-04-12X1.5-NWO-ISO	134.50
M-OFS-6802-04-14X1.5-NWO-ISO	135.15
M-OFS-6802-06-16X1.5-NWO-ISO	55.75
M-OFS-6802-08-18X1.5-NWO-ISO	61.10
M-OFS-6802-10-22X1.5-NWO-ISO	89.40
M-OFS-6802-12-27X2.0-NWO-ISO	224.60



M-OFS-6803-NWO-ISO - Tee

- (1) (2) Male O-Ring Face Seal (SAE)
- (3) Male Metric Adj. w/ Washer ISO O-Ring 6149


M-OFS-6803-04-14X1.5-NWO-ISO	200.65
M-OFS-6803-08-18X1.5-NWO-ISO	98.60
M-OFS-6803-10-22X1.5-NWO-ISO	156.60
M-OFS-6803-16-33X2.0-NWO-ISO	454.35



M-OFS-6804-NWO - Tee

- (1) (3) Male O-Ring Face Seal (SAE)
- (2) Male Metric Adj. w/ Washer O-Ring

M-OFS-6804-04-10X1.0-04-NWO	79.00
M-OFS-6804-04-12X1.5-04-NWO	84.45
M-OFS-6804-06-16X1.5-06-NWO	122.00
M-OFS-6804-08-14X1.5-08-NWO	97.72
M-OFS-6804-08-16X1.5-08-NWO	111.60
M-OFS-6804-08-18X1.5-08-NWO	128.45
M-OFS-6804-10-22X1.5-10-NWO	166.20
M-OFS-6804-12-27X2.0-12-NWO	204.80
M-OFS-6804-20-42X2.0-20-NWO	574.06



M-SBT-2404 - Str.

- (1) Male 37°
- (2) Metric O-Ring Bump Tube Port Adapter

M-SBT-2404-06-14X1.5	48.70
M-SBT-2404-06-16X1.5	79.15
M-SBT-2404-06-18X1.5	123.55

METRIC FLARELESS

Styles may vary from picture



MFL-0304-C
Cap Nut
Light

MFL-0304-C-06	5.15
MFL-0304-C-08	6.10
MFL-0304-C-10	5.75
MFL-0304-C-12	9.80
MFL-0304-C-15	9.90
MFL-0304-C-18	16.15
MFL-0304-C-22	22.75
MFL-0304-C-28	39.95
MFL-0304-C-35	65.50
MFL-0304-C-42	89.75



MFL-0304-C-H
Cap Nut
Heavy

MFL-0304-C-H-06	5.55
MFL-0304-C-H-08	6.70
MFL-0304-C-H-10	6.75
MFL-0304-C-H-12	9.50
MFL-0304-C-H-14	16.45
MFL-0304-C-H-16	13.85
MFL-0304-C-H-20	19.70
MFL-0304-C-H-25	31.30
MFL-0304-C-H-30	47.75
MFL-0304-C-H-38	91.25



MFL-0306
Bulkhead Lock Nut
Light

MFL-0306-06	1.75
MFL-0306-08	3.25
MFL-0306-10	2.80
MFL-0306-12	3.75
MFL-0306-15	5.80
MFL-0306-18	10.95
MFL-0306-22	13.60
MFL-0306-28	24.55
MFL-0306-35	33.00
MFL-0306-42	62.65



MFL-0306-H
Bulkhead Lock Nut
Heavy

MFL-0306-H-06	3.25
MFL-0306-H-08	2.80
MFL-0306-H-10	3.75
MFL-0306-H-12	4.35
MFL-0306-H-14	7.62
MFL-0306-H-16	8.45
MFL-0306-H-20	13.60
MFL-0306-H-25	24.55
MFL-0306-H-30	45.20
MFL-0306-H-38	62.65



MFL-0318-LL
Flareless Nut
Extra Light

MFL-0318-LL-04	1.30
MFL-0318-LL-06	1.50
MFL-0318-LL-08	1.65
MFL-0318-LL-10	3.45
MFL-0318-LL-12	4.10



MFL-0318
Flareless Nut
Light

MFL-0318-06	1.70
MFL-0318-08	1.90
MFL-0318-10	2.00
MFL-0318-12	2.70
MFL-0318-15	3.70
MFL-0318-18	6.90
MFL-0318-22	9.80
MFL-0318-28	18.65
MFL-0318-35	23.15
MFL-0318-42	23.85



MFL-0318-H
Flareless Nut
Heavy

MFL-0318-H-06	1.90
MFL-0318-H-08	2.10
MFL-0318-H-10	2.90
MFL-0318-H-12	3.50
MFL-0318-H-14	5.20
MFL-0318-H-16	7.20
MFL-0318-H-20	10.85
MFL-0318-H-25	21.05
MFL-0318-H-30	25.95
MFL-0318-H-38	37.40



MFL-0319-LL
Flareless Sleeve
Extra Light

MFL-0319-LL-04	2.15
MFL-0319-LL-06	1.55
MFL-0319-LL-08	1.65
MFL-0319-LL-10	2.70
MFL-0319-LL-12	3.25



MFL-0319
Flareless Sleeve
Light

MFL-0319-06	1.60
MFL-0319-08	1.55
MFL-0319-10	1.75
MFL-0319-12	2.10
MFL-0319-15	2.40
MFL-0319-18	3.50
MFL-0319-22	4.20
MFL-0319-28	5.00
MFL-0319-35	7.40
MFL-0319-42	11.30

METRIC FLARELESS

Styles may vary from picture



MFL-0319-H
Flareless Sleeve
Heavy

MFL-0319-H-06	1.60
MFL-0319-H-08	1.55
MFL-0319-H-10	1.75
MFL-0319-H-12	2.10
MFL-0319-H-14	4.77
MFL-0319-H-16	3.80
MFL-0319-H-20	4.80
MFL-0319-H-25	6.10
MFL-0319-H-30	7.30
MFL-0319-H-38	9.85




MFL-0320
Blanking Plug w/ O-Ring
Light

MFL-0320-06	4.00
MFL-0320-08	4.15
MFL-0320-10	4.50
MFL-0320-12	5.50
MFL-0320-15	8.65
MFL-0320-18	7.80
MFL-0320-22	11.65
MFL-0320-28	19.40
MFL-0320-35	38.15
MFL-0320-42	58.90




MFL-0320-H
Blanking Plug w/ O-Ring
Heavy

MFL-0320-H-06	4.00
MFL-0320-H-08	4.15
MFL-0320-H-10	4.50
MFL-0320-H-12	5.50
MFL-0320-H-14	18.16
MFL-0320-H-16	11.80
MFL-0320-H-20	24.25
MFL-0320-H-25	25.95
MFL-0320-H-30	34.50
MFL-0320-H-38	51.90




MFL-2403-LL - Str.
(1) (2) Male Flareless Union
Extra Light

MFL-2403-LL-04-04	8.95
MFL-2403-LL-06-04	23.00
MFL-2403-LL-06-06	10.00
MFL-2403-LL-08-04	87.05
MFL-2403-LL-08-06	74.54
MFL-2403-LL-08-08	16.50
MFL-2403-LL-10-10	15.90
MFL-2403-LL-12-12	26.31



MFL-2403 - Str.
(1) (2) Male Flareless Union
Light

MFL-2403-06-06	10.85
MFL-2403-08-06	19.80
MFL-2403-08-08	9.40
MFL-2403-10-06	21.85
MFL-2403-10-08	22.60
MFL-2403-10-10	14.30
MFL-2403-12-06	24.60
MFL-2403-12-08	25.10
MFL-2403-12-10	25.95
MFL-2403-12-12	13.45
MFL-2403-15-10	32.30
MFL-2403-15-12	32.90
MFL-2403-15-15	23.35
MFL-2403-18-10	49.25
MFL-2403-18-12	44.90
MFL-2403-18-15	46.85
MFL-2403-18-18	35.75
MFL-2403-22-12	72.40
MFL-2403-22-15	58.65
MFL-2403-22-18	62.80
MFL-2403-22-22	49.10
MFL-2403-28-18	119.80
MFL-2403-28-22	120.50
MFL-2403-28-28	88.60
MFL-2403-35-22	158.75
MFL-2403-35-28	170.40
MFL-2403-35-35	120.85
MFL-2403-42-35	283.90
MFL-2403-42-42	155.85




MFL-2403-H - Str.
(1) (2) Male Flareless Union
Heavy

MFL-2403-H-06-06	13.25
MFL-2403-H-08-06	41.50
MFL-2403-H-08-08	14.85
MFL-2403-H-10-06	63.10
MFL-2403-H-10-08	40.95
MFL-2403-H-10-10	18.25
MFL-2403-H-12-06	36.05
MFL-2403-H-12-08	36.25
MFL-2403-H-12-10	37.70
MFL-2403-H-12-12	20.55
MFL-2403-H-14-12	74.23
MFL-2403-H-14-14	46.53
MFL-2403-H-16-10	72.45
MFL-2403-H-16-12	58.20
MFL-2403-H-16-14	68.55
MFL-2403-H-16-16	39.00
MFL-2403-H-20-10	66.85
MFL-2403-H-20-12	69.05
MFL-2403-H-20-16	70.95
MFL-2403-H-20-20	57.55
MFL-2403-H-25-16	128.35
MFL-2403-H-25-20	126.35
MFL-2403-H-25-25	96.90
MFL-2403-H-30-20	170.20
MFL-2403-H-30-25	180.60
MFL-2403-H-30-30	133.30
MFL-2403-H-38-30	253.75
MFL-2403-H-38-38	144.35

METRIC FLARELESS


Styles may vary from picture



MFL-2406 - Str. - Reducer

(1) Metric Standpipe
(2) Male Flareless
Light

MFL-2406-08-06	18.55
MFL-2406-10-06	19.25
MFL-2406-10-08	19.60
MFL-2406-12-06	20.50
MFL-2406-12-08	20.75
MFL-2406-12-10	21.15
MFL-2406-15-06	23.85
MFL-2406-15-08	23.00
MFL-2406-15-10	23.45
MFL-2406-15-12	24.05
MFL-2406-18-06	47.55
MFL-2406-18-08	29.90
MFL-2406-18-10	30.00
MFL-2406-18-12	30.60
MFL-2406-18-15	33.30
MFL-2406-22-06	80.75
MFL-2406-22-08	54.55
MFL-2406-22-10	51.90
MFL-2406-22-12	38.45
MFL-2406-22-15	40.05
MFL-2406-22-18	43.45
MFL-2406-28-06	96.50
MFL-2406-28-08	92.30
MFL-2406-28-10	75.00
MFL-2406-28-12	69.80
MFL-2406-28-15	69.80
MFL-2406-28-18	73.55
MFL-2406-28-22	76.65
MFL-2406-35-15	129.40
MFL-2406-35-18	110.75
MFL-2406-35-22	102.20
MFL-2406-35-28	107.60
MFL-2406-42-15	320.95
MFL-2406-42-18	199.90
MFL-2406-42-22	132.80
MFL-2406-42-28	134.25
MFL-2406-42-35	151.05



MFL-2406-H - Str. - Reducer

(1) Metric Standpipe
(2) Male Flareless
Heavy

MFL-2406-H-08-06	40.75
MFL-2406-H-10-06	27.00
MFL-2406-H-10-08	30.30
MFL-2406-H-12-06	23.45

MFL-2406-H-12-08	23.75
MFL-2406-H-12-10	24.95
MFL-2406-H-14-06	62.25
MFL-2406-H-14-08	61.45
MFL-2406-H-14-10	63.10
MFL-2406-H-14-12	70.70
MFL-2406-H-16-06	44.15
MFL-2406-H-16-08	31.90
MFL-2406-H-16-10	32.90
MFL-2406-H-16-12	33.55
MFL-2406-H-16-14	83.55
MFL-2406-H-20-06	67.80
MFL-2406-H-20-08	55.10
MFL-2406-H-20-10	48.35
MFL-2406-H-20-12	41.85
MFL-2406-H-20-14	107.15
MFL-2406-H-20-16	47.85
MFL-2406-H-25-08	98.60
MFL-2406-H-25-10	89.50
MFL-2406-H-25-12	72.10
MFL-2406-H-25-14	177.92
MFL-2406-H-25-16	72.80
MFL-2406-H-25-20	79.80
MFL-2406-H-30-08	118.85
MFL-2406-H-30-10	110.30
MFL-2406-H-30-12	94.40
MFL-2406-H-30-14	719.80
MFL-2406-H-30-16	94.90
MFL-2406-H-30-20	97.00
MFL-2406-H-30-25	111.25
MFL-2406-H-38-12	183.25
MFL-2406-H-38-16	156.45
MFL-2406-H-38-20	150.00
MFL-2406-H-38-25	159.90
MFL-2406-H-38-30	179.80



MFL-2408

(1) Male Flareless Plug
Light


MFL-2408-06	8.80
MFL-2408-08	10.10
MFL-2408-10	12.40
MFL-2408-12	14.85
MFL-2408-15	22.85
MFL-2408-18	30.80
MFL-2408-22	41.75
MFL-2408-28	82.75
MFL-2408-35	123.60
MFL-2408-42	181.60



MFL-2408-H

(1) Male Flareless Plug
Heavy


MFL-2408-H-06	11.95
MFL-2408-H-08	14.65
MFL-2408-H-10	16.55
MFL-2408-H-12	19.45
MFL-2408-H-14	42.50
MFL-2408-H-16	32.05
MFL-2408-H-20	47.95
MFL-2408-H-25	84.20
MFL-2408-H-30	134.05
MFL-2408-H-38	178.25



MFL-2500-LL - 90°

(1) (2) Male Flareless
Extra Light

MFL-2500-LL-04-04	20.30
MFL-2500-LL-06-06	20.50
MFL-2500-LL-08-08	22.30
MFL-2500-LL-10-10	43.92
MFL-2500-LL-12-12	49.62




MFL-2500 - 90°

(1) Male Flareless Plug
Light

MFL-2500-06-06	24.25
MFL-2500-08-08	26.00
MFL-2500-10-10	29.35
MFL-2500-12-12	32.05
MFL-2500-15-15	44.95
MFL-2500-18-18	63.05
MFL-2500-22-22	85.25
MFL-2500-28-28	116.45
MFL-2500-35-35	188.45
MFL-2500-42-42	237.30


METRIC FLARELESS

Styles may vary from picture




MFL-2500-H - 90°
(1) (2) Male Flareless
Heavy

MFL-2500-H-06-06	27.25
MFL-2500-H-08-08	29.25
MFL-2500-H-10-10	33.60
MFL-2500-H-12-12	39.30
MFL-2500-H-14-14	79.54
MFL-2500-H-16-16	62.50
MFL-2500-H-20-20	79.25
MFL-2500-H-25-25	132.40
MFL-2500-H-30-30	184.65
MFL-2500-H-38-38	256.50



MFL-2603-LL - Tee
(1) (2) (3) Male Flareless
Extra Light


MFL-2603-LL-04-04-04	25.10
MFL-2603-LL-06-06-06	25.50
MFL-2603-LL-08-08-08	29.40
MFL-2603-LL-10-10-10	135.54
MFL-2603-LL-12-12-12	129.38



MFL-2603 - Tee
(1) (2) (3) Male Flareless
Light


MFL-2603-06-06-06	30.75
MFL-2603-06-06-08	146.40
MFL-2603-06-06-10	238.00
MFL-2603-08-08-06	131.70
MFL-2603-08-08-08	33.15
MFL-2603-08-08-10	112.50
MFL-2603-08-08-12	100.75
MFL-2603-10-06-10	82.10
MFL-2603-10-10-06	69.40
MFL-2603-10-10-08	85.75
MFL-2603-10-10-10	38.65
MFL-2603-10-10-15	187.90

MFL-2603-12-08-08	103.10
MFL-2603-12-10-10	113.10
MFL-2603-12-10-12	198.30
MFL-2603-12-12-08	74.25
MFL-2603-12-12-10	75.40
MFL-2603-12-12-12	42.30
MFL-2603-12-12-15	119.05
MFL-2603-12-12-18	212.65
MFL-2603-15-12-12	131.50
MFL-2603-15-15-06	178.85
MFL-2603-15-15-10	125.75
MFL-2603-15-15-12	110.60
MFL-2603-15-15-15	55.30
MFL-2603-18-10-10	258.55
MFL-2603-18-10-18	224.00
MFL-2603-18-18-10	150.50
MFL-2603-18-18-12	153.45
MFL-2603-18-18-15	159.05
MFL-2603-18-18-18	83.35
MFL-2603-22-18-18	264.80
MFL-2603-22-22-12	205.50
MFL-2603-22-22-15	198.10
MFL-2603-22-22-18	231.75
MFL-2603-22-22-22	106.80
MFL-2603-28-28-10	443.15
MFL-2603-28-28-12	308.95
MFL-2603-28-28-18	477.50
MFL-2603-28-28-22	325.95
MFL-2603-28-28-28	162.25
MFL-2603-35-35-35	239.50
MFL-2603-42-42-42	332.40




MFL-2603-H - Tee
(1) (2) (3) Male Flareless
Heavy

MFL-2603-H-06-06-06	34.40
MFL-2603-H-08-08-08	37.65
MFL-2603-H-10-10-10	42.90
MFL-2603-H-12-12-12	49.70
MFL-2603-H-12-12-16	162.90
MFL-2603-H-14-14-14	106.92
MFL-2603-H-16-16-08	174.15
MFL-2603-H-16-16-12	159.80
MFL-2603-H-16-16-16	77.60
MFL-2603-H-16-16-20	266.45
MFL-2603-H-20-20-10	359.90
MFL-2603-H-20-20-12	360.20
MFL-2603-H-20-20-16	275.30
MFL-2603-H-20-20-20	118.50
MFL-2603-H-20-20-25	355.30
MFL-2603-H-25-25-16	318.15
MFL-2603-H-25-25-20	346.45
MFL-2603-H-25-25-25	176.60
MFL-2603-H-30-30-30	234.50
MFL-2603-H-38-38-38	334.40




MFL-2650-LL - Cross
(1) (2) (3) (4) Male Flareless
Extra Light

MFL-2650-LL-04-04-04-04	150.25
MFL-2650-LL-06-06-06-06	148.43
MFL-2650-LL-08-08-08-08	115.10



MFL-2650 - Cross
(1) (2) (3) (4) Male Flareless
Light

MFL-2650-06-06-06-06	89.15
MFL-2650-08-08-08-08	98.25
MFL-2650-10-10-10-10	106.45
MFL-2650-12-12-12-12	117.30
MFL-2650-15-15-15-15	138.55
MFL-2650-18-18-18-18	178.25
MFL-2650-22-22-22-22	255.30
MFL-2650-28-28-28-28	339.60
MFL-2650-35-35-35-35	495.05
MFL-2650-42-42-42-42	965.15




MFL-2650-H - Cross
(1) (2) (3) (4) Male Flareless
Heavy

MFL-2650-H-06-06-06-06	113.15
MFL-2650-H-08-08-08-08	116.45
MFL-2650-H-10-10-10-10	125.65
MFL-2650-H-12-12-12-12	133.00
MFL-2650-H-14-14-14-14	273.55
MFL-2650-H-16-16-16-16	191.85
MFL-2650-H-20-20-20-20	276.85
MFL-2650-H-25-25-25-25	361.80
MFL-2650-H-30-30-30-30	488.25
MFL-2650-H-38-38-38-38	730.40

METRIC FLARELESS


Styles may vary from picture



MFL-2700-LN - Str.

- (1) Male Flareless
- (2) Male Flareless Bulkhead w/ Lock Nut
Light

MFL-2700-LN-06-06	23.35
MFL-2700-LN-08-08	21.55
MFL-2700-LN-10-10	26.75
MFL-2700-LN-12-12	31.15
MFL-2700-LN-15-15	44.65
MFL-2700-LN-18-18	70.45
MFL-2700-LN-22-22	89.25
MFL-2700-LN-28-28	124.85
MFL-2700-LN-35-35	199.95
MFL-2700-LN-42-42	267.85



MFL-2700-H-LN - Str.

- (1) Male Flareless
- (2) Male Flareless Bulkhead w/ Lock Nut
Heavy

MFL-2700-H-LN-06-06	23.95
MFL-2700-H-LN-08-08	28.35
MFL-2700-H-LN-10-10	32.35
MFL-2700-H-LN-12-12	42.50
MFL-2700-H-LN-14-14	86.38
MFL-2700-H-LN-16-16	68.40
MFL-2700-H-LN-20-20	99.15
MFL-2700-H-LN-25-25	172.35
MFL-2700-H-LN-30-30	196.70
MFL-2700-H-LN-38-38	299.60



MFL-2701-LN - Str.

- (1) Male Flareless
- (2) Male Flareless Bulkhead w/ Lock Nut
Light


MFL-2701-LN-06-06	34.15
MFL-2701-LN-08-08	43.60
MFL-2701-LN-10-10	41.15
MFL-2701-LN-12-12	48.60
MFL-2701-LN-15-15	59.05
MFL-2701-LN-18-18	85.75
MFL-2701-LN-22-22	126.50
MFL-2701-LN-28-28	189.40
MFL-2701-LN-35-35	282.20
MFL-2701-LN-42-42	400.00



MFL-2701-H-LN - 90°

- (1) Male Flareless
- (2) Male Flareless Bulkhead w/ Lock Nut
Light


MFL-2701-H-LN-06-06	38.60
MFL-2701-H-LN-08-08	42.65
MFL-2701-H-LN-10-10	52.80
MFL-2701-H-LN-12-12	56.25
MFL-2701-H-LN-14-14	131.92
MFL-2701-H-LN-16-16	82.90
MFL-2701-H-LN-20-20	124.15
MFL-2701-H-LN-25-25	217.80
MFL-2701-H-LN-30-30	275.75
MFL-2701-H-LN-38-38	415.65



MFL-6500 - 90°

- (1) Male Flareless
- (2) Fem. Flareless Swivel
Light


MFL-6500-06-06	26.35
MFL-6500-08-08	26.80
MFL-6500-10-10	28.80
MFL-6500-12-12	37.45
MFL-6500-15-15	44.05
MFL-6500-18-18	61.60
MFL-6500-22-22	82.60
MFL-6500-28-28	120.60
MFL-6500-35-35	183.30
MFL-6500-42-42	259.95



MFL-6500-H - 90°

- (1) Male Flareless
- (2) Fem. Flareless Swivel
Heavy


MFL-6500-H-06-06	29.35
MFL-6500-H-08-08	31.15
MFL-6500-H-10-10	36.80
MFL-6500-H-12-12	40.20
MFL-6500-H-14-14	70.85
MFL-6500-H-16-16	58.90
MFL-6500-H-20-20	81.95
MFL-6500-H-25-25	124.50
MFL-6500-H-30-30	182.30
MFL-6500-H-38-38	267.30



MFL-6565 - Str.

- (1) (2) Fem. Flareless Swivel
Light


MFL-6565-06-06	39.70
MFL-6565-08-08	42.85
MFL-6565-10-10	42.25
MFL-6565-12-12	45.25
MFL-6565-15-15	50.55
MFL-6565-18-18	55.60
MFL-6565-22-22	66.40
MFL-6565-28-28	94.45
MFL-6565-35-35	115.30
MFL-6565-42-42	140.15



MFL-6565-H - Str.

- (1) (2) Fem. Flareless Swivel
Heavy

MFL-6565-H-06-06	53.70
MFL-6565-H-08-08	50.40
MFL-6565-H-10-10	51.60
MFL-6565-H-12-12	56.60
MFL-6565-H-14-14	69.70
MFL-6565-H-16-16	66.70
MFL-6565-H-20-20	76.15
MFL-6565-H-25-25	97.15
MFL-6565-H-30-30	142.45
MFL-6565-H-38-38	159.30




MFL-6600 - Tee

- (1) (2) Male Flareless
- (3) Fem. Flareless Swivel
Light

MFL-6600-06-06-06	39.80
MFL-6600-08-08-08	41.75
MFL-6600-10-10-10	48.40
MFL-6600-12-12-12	50.70
MFL-6600-15-15-15	66.35
MFL-6600-18-18-18	92.40
MFL-6600-22-22-22	135.50
MFL-6600-28-28-28	199.25
MFL-6600-35-35-35	266.05
MFL-6600-42-42-42	399.05


METRIC FLARELESS

Styles may vary from picture




MFL-6600-H - Tee
 (1) (2) Male Flareless
 (3) Fem. Flareless Swivel
Heavy

MFL-6600-H-06-06-06	45.30
MFL-6600-H-08-08-08	50.00
MFL-6600-H-10-10-10	55.20
MFL-6600-H-12-12-12	63.15
MFL-6600-H-14-14-14	138.00
MFL-6600-H-16-16-16	93.00
MFL-6600-H-20-20-20	142.80
MFL-6600-H-25-25-25	213.10
MFL-6600-H-30-30-30	270.60
MFL-6600-H-38-38-38	429.60



MFL-6602 - Tee
 (1) (3) Male Flareless
 (2) Fem. Flareless Swivel
Light

MFL-6602-06-06-06	40.95
MFL-6602-08-08-08	42.10
MFL-6602-10-10-10	47.60
MFL-6602-12-12-12	52.75
MFL-6602-15-15-15	68.45
MFL-6602-18-18-18	95.75
MFL-6602-22-22-22	134.65
MFL-6602-28-28-28	198.10
MFL-6602-35-35-35	272.15
MFL-6602-42-42-42	400.40




MFL-6602-H - Tee
 (1) (3) Male Flareless
 (2) Fem. Flareless Swivel
Heavy

MFL-6602-H-06-06-06	46.05
MFL-6602-H-08-08-08	49.05
MFL-6602-H-10-10-10	57.00
MFL-6602-H-12-12-12	63.60
MFL-6602-H-14-14-14	136.45
MFL-6602-H-16-16-16	99.70
MFL-6602-H-20-20-20	142.00
MFL-6602-H-25-25-25	214.70
MFL-6602-H-30-30-30	275.95
MFL-6602-H-38-38-38	439.90



MFL-BPP-2404 - Str.
 (1) Male Flareless
 (2) Male BPP w/ Cutting Face Seal
Light

MFL-BPP-2404-06-02	7.20
MFL-BPP-2404-06-04	8.35
MFL-BPP-2404-06-06	12.85
MFL-BPP-2404-06-08	44.55
MFL-BPP-2404-08-02	15.15
MFL-BPP-2404-08-04	9.20
MFL-BPP-2404-08-06	13.85
MFL-BPP-2404-08-08	22.20
MFL-BPP-2404-10-04	10.55
MFL-BPP-2404-10-06	14.80
MFL-BPP-2404-10-08	17.50
MFL-BPP-2404-12-04	17.20
MFL-BPP-2404-12-06	13.20
MFL-BPP-2404-12-08	21.10
MFL-BPP-2404-12-12	57.40
MFL-BPP-2404-15-06	26.05
MFL-BPP-2404-15-08	18.25
MFL-BPP-2404-15-12	52.20
MFL-BPP-2404-18-06	38.15
MFL-BPP-2404-18-08	23.15
MFL-BPP-2404-18-12	49.85
MFL-BPP-2404-22-08	52.95
MFL-BPP-2404-22-12	34.20
MFL-BPP-2404-22-16	114.60
MFL-BPP-2404-28-08	142.50
MFL-BPP-2404-28-12	111.55
MFL-BPP-2404-28-16	57.75
MFL-BPP-2404-35-16	151.20
MFL-BPP-2404-35-20	88.60
MFL-BPP-2404-42-24	105.55




MFL-BPP-2404-H - Str.
 (1) Male Flareless
 (2) Male BPP w/ Cutting Face Seal
Heavy

MFL-BPP-2404-H-06-04	9.80
MFL-BPP-2404-H-06-08	61.08
MFL-BPP-2404-H-08-04	10.80
MFL-BPP-2404-H-08-06	25.10
MFL-BPP-2404-H-10-04	27.20
MFL-BPP-2404-H-10-06	14.30
MFL-BPP-2404-H-10-08	38.25
MFL-BPP-2404-H-12-04	31.10
MFL-BPP-2404-H-12-06	15.45
MFL-BPP-2404-H-12-08	18.55
MFL-BPP-2404-H-14-06	78.35
MFL-BPP-2404-H-14-08	31.92
MFL-BPP-2404-H-16-06	44.80
MFL-BPP-2404-H-16-08	25.75
MFL-BPP-2404-H-16-12	41.60
MFL-BPP-2404-H-20-08	53.65
MFL-BPP-2404-H-20-12	39.00
MFL-BPP-2404-H-25-12	89.75
MFL-BPP-2404-H-25-16	68.05
MFL-BPP-2404-H-30-16	115.00
MFL-BPP-2404-H-30-20	104.65
MFL-BPP-2404-H-38-20	140.10
MFL-BPP-2404-H-38-24	128.60

METRIC FLARELESS

Styles may vary from picture



MFL-BPP-2405 - Str.

- (1) Male Flareless
 - (2) Fem. BPP - Rigid
- Light**


MFL-BPP-2405-06-02	12.25
MFL-BPP-2405-08-04	24.50
MFL-BPP-2405-08-06	53.50
MFL-BPP-2405-08-08	43.40
MFL-BPP-2405-10-04	14.45
MFL-BPP-2405-10-06	76.30
MFL-BPP-2405-10-08	86.40
MFL-BPP-2405-12-06	17.65
MFL-BPP-2405-12-08	55.10
MFL-BPP-2405-15-08	24.35
MFL-BPP-2405-18-08	32.10
MFL-BPP-2405-22-12	47.90
MFL-BPP-2405-28-16	107.10
MFL-BPP-2405-35-20	189.55
MFL-BPP-2405-42-24	217.10



MFL-BPP-2405-H - Str.

- (1) Male Flareless
 - (2) Fem. BPP - Rigid
- Heavy**


MFL-BPP-2405-H-06-04	24.35
MFL-BPP-2405-H-08-04	21.95
MFL-BPP-2405-H-10-06	43.75
MFL-BPP-2405-H-12-06	29.90
MFL-BPP-2405-H-14-08	62.01
MFL-BPP-2405-H-16-08	42.05
MFL-BPP-2405-H-20-12	64.65
MFL-BPP-2405-H-25-16	125.65
MFL-BPP-2405-H-30-20	171.35
MFL-BPP-2405-H-38-24	203.25



MFL-BPP-2501 - 90°

- (1) Male Flareless
 - (2) Male BPP w/ Cutting Face Seal
- Light**


MFL-BPP-2501-22-12	173.40
MFL-BPP-2501-28-16	182.35
MFL-BPP-2501-35-20	303.75
MFL-BPP-2501-42-24	322.65



MFL-BPP-2501-H - 90°

- (1) Male Flareless
 - (2) Male BPP w/ Cutting Face Seal
- Heavy**


MFL-BPP-2501-H-20-12	133.25
MFL-BPP-2501-H-25-16	168.45
MFL-BPP-2501-H-30-20	298.40
MFL-BPP-2501-H-38-24	341.00



MFL-BPP-2601 - Tee

- (1) (2) Male Flareless
 - (3) Male BPP w/ Cutting Face Seal
- Light**


MFL-BPP-2601-22-22-12	237.35
MFL-BPP-2601-28-28-16	334.80
MFL-BPP-2601-35-35-20	512.45



MFL-BPP-2601-H - Tee

- (1) (3) Male Flareless
 - (2) Male BPP w/ Cutting Face Seal
- Heavy**


MFL-BPP-2601-H-20-20-12	311.85
MFL-BPP-2601-H-25-25-16	339.35
MFL-BPP-2601-H-30-30-20	569.50



MFL-BPP-2605 - Tee

- (1) (3) Male Flareless
 - (2) Male BPP w/ Cutting Face Seal
- Light**

MFL-BPP-2605-22-12-22	296.55
MFL-BPP-2605-28-16-28	401.60




MFL-BPP-2605-H - Tee

- (1) (3) Male Flareless
 - (2) Male BPP w/ Cutting Face Seal
- Heavy**

MFL-BPP-2605-H-20-12-20	374.15
MFL-BPP-2605-H-25-16-25	419.25
MFL-BPP-2605-H-30-20-30	665.05

METRIC FLARELESS

Styles may vary from picture



MFL-BPP-6400-EO - Str.

- (1) Male Flareless
 - (2) Male BPP w/ Peflex Seal
- Light**

MFL-BPP-6400-04-02-EO	21.35
MFL-BPP-6400-06-02-EO	9.30
MFL-BPP-6400-06-04-EO	13.35
MFL-BPP-6400-06-06-EO	93.00
MFL-BPP-6400-08-02-EO	16.35
MFL-BPP-6400-08-04-EO	11.90
MFL-BPP-6400-08-06-EO	15.85
MFL-BPP-6400-08-08-EO	30.10
MFL-BPP-6400-10-04-EO	12.55
MFL-BPP-6400-10-06-EO	22.50
MFL-BPP-6400-10-08-EO	18.35
MFL-BPP-6400-12-04-EO	17.85
MFL-BPP-6400-12-06-EO	15.65
MFL-BPP-6400-12-08-EO	21.95
MFL-BPP-6400-12-12-EO	73.15
MFL-BPP-6400-15-06-EO	25.35
MFL-BPP-6400-15-08-EO	21.45
MFL-BPP-6400-15-12-EO	56.55
MFL-BPP-6400-18-06-EO	48.20
MFL-BPP-6400-18-08-EO	26.25
MFL-BPP-6400-18-12-EO	42.50
MFL-BPP-6400-22-08-EO	58.95
MFL-BPP-6400-22-12-EO	37.40
MFL-BPP-6400-22-16-EO	116.90
MFL-BPP-6400-28-12-EO	121.45
MFL-BPP-6400-28-16-EO	65.65
MFL-BPP-6400-35-16-EO	150.10
MFL-BPP-6400-35-20-EO	95.75
MFL-BPP-6400-42-24-EO	116.40




MFL-BPP-6400-H-EO - Str.

- (1) Male Flareless
 - (2) Male BPP w/ Peflex Seal
- Heavy**

MFL-BPP-6400-H-06-04-EO	12.40
MFL-BPP-6400-H-08-04-EO	13.35
MFL-BPP-6400-H-08-06-EO	36.90
MFL-BPP-6400-H-10-04-EO	21.40
MFL-BPP-6400-H-10-06-EO	16.75
MFL-BPP-6400-H-10-08-EO	22.95
MFL-BPP-6400-H-12-04-EO	35.70
MFL-BPP-6400-H-12-06-EO	17.95
MFL-BPP-6400-H-12-08-EO	22.30
MFL-BPP-6400-H-14-06-EO	100.10
MFL-BPP-6400-H-14-08-EO	36.38
MFL-BPP-6400-H-16-06-EO	49.40


MFL-BPP-6400-H-16-08-EO	28.85
MFL-BPP-6400-H-16-12-EO	43.05
MFL-BPP-6400-H-20-08-EO	62.65
MFL-BPP-6400-H-20-12-EO	42.10
MFL-BPP-6400-H-25-08-EO	182.50
MFL-BPP-6400-H-25-12-EO	93.70
MFL-BPP-6400-H-25-16-EO	71.90
MFL-BPP-6400-H-30-16-EO	121.80
MFL-BPP-6400-H-30-20-EO	111.65
MFL-BPP-6400-H-38-20-EO	145.85
MFL-BPP-6400-H-38-24-EO	139.50



MFL-BPP-6510 - Str.

- (1) Female Flareless Swivel
 - (2) Male BPP w/ Cutting Face Seal
- Light**


MFL-BPP-6510-06-02	15.05
MFL-BPP-6510-06-04	23.75
MFL-BPP-6510-10-04	17.75
MFL-BPP-6510-12-06	21.55
MFL-BPP-6510-15-08	27.95
MFL-BPP-6510-18-08	34.95
MFL-BPP-6510-22-12	54.50
MFL-BPP-6510-28-16	99.40
MFL-BPP-6510-35-20	132.55
MFL-BPP-6510-42-24	148.45



MFL-BPP-6510-H - Str.

- (1) Fem. Flareless Swivel
 - (2) Male BPP - Cutting Face Seal
- Heavy**

MFL-BPP-6510-H-06-04	14.75
MFL-BPP-6510-H-08-04	16.05
MFL-BPP-6510-H-10-06	19.35
MFL-BPP-6510-H-12-06	21.45
MFL-BPP-6510-H-14-08	38.35
MFL-BPP-6510-H-16-08	37.80
MFL-BPP-6510-H-20-12	52.00
MFL-BPP-6510-H-25-16	95.90
MFL-BPP-6510-H-30-20	135.20
MFL-BPP-6510-H-38-24	192.15



MFL-BPP-6510-EO - Str.

- (1) Fem. Flareless Swivel
 - (2) Male BPP - w/ Peflex Seal
- Light**


MFL-BPP-6510-06-02-EO	19.70
MFL-BPP-6510-08-04-EO	21.05
MFL-BPP-6510-10-04-EO	21.85
MFL-BPP-6510-12-04-EO	32.90
MFL-BPP-6510-12-06-EO	22.60
MFL-BPP-6510-15-08-EO	30.10
MFL-BPP-6510-18-08-EO	34.05
MFL-BPP-6510-22-12-EO	50.65
MFL-BPP-6510-28-16-EO	74.50
MFL-BPP-6510-35-20-EO	127.30
MFL-BPP-6510-42-24-EO	143.15



MFL-BPP-6510-H-EO - Str.

- (1) Fem. Flareless Swivel
 - (2) Male BPP - w/ Peflex Seal
- Heavy**

MFL-BPP-6510-H-06-04-EO	22.60
MFL-BPP-6510-H-08-04-EO	23.00
MFL-BPP-6510-H-10-06-EO	23.25
MFL-BPP-6510-H-12-06-EO	24.05
MFL-BPP-6510-H-12-08-EO	41.80
MFL-BPP-6510-H-14-08-EO	62.45
MFL-BPP-6510-H-16-08-EO	37.50
MFL-BPP-6510-H-20-12-EO	54.05
MFL-BPP-6510-H-25-16-EO	78.25
MFL-BPP-6510-H-30-20-EO	118.85
MFL-BPP-6510-H-38-24-EO	187.80




MFL-BPP-6801-NWO - 90°

- (1) Male Flareless
 - (2) Male BPP w/ Washer O-Ring
- Light**

MFL-BPP-6801-06-02-NWO	72.75
MFL-BPP-6801-08-04-NWO	77.00
MFL-BPP-6801-10-04-NWO	84.05
MFL-BPP-6801-12-06-NWO	99.00
MFL-BPP-6801-15-08-NWO	111.85
MFL-BPP-6801-18-08-NWO	132.90
MFL-BPP-6801-22-12-NWO	164.90
MFL-BPP-6801-28-16-NWO	280.25

METRIC FLARELESS


Styles may vary from picture



MFL-BPP-6801-H-NWO - 90°

(1) Male Flareless
(2) Male BPP w/ Washer O-Ring
Heavy

MFL-BPP-6801-H-06-04-NWO	175.10
MFL-BPP-6801-H-08-04-NWO	84.90
MFL-BPP-6801-H-10-06-NWO	100.85
MFL-BPP-6801-H-12-06-NWO	90.06
MFL-BPP-6801-H-16-08-NWO	134.10
MFL-BPP-6801-H-20-12-NWO	184.00
MFL-BPP-6801-H-30-20-NWO	505.65



MFL-BPP-6810-NWO - 45°

(1) Male Flareless
(2) Male BPP w/ Washer O-Ring
Light

MFL-BPP-6810-08-04-NWO	155.60
MFL-BPP-6810-10-04-NWO	224.65
MFL-BPP-6810-12-06-NWO	225.35



MFL-BST-2404-LL - Str.

(1) Male Flareless
(2) Male BSPT
Extra Light

MFL-BST-2404-LL-04-02	9.65
MFL-BST-2404-LL-06-02	9.95
MFL-BST-2404-LL-08-02	9.50
MFL-BST-2404-LL-08-04	13.40
MFL-BST-2404-LL-10-04	16.01
MFL-BST-2404-LL-12-04	18.65
MFL-BST-2404-LL-12-06	63.40



MFL-BST-2404 - Str.

(1) Male Flareless
(2) Male BSPT
Light


MFL-BST-2404-06-02	28.45
MFL-BST-2404-06-04	25.10
MFL-BST-2404-08-04	20.20
MFL-BST-2404-10-04	27.35
MFL-BST-2404-12-04	37.70
MFL-BST-2404-12-06	19.15
MFL-BST-2404-12-08	21.65
MFL-BST-2404-15-06	77.35
MFL-BST-2404-15-08	41.00
MFL-BST-2404-18-08	48.75
MFL-BST-2404-22-12	55.95
MFL-BST-2404-28-16	119.15



MFL-BST-2404-H - Str.

(1) Male Flareless
(2) Male BSPT
Heavy


MFL-BST-2404-H-06-04	21.25
MFL-BST-2404-H-08-04	118.65
MFL-BST-2404-H-10-06	133.70
MFL-BST-2404-H-12-06	27.25
MFL-BST-2404-H-14-08	76.70
MFL-BST-2404-H-16-08	47.35
MFL-BST-2404-H-20-12	77.25



MFL-BST-2501-LL - 90°

(1) Male Flareless
(2) Male BSPT
Extra Light


MFL-BST-2501-LL-04-02	18.35
MFL-BST-2501-LL-06-02	18.85
MFL-BST-2501-LL-08-02	21.15
MFL-BST-2501-LL-10-04	41.61
MFL-BST-2501-LL-12-04	47.17



MFL-BST-2501 - 90°

(1) Male Flareless
(2) Male BSPT
Light


MFL-BST-2501-06-02	19.25
MFL-BST-2501-08-04	20.75
MFL-BST-2501-08-06	57.60
MFL-BST-2501-10-04	38.41
MFL-BST-2501-10-06	59.30
MFL-BST-2501-12-04	43.47
MFL-BST-2501-12-06	27.30
MFL-BST-2501-12-08	56.35
MFL-BST-2501-15-08	33.35
MFL-BST-2501-18-08	44.60
MFL-BST-2501-22-12	185.65
MFL-BST-2501-28-16	262.90
MFL-BST-2501-35-20	397.95



MFL-BST-2501-H - 90°

(1) Male Flareless
(2) Male BSPT
Heavy

MFL-BST-2501-H-06-04	22.40
MFL-BST-2501-H-08-04	25.85
MFL-BST-2501-H-10-06	29.60
MFL-BST-2501-H-12-06	33.15
MFL-BST-2501-H-12-08	66.60
MFL-BST-2501-H-14-08	98.00
MFL-BST-2501-H-16-08	48.45
MFL-BST-2501-H-20-12	269.65
MFL-BST-2501-H-25-16	347.90




MFL-BST-2601-LL - Tee

(1) (2) Male Flareless
(3) Male BSPT
Extra Light

MFL-BST-2601-LL-04-04-02	36.25
MFL-BST-2601-LL-06-06-02	40.75
MFL-BST-2601-LL-08-08-02	60.50

METRIC FLARELESS

Styles may vary from picture




MFL-BST-2601 - Tee

(1) (2) Male Flareless
(3) Male BSPT

Light

MFL-BST-2601-06-06-02	55.05
MFL-BST-2601-08-08-04	59.85
MFL-BST-2601-10-10-04	65.20
MFL-BST-2601-12-12-06	78.75
MFL-BST-2601-15-15-08	115.40
MFL-BST-2601-18-18-08	160.75




MFL-BST-2601-H - Tee

(1) (2) Male Flareless
(3) Male BSPT

Heavy

MFL-BST-2601-H-06-06-04	62.55
MFL-BST-2601-H-08-08-04	67.45
MFL-BST-2601-H-10-10-06	98.60
MFL-BST-2601-H-12-12-06	100.75
MFL-BST-2601-H-14-14-08	197.63
MFL-BST-2601-H-16-16-08	164.15




MFL-BST-2605-LL - Tee

(1) (3) Male Flareless
(2) Male BSPT

Extra Light

MFL-BST-2605-LL-04-02-04	48.20
MFL-BST-2605-LL-06-02-06	48.95
MFL-BST-2605-LL-08-02-08	50.75




MFL-BST-2605 - Tee

(1) (3) Male Flareless
(2) Male BSPT

Light

MFL-BST-2605-06-02-06	61.70
MFL-BST-2605-08-04-08	67.15
MFL-BST-2605-10-04-10	70.40
MFL-BST-2605-10-06-10	192.45
MFL-BST-2605-12-06-12	85.25
MFL-BST-2605-15-08-15	149.15
MFL-BST-2605-18-08-18	154.30




MFL-BST-2605-H - Tee

(1) (3) Male Flareless
(2) Male BSPT

Heavy

MFL-BST-2605-H-06-04-06	65.15
MFL-BST-2605-H-08-04-08	73.35
MFL-BST-2605-H-10-06-10	102.55
MFL-BST-2605-H-12-06-12	104.80
MFL-BST-2605-H-14-08-14	282.15
MFL-BST-2605-H-16-08-16	168.60



MFL-M-2404-LL - Str.

(1) Male Flareless
(2) Male Metric Parallel w/ Cutting Face Seal
Extra Light

MFL-M-2404-LL-04-08X1.0	18.35
MFL-M-2404-LL-06-10X1.0	8.70
MFL-M-2404-LL-08-10X1.0	9.10



MFL-M-2404 - Str.

(1) Male Flareless
(2) Male Metric Parallel w/ Cutting Face Seal
Light

MFL-M-2404-06-10X1.0	8.25
MFL-M-2404-08-12X1.5	8.90
MFL-M-2404-08-18X1.5	26.65
MFL-M-2404-10-14X1.5	10.60
MFL-M-2404-10-16X1.5	25.50
MFL-M-2404-10-18X1.5	30.45
MFL-M-2404-10-22X1.5	92.15
MFL-M-2404-12-14X1.5	29.35
MFL-M-2404-12-16X1.5	13.20
MFL-M-2404-12-18X1.5	23.50
MFL-M-2404-12-22X1.5	32.75
MFL-M-2404-15-16X1.5	37.10
MFL-M-2404-15-18X1.5	15.65
MFL-M-2404-15-22X1.5	32.85
MFL-M-2404-18-18X1.5	37.65
MFL-M-2404-18-22X1.5	23.25
MFL-M-2404-22-22X1.5	79.40
MFL-M-2404-22-26X1.5	34.70
MFL-M-2404-28-33X2.0	60.55
MFL-M-2404-35-42X2.0	87.80
MFL-M-2404-42-48X2.0	108.05

METRIC FLARELESS

Styles may vary from picture



MFL-M-2404-H - Str.
 (1) Male Flareless
 (2) Male Metric Parallel w/ Cutting Face Seal
Heavy

MFL-M-2404-H-06-12X1.5	10.00
MFL-M-2404-H-08-14X1.5	10.95
MFL-M-2404-H-10-16X1.5	14.30
MFL-M-2404-H-12-18X1.5	15.45
MFL-M-2404-H-12-22X1.5	97.00
MFL-M-2404-H-14-20X1.5	33.92
MFL-M-2404-H-16-18X1.5	57.15
MFL-M-2404-H-16-22X1.5	25.75
MFL-M-2404-H-20-27X2.0	39.30
MFL-M-2404-H-25-33X2.0	66.85
MFL-M-2404-H-30-42X2.0	101.95
MFL-M-2404-H-38-48X2.0	128.70




MFL-M-2405 - Str.
 (1) Male Flareless
 (2) Fem. Metric Parallel - Rigid
Light

MFL-M-2405-06-10X1.0	32.70
MFL-M-2405-08-12X1.5	38.25
MFL-M-2405-10-14X1.5	40.40
MFL-M-2405-12-16X1.5	47.25
MFL-M-2405-15-18X1.5	50.75
MFL-M-2405-18-22X1.5	63.00
MFL-M-2405-22-26X1.5	80.60
MFL-M-2405-28-33X2.0	366.80




MFL-M-2405-H - Str.
 (1) Male Flareless
 (2) Fem. Metric Parallel - Rigid
Heavy

MFL-M-2405-H-06-12X1.5	30.75
MFL-M-2405-H-08-14X1.5	48.65
MFL-M-2405-H-10-16X1.5	54.05
MFL-M-2405-H-12-18X1.5	68.75
MFL-M-2405-H-14-20X1.5	114.25
MFL-M-2405-H-16-22X1.5	83.55
MFL-M-2405-H-20-27X2.0	109.35
MFL-M-2405-H-25-33X2.0	234.45



MFL-M-2501 - 90°
 (1) Male Flareless
 (2) Male Metric Parallel w/ Cutting Face Seal
Light

MFL-M-2501-22-26X1.5	151.75
MFL-M-2501-28-33X2.0	314.85
MFL-M-2501-35-42X2.0	386.15
MFL-M-2501-42-48X2.0	684.25




MFL-M-2501-H - 90°
 (1) Male Flareless
 (2) Male Metric Parallel w/ Cutting Face Seal
Heavy

MFL-M-2501-H-20-27X2.0	164.75
MFL-M-2501-H-25-33X2.0	277.15
MFL-M-2501-H-30-42X2.0	356.55
MFL-M-2501-H-38-48X2.0	452.35



MFL-M-6400-EO - Str.
 (1) Male Flareless
 (2) Male Metric w/ Reflex Seal
Light

MFL-M-6400-06-10X1.0-EO	9.30
MFL-M-6400-08-12X1.5-EO	11.15
MFL-M-6400-08-18X1.5-EO	37.50
MFL-M-6400-10-14X1.5-EO	12.55
MFL-M-6400-10-16X1.5-EO	21.05
MFL-M-6400-10-18X1.5-EO	28.90
MFL-M-6400-10-22X1.5-EO	75.75
MFL-M-6400-12-14X1.5-EO	47.65
MFL-M-6400-12-16X1.5-EO	15.65
MFL-M-6400-12-18X1.5-EO	24.65
MFL-M-6400-12-22X1.5-EO	27.05
MFL-M-6400-15-16X1.5-EO	51.50
MFL-M-6400-15-18X1.5-EO	18.55
MFL-M-6400-15-22X1.5-EO	44.70
MFL-M-6400-18-18X1.5-EO	33.65
MFL-M-6400-18-22X1.5-EO	26.35
MFL-M-6400-22-22X1.5-EO	109.15
MFL-M-6400-22-26X1.5-EO	37.80
MFL-M-6400-28-33X2.0-EO	64.10
MFL-M-6400-35-42X2.0-EO	95.10
MFL-M-6400-42-48X2.0-EO	118.80



MFL-M-6400-ISO - Str.
 (1) Male Flareless
 (2) Male Metric w/ ISO O-Ring 6149
Light

MFL-M-6400-06-10X1.0-ISO	13.05
MFL-M-6400-08-12X1.5-ISO	14.10
MFL-M-6400-10-14X1.5-ISO	16.85
MFL-M-6400-12-16X1.5-ISO	19.45
MFL-M-6400-15-18X1.5-ISO	23.60
MFL-M-6400-18-22X1.5-ISO	33.70
MFL-M-6400-22-27X2.0-ISO	69.97
MFL-M-6400-28-33X2.0-ISO	76.05
MFL-M-6400-35-42X2.0-ISO	108.95
MFL-M-6400-42-48X2.0-ISO	592.75

METRIC FLARELESS

Styles may vary from picture



MFL-M-6400-H-EO - Str.
 (1) Male Flareless
 (2) Male Metric w/ Peflex Seal
Heavy

MFL-M-6400-H-06-12X1.5-EO	12.20
MFL-M-6400-H-08-14X1.5-EO	13.50
MFL-M-6400-H-10-16X1.5-EO	16.75
MFL-M-6400-H-12-18X1.5-EO	18.25
MFL-M-6400-H-14-20X1.5-EO	38.85
MFL-M-6400-H-16-22X1.5-EO	28.85
MFL-M-6400-H-20-27X2.0-EO	42.40
MFL-M-6400-H-25-33X2.0-EO	71.45
MFL-M-6400-H-30-42X2.0-EO	105.55
MFL-M-6400-H-38-48X2.0-EO	133.65




MFL-M-6400-H-ISO - Str.
 (1) Male Flareless
 (2) Male Metric w/ ISO O-Ring 6149
Heavy

MFL-M-6400-H-06-12X1.5-ISO	15.45
MFL-M-6400-H-08-14X1.5-ISO	16.60
MFL-M-6400-H-10-16X1.5-ISO	19.45
MFL-M-6400-H-12-18X1.5-ISO	22.25
MFL-M-6400-H-16-22X1.5-ISO	42.80
MFL-M-6400-H-20-27X2.0-ISO	60.35
MFL-M-6400-H-25-33X2.0-ISO	83.65
MFL-M-6400-H-30-42X2.0-ISO	128.85
MFL-M-6400-H-38-48X2.0-ISO	206.50




MFL-M-6510 - Str.
 (1) Fem. Flareless Swivel
 (2) Male Metric Parallel w/ Cutting Face Seal
Light

MFL-M-6510-06-10X1.0	13.85
MFL-M-6510-08-12X1.5	15.35
MFL-M-6510-10-14X1.5	16.35
MFL-M-6510-12-16X1.5	19.95
MFL-M-6510-15-18X1.5	27.95
MFL-M-6510-18-22X1.5	32.35
MFL-M-6510-22-26X1.5	47.80
MFL-M-6510-28-33X2.0	78.90
MFL-M-6510-35-42X2.0	117.75
MFL-M-6510-42-48X2.0	153.45




MFL-M-6510-EO - Str.
 (1) Fem. Flareless Swivel
 (2) Male Metric Parallel w/ Peflex Seal
Light

MFL-M-6510-06-10X1.0-EO	22.40
MFL-M-6510-08-12X1.5-EO	23.10
MFL-M-6510-10-14X1.5-EO	23.95
MFL-M-6510-12-16X1.5-EO	26.25
MFL-M-6510-15-18X1.5-EO	31.15
MFL-M-6510-18-22X1.5-EO	35.30
MFL-M-6510-22-26X1.5-EO	53.15
MFL-M-6510-28-33X2.0-EO	87.10
MFL-M-6510-35-42X2.0-EO	132.50
MFL-M-6510-42-48X2.0-EO	151.25




MFL-M-6510-H - Str.
 (1) Fem. Flareless Swivel
 (2) Male Metric Parallel w/ Cutting Face Seal
Heavy

MFL-M-6510-H-06-12X1.5	17.65
MFL-M-6510-H-08-14X1.5	17.30
MFL-M-6510-H-10-16X1.5	21.15
MFL-M-6510-H-12-18X1.5	20.50
MFL-M-6510-H-14-20X1.5	38.65
MFL-M-6510-H-16-22X1.5	34.65
MFL-M-6510-H-20-27X2.0	59.45
MFL-M-6510-H-25-33X2.0	89.80
MFL-M-6510-H-30-42X2.0	126.45
MFL-M-6510-H-38-48X2.0	186.40




MFL-M-6510-H-EO - Str.
 (1) Fem. Flareless Swivel
 (2) Male Metric Parallel w/ Peflex Seal
Heavy

MFL-M-6510-H-06-12X1.5-EO	26.35
MFL-M-6510-H-08-14X1.5-EO	27.20
MFL-M-6510-H-10-16X1.5-EO	27.90
MFL-M-6510-H-12-18X1.5-EO	29.15
MFL-M-6510-H-14-20X1.5-EO	60.46
MFL-M-6510-H-16-22X1.5-EO	40.70
MFL-M-6510-H-20-27X2.0-EO	59.70
MFL-M-6510-H-25-33X2.0-EO	92.10
MFL-M-6510-H-30-42X2.0-EO	137.90
MFL-M-6510-H-38-48X2.0-EO	204.60




MFL-M-6801-NWO - 90°
 (1) Male Flareless
 (2) Male Metric w/ Washer O-Ring
Light

MFL-M-6801-06-10X1.0-NWO	196.65
MFL-M-6801-08-12X1.5-NWO	91.65
MFL-M-6801-10-14X1.5-NWO	83.75
MFL-M-6801-12-16X1.5-NWO	154.90
MFL-M-6801-18-22X1.5-NWO	278.35



MFL-M-6801-H-NWO - 90°
 (1) Male Flareless
 (2) Male Metric w/ Washer O-Ring
Heavy

MFL-M-6801-H-06-12X1.5-NWO	195.75
MFL-M-6801-H-08-14X1.5-NWO	138.15
MFL-M-6801-H-30-42X2.0-NWO	622.90




MFL-M-6801-NWO-ISO - 90°
 (1) Male Flareless
 (2) Male Metric w/ ISO O-Ring 6149

MFL-M-6801-06-10X1.0-NWO-ISO	188.25
MFL-M-6801-08-12X1.5-NWO-ISO	78.50
MFL-M-6801-10-14X1.5-NWO-ISO	92.15
MFL-M-6801-12-16X1.5-NWO-ISO	137.15
MFL-M-6801-15-18X1.5-NWO-ISO	110.85
MFL-M-6801-18-22X1.5-NWO-ISO	254.35
MFL-M-6801-22-27X2.0-NWO-ISO	293.00
MFL-M-6801-28-33X2.0-NWO-ISO	341.50

METRIC FLARELESS

Styles may vary from picture



MFL-M-6801-H-NWO-ISO - 90°

(1) Male Flareless
(2) Male Metric w/ ISO O-Ring 6149
Light

MFL-M-6801-H-16-22X1.5-NWO-ISO	215.90
MFL-M-6801-H-20-27X2.0-NWO-ISO	262.35
MFL-M-6801-H-25-33X2.0-NWO-ISO	354.65
MFL-M-6801-H-30-42X2.0-NWO-ISO	531.10



MFL-MB-6400-O - Str.

(1) Male Flareless
(2) Male O-Ring Boss
Light


MFL-MB-6400-06-04-O	73.75
MFL-MB-6400-08-04-O	46.90
MFL-MB-6400-08-05-O	74.75
MFL-MB-6400-08-06-O	92.40
MFL-MB-6400-10-04-O	58.15
MFL-MB-6400-10-06-O	60.35
MFL-MB-6400-12-06-O	49.40
MFL-MB-6400-12-08-O	60.00
MFL-MB-6400-12-10-O	67.80
MFL-MB-6400-15-06-O	82.50
MFL-MB-6400-15-08-O	62.10
MFL-MB-6400-15-10-O	71.85
MFL-MB-6400-18-08-O	74.15
MFL-MB-6400-18-10-O	78.45
MFL-MB-6400-18-12-O	151.65
MFL-MB-6400-22-10-O	100.30
MFL-MB-6400-22-12-O	98.75
MFL-MB-6400-22-16-O	115.60
MFL-MB-6400-28-12-O	126.85
MFL-MB-6400-28-16-O	127.00
MFL-MB-6400-28-20-O	263.10
MFL-MB-6400-35-16-O	162.20
MFL-MB-6400-35-20-O	173.80
MFL-MB-6400-42-20-O	215.75



MFL-MB-6400-H-O - Str.

(1) Male Flareless
(2) Male O-Ring Boss
Heavy


MFL-MB-6400-H-06-04-O	76.85
MFL-MB-6400-H-08-04-O	46.85
MFL-MB-6400-H-08-05-O	82.00
MFL-MB-6400-H-10-06-O	52.20
MFL-MB-6400-H-10-08-O	105.65
MFL-MB-6400-H-12-06-O	69.55
MFL-MB-6400-H-12-08-O	66.15
MFL-MB-6400-H-12-10-O	132.85
MFL-MB-6400-H-14-08-O	121.40
MFL-MB-6400-H-16-08-O	69.05
MFL-MB-6400-H-16-10-O	84.90
MFL-MB-6400-H-16-12-O	166.60
MFL-MB-6400-H-20-08-O	108.35
MFL-MB-6400-H-20-10-O	108.45
MFL-MB-6400-H-20-12-O	107.80
MFL-MB-6400-H-25-12-O	139.70
MFL-MB-6400-H-25-16-O	146.35
MFL-MB-6400-H-30-12-O	286.60
MFL-MB-6400-H-30-16-O	171.40
MFL-MB-6400-H-30-20-O	186.90
MFL-MB-6400-H-38-20-O	235.60
MFL-MB-6400-H-38-24-O	379.10



MFL-MB-6510-O - Str.

(1) Fem. Flareless Swivel
(2) Male O-Ring Boss
Light


MFL-MB-6510-08-04-O	75.95
MFL-MB-6510-10-06-O	25.30
MFL-MB-6510-12-08-O	27.90
MFL-MB-6510-15-08-O	37.90



MFL-MB-6510-H-O - Str.

(1) Fem. Flareless Swivel
(2) Male O-Ring Boss
Heavy


MFL-MB-6510-H-10-06-O	27.90
MFL-MB-6510-H-20-16-O	503.00



MFL-MB-6801-NWO - 90°

(1) Male Flareless
(2) Male O-Ring Boss
Light

MFL-MB-6801-06-04-NWO	78.85
MFL-MB-6801-08-04-NWO	89.40
MFL-MB-6801-10-06-NWO	194.25
MFL-MB-6801-12-06-NWO	141.10
MFL-MB-6801-12-08-NWO	170.50
MFL-MB-6801-15-08-NWO	206.75
MFL-MB-6801-15-10-NWO	150.90
MFL-MB-6801-18-10-NWO	238.00
MFL-MB-6801-18-12-NWO	286.40
MFL-MB-6801-22-12-NWO	201.10
MFL-MB-6801-28-16-NWO	290.85
MFL-MB-6801-35-20-NWO	495.15




MFL-MB-6801-H-NWO - 90°

(1) Male Flareless
(2) Male O-Ring Boss
Heavy

MFL-MB-6801-H-08-06-NWO	180.15
MFL-MB-6801-H-10-06-NWO	146.75
MFL-MB-6801-H-12-08-NWO	205.85
MFL-MB-6801-H-16-10-NWO	199.65
MFL-MB-6801-H-20-12-NWO	252.40
MFL-MB-6801-H-25-12-NWO	367.25


METRIC FLARELESS

Styles may vary from picture




MFL-MJ-3901-LL - Str.
 (1) Male 37°
 (2) Male Metric Dual Purpose (Port or Tube)
Extra Light

MFL-MJ-3901-LL-04-10X1.0	21.45
MFL-MJ-3901-LL-04-12X1.0	21.85




MFL-MJ-3901 - Str.
 (1) Male 37°
 (2) Male Metric Dual Purpose (Port of Tube)
Light

MFL-MJ-3901-04-08X1.0	51.45
MFL-MJ-3901-04-08X1.25	38.65
MFL-MJ-3901-04-10X1.25	32.95
MFL-MJ-3901-04-10X1.5	33.75
MFL-MJ-3901-04-12X1.5	15.85
MFL-MJ-3901-04-14X1.5	13.20
MFL-MJ-3901-04-18X1.5	75.20
MFL-MJ-3901-06-12X1.0	40.70
MFL-MJ-3901-06-14X1.5	19.40
MFL-MJ-3901-06-16X1.5	16.55
MFL-MJ-3901-06-18X1.5	17.65
MFL-MJ-3901-08-16X1.5	19.35
MFL-MJ-3901-08-18X1.5	18.20
MFL-MJ-3901-08-22X1.5	24.55
MFL-MJ-3901-08-26X1.5	23.65
MFL-MJ-3901-10-18X1.5	55.35
MFL-MJ-3901-10-22X1.5	17.65
MFL-MJ-3901-10-26X1.5	53.75
MFL-MJ-3901-12-22X1.5	34.65
MFL-MJ-3901-12-24X1.5	32.95
MFL-MJ-3901-12-26X1.5	24.85
MFL-MJ-3901-12-30X1.5	46.10
MFL-MJ-3901-12-30X2.0	35.65
MFL-MJ-3901-12-36X1.5	80.90
MFL-MJ-3901-16-30X1.5	58.15
MFL-MJ-3901-16-36X1.5	90.55
MFL-MJ-3901-16-36X2.0	46.00
MFL-MJ-3901-16-40X1.5	89.45
MFL-MJ-3901-16-45X1.5	85.35
MFL-MJ-3901-20-45X2.0	76.20
MFL-MJ-3901-20-48X1.5	122.80
MFL-MJ-3901-24-52X2.0	152.35




MFL-MJ-3901-H - Str.
 (1) Male 37°
 (2) Male Metric Dual Purpose (Port or Tube)
Heavy

MFL-MJ-3901-H-04-14X1.5	18.75
MFL-MJ-3901-H-04-16X1.5	14.95
MFL-MJ-3901-H-04-18X1.5	26.40
MFL-MJ-3901-H-06-14X1.5	29.55
MFL-MJ-3901-H-06-16X1.5	21.80
MFL-MJ-3901-H-06-18X1.5	16.55
MFL-MJ-3901-H-06-20X1.5	19.85
MFL-MJ-3901-H-06-22X1.5	63.25
MFL-MJ-3901-H-08-18X1.5	24.05
MFL-MJ-3901-H-08-20X1.5	22.00
MFL-MJ-3901-H-08-22X1.5	22.65
MFL-MJ-3901-H-08-24X1.5	27.80
MFL-MJ-3901-H-10-20X1.5	29.50
MFL-MJ-3901-H-10-22X1.5	36.25
MFL-MJ-3901-H-10-24X1.5	25.45
MFL-MJ-3901-H-10-30X2.0	45.25
MFL-MJ-3901-H-12-24X1.5	49.55
MFL-MJ-3901-H-12-30X2.0	31.75
MFL-MJ-3901-H-12-36X2.0	50.75
MFL-MJ-3901-H-16-30X2.0	134.70
MFL-MJ-3901-H-16-36X2.0	57.65
MFL-MJ-3901-H-16-42X2.0	81.85
MFL-MJ-3901-H-20-36X2.0	167.50
MFL-MJ-3901-H-20-42X2.0	81.75
MFL-MJ-3901-H-20-52X2.0	152.25
MFL-MJ-3901-H-24-52X2.0	182.55



MFL-MJ-6510 - Str.
 (1) Male 37°
 (2) Fem. Flareless Swivel
Light

MFL-MJ-6510-04-12X1.5	22.75
MFL-MJ-6510-04-14X1.5	22.75
MFL-MJ-6510-05-12X1.5	27.45
MFL-MJ-6510-06-14X1.5	14.20
MFL-MJ-6510-06-16X1.5	27.20
MFL-MJ-6510-06-18X1.5	28.25
MFL-MJ-6510-06-22X1.5	38.50
MFL-MJ-6510-08-16X1.5	29.75
MFL-MJ-6510-08-18X1.5	28.25
MFL-MJ-6510-08-22X1.5	29.75
MFL-MJ-6510-10-18X1.5	29.05
MFL-MJ-6510-10-22X1.5	29.75
MFL-MJ-6510-12-26X1.5	97.60
MFL-MJ-6510-12-30X2.0	34.85
MFL-MJ-6510-16-30X2.0	167.30
MFL-MJ-6510-16-36X2.0	48.02
MFL-MJ-6510-20-45X2.0	67.25
MFL-MJ-6510-24-52X2.0	118.45




MFL-MJ-6510-H - Str.
 (1) Male 37°
 (2) Fem. Flareless Swivel
Heavy

MFL-MJ-6510-H-04-14X1.5	11.40
MFL-MJ-6510-H-04-18X1.5	16.80
MFL-MJ-6510-H-05-20X1.5	191.15
MFL-MJ-6510-H-06-16X1.5	54.90
MFL-MJ-6510-H-06-18X1.5	16.90
MFL-MJ-6510-H-06-20X1.5	29.05
MFL-MJ-6510-H-06-22X1.5	82.60
MFL-MJ-6510-H-08-18X1.5	242.95
MFL-MJ-6510-H-08-20X1.5	37.50
MFL-MJ-6510-H-08-22X1.5	16.90
MFL-MJ-6510-H-08-24X1.5	22.80
MFL-MJ-6510-H-10-20X1.5	37.50
MFL-MJ-6510-H-10-22X1.5	117.50
MFL-MJ-6510-H-10-30X2.0	41.20
MFL-MJ-6510-H-12-24X1.5	56.15
MFL-MJ-6510-H-12-30X2.0	41.20
MFL-MJ-6510-H-12-36X2.0	51.71
MFL-MJ-6510-H-16-30X2.0	293.70
MFL-MJ-6510-H-16-36X2.0	227.35
MFL-MJ-6510-H-16-42X2.0	71.20
MFL-MJ-6510-H-20-52X2.0	121.10
MFL-MJ-6510-H-24-52X2.0	145.65

METRIC FLARELESS

Styles may vary from picture




MFL-MJ-6511 - Str.
(1) Male 37°
(2) Metric Standpipe
Light

MFL-MJ-6511-04-06	16.90
MFL-MJ-6511-04-08	14.10
MFL-MJ-6511-04-10	14.20
MFL-MJ-6511-06-08	16.55
MFL-MJ-6511-06-10	16.55
MFL-MJ-6511-06-12	15.60
MFL-MJ-6511-06-14	17.65
MFL-MJ-6511-08-10	26.50
MFL-MJ-6511-08-12	19.60
MFL-MJ-6511-08-14	19.60
MFL-MJ-6511-08-15	19.60
MFL-MJ-6511-08-16	19.60
MFL-MJ-6511-10-15	46.24
MFL-MJ-6511-10-16	42.75
MFL-MJ-6511-10-18	42.25
MFL-MJ-6511-10-20	42.25
MFL-MJ-6511-12-16	39.70
MFL-MJ-6511-12-18	41.45
MFL-MJ-6511-12-20	41.45
MFL-MJ-6511-12-22	41.45
MFL-MJ-6511-12-25	41.45
MFL-MJ-6511-16-22	71.75
MFL-MJ-6511-16-25	61.65
MFL-MJ-6511-16-28	69.15
MFL-MJ-6511-16-30	69.15
MFL-MJ-6511-20-28	118.50
MFL-MJ-6511-20-35	118.60
MFL-MJ-6511-20-38	118.60
MFL-MJ-6511-24-42	204.20




MFL-MP-2404-LL - 90°
(1) Male Flareless
(2) Male NPT
Extra Light

MFL-MP-2404-LL-04-02	10.35
MFL-MP-2404-LL-06-02	8.80
MFL-MP-2404-LL-08-02	10.05




MFL-MP-2404 - Str.
(1) Male Flareless
(2) Male NPT
Light

MFL-MP-2404-06-02	7.70
MFL-MP-2404-06-04	12.85
MFL-MP-2404-08-04	13.95
MFL-MP-2404-08-06	23.60
MFL-MP-2404-10-02	27.00
MFL-MP-2404-10-04	12.40
MFL-MP-2404-10-06	18.70
MFL-MP-2404-10-08	36.70
MFL-MP-2404-12-04	17.00
MFL-MP-2404-12-06	13.35
MFL-MP-2404-12-08	20.90
MFL-MP-2404-15-08	19.25
MFL-MP-2404-18-08	24.85
MFL-MP-2404-22-12	35.50
MFL-MP-2404-28-16	59.10
MFL-MP-2404-35-20	105.05
MFL-MP-2404-42-24	133.60




MFL-MP-2404-H - Str.
(1) Male Flareless
(2) Male NPT
Heavy

MFL-MP-2404-H-06-04	12.45
MFL-MP-2404-H-08-04	13.50
MFL-MP-2404-H-10-04	16.25
MFL-MP-2404-H-10-06	16.85
MFL-MP-2404-H-12-04	22.20
MFL-MP-2404-H-12-06	19.75
MFL-MP-2404-H-12-08	24.15
MFL-MP-2404-H-14-08	28.65
MFL-MP-2404-H-16-08	29.85
MFL-MP-2404-H-20-12	45.20
MFL-MP-2404-H-25-12	138.60
MFL-MP-2404-H-25-16	76.85
MFL-MP-2404-H-30-20	116.40
MFL-MP-2404-H-38-24	153.55




MFL-MP-2501-LL - 90°
(1) Male Flareless
(2) Male NPT
Extra Light

MFL-MP-2501-LL-04-02	22.20
MFL-MP-2501-LL-06-02	22.40
MFL-MP-2501-LL-08-02	25.10



MFL-MP-2501 - 90°
(1) Male Flareless
(2) Male NPT
Light

MFL-MP-2501-06-02	21.85
MFL-MP-2501-06-04	31.25
MFL-MP-2501-08-04	23.55
MFL-MP-2501-10-04	26.05
MFL-MP-2501-12-04	36.45
MFL-MP-2501-12-06	34.15
MFL-MP-2501-12-08	54.70
MFL-MP-2501-15-08	53.20
MFL-MP-2501-18-08	68.45
MFL-MP-2501-22-12	80.15
MFL-MP-2501-28-16	130.30
MFL-MP-2501-35-20	199.40
MFL-MP-2501-42-24	294.90




MFL-MP-2501-H - 90°
(1) Male Flareless
(2) Male NPT
Heavy

MFL-MP-2501-H-06-04	25.40
MFL-MP-2501-H-08-04	29.25
MFL-MP-2501-H-10-06	32.70
MFL-MP-2501-H-12-06	46.30
MFL-MP-2501-H-14-08	75.90
MFL-MP-2501-H-16-08	61.70
MFL-MP-2501-H-20-12	86.90
MFL-MP-2501-H-25-16	170.95
MFL-MP-2501-H-30-20	214.05
MFL-MP-2501-H-38-24	326.90

METRIC FLARELESS

Styles may vary from picture




MFL-MP-2601 - Tee

(1) (2) Male Flareless
(3) Male NPT

Light

MFL-MP-2601-06-06-02	92.88
MFL-MP-2601-08-08-04	102.60
MFL-MP-2601-10-10-04	91.40
MFL-MP-2601-12-12-06	210.50



MFL-MP-2601-H - Tee

(1) (2) Male Flareless
(3) Male NPT

Heavy

MFL-MP-2601-H-06-06-04	102.20
MFL-MP-2601-H-12-12-06	193.55




MFL-MP-6510 - Str.

(1) Fem. Flareless Swivel
(2) Male NPT

Light

MFL-MP-6510-06-02	58.95
MFL-MP-6510-08-04	60.75
MFL-MP-6510-10-04	62.90
MFL-MP-6510-12-06	72.70
MFL-MP-6510-15-08	75.40
MFL-MP-6510-18-08	77.60
MFL-MP-6510-22-12	91.85
MFL-MP-6510-28-16	207.80
MFL-MP-6510-35-20	315.10
MFL-MP-6510-42-24	406.85




MFL-MP-6510-H - Str.

(1) Fem. Flareless Swivel
(2) Male NPT

Heavy

MFL-MP-6510-H-06-04	66.35
MFL-MP-6510-H-08-04	61.35
MFL-MP-6510-H-10-06	71.90
MFL-MP-6510-H-12-06	73.55
MFL-MP-6510-H-14-08	118.45
MFL-MP-6510-H-16-08	86.85
MFL-MP-6510-H-20-12	95.95
MFL-MP-6510-H-25-16	268.90
MFL-MP-6510-H-30-20	352.65
MFL-MP-6510-H-38-24	453.38



MFL-MT-2404-LL - Str.

(1) Male Flareless
(2) Male Metric Taper

Extra Light

MFL-MT-2404-LL-04-06X1.0	12.90
MFL-MT-2404-LL-04-08X1.0	8.45
MFL-MT-2404-LL-06-08X1.0	29.20
MFL-MT-2404-LL-06-10X1.0	10.00
MFL-MT-2404-LL-08-10X1.0	11.80




MFL-MT-2404 - Str.

(1) Male Flareless
(2) Male Metric Taper

Light

MFL-MT-2404-06-10X1.0	18.00
MFL-MT-2404-08-12X1.5	17.85
MFL-MT-2404-10-14X1.5	18.95
MFL-MT-2404-12-16X1.5	22.45
MFL-MT-2404-15-18X1.5	28.75
MFL-MT-2404-18-22X1.5	75.10
MFL-MT-2404-22-26X1.5	144.80
MFL-MT-2404-42-48X2.0	360.00




MFL-MT-2404-H - Str.

(1) Male Flareless
(2) Male Metric Taper

Heavy

MFL-MT-2404-H-06-12X1.5	46.05
MFL-MT-2404-H-08-14X1.5	49.50
MFL-MT-2404-H-10-16X1.5	55.25
MFL-MT-2404-H-12-18X1.5	59.45
MFL-MT-2404-H-14-20X1.5	70.50
MFL-MT-2404-H-16-22X1.5	70.80
MFL-MT-2404-H-20-27X2.0	136.55




MFL-MT-2501-LL - 90°

(1) Male Flareless
(2) Male Metric Taper

Extra Light

MFL-MT-2501-LL-04-06X1.0	31.20
MFL-MT-2501-LL-04-08X1.0	18.55
MFL-MT-2501-LL-06-10X1.0	19.25
MFL-MT-2501-LL-08-10X1.0	21.55



MFL-MT-2501 - 90°


(1) Male Flareless
(2) Male Metric Taper

Light

MFL-MT-2501-06-10X1.0	19.60
MFL-MT-2501-08-12X1.5	21.35
MFL-MT-2501-10-14X1.5	23.85
MFL-MT-2501-12-16X1.5	28.75
MFL-MT-2501-15-18X1.5	45.00
MFL-MT-2501-18-22X1.5	64.45


METRIC FLARELESS

Styles may vary from picture




MFL-MT-2501-H - 90°
 (1) Male Flareless
 (2) Male Metric Taper
Heavy

MFL-MT-2501-H-06-12X1.5	25.85
MFL-MT-2501-H-08-14X1.5	29.60
MFL-MT-2501-H-10-16X1.5	32.60
MFL-MT-2501-H-12-18X1.5	45.70
MFL-MT-2501-H-14-20X1.5	71.55
MFL-MT-2501-H-16-22X1.5	66.25




MFL-MT-2601-H - Tee
 (1) (2) Male Flareless
 (3) Male Metric Taper
Heavy

MFL-MT-2601-H-10-10-16X1.5	142.20
MFL-MT-2601-H-12-12-18X1.5	162.00
MFL-MT-2601-H-16-16-22X1.5	260.10




MFL-MT-2605-H - Tee
 (1) (3) Male Flareless
 (2) Male Metric Taper
Heavy

MFL-MT-2605-H-08-14X1.5-08	189.35
MFL-MT-2605-H-10-16X1.5-10	188.00
MFL-MT-2605-H-12-18X1.5-12	211.75




MFL-MT-2601-LL - Tee
 (1) (2) Male Flareless
 (3) Male Metric Taper
Extra Light

MFL-MT-2601-LL-04-04-08X1.0	68.65
MFL-MT-2601-LL-06-06-10X1.0	108.10
MFL-MT-2601-LL-08-08-10X1.0	68.75




MFL-MT-2605-LL - Tee
 (1) (3) Male Flareless
 (2) Male Metric Taper
Extra Light

MFL-MT-2605-LL-04-08X1.0-04	71.65
MFL-MT-2605-LL-06-10X1.0-06	79.95
MFL-MT-2605-LL-08-10X1.0-08	83.15




MFL-OFS-3901 - Str.
 (1) Male O-Ring Face Seal
 (2) Male Metric Dual Purpose

MFL-OFS-3901-04-12X1.5	62.65
MFL-OFS-3901-06-18X1.5	62.70
MFL-OFS-3901-08-22X1.5	100.80




MFL-MT-2601 - Tee
 (1) (2) Male Flareless
 (3) Male Metric Taper
Light

MFL-MT-2601-06-06-10X1.0	59.60
MFL-MT-2601-08-08-12X1.5	72.95
MFL-MT-2601-10-10-14X1.5	82.40
MFL-MT-2601-12-12-16X1.5	85.25
MFL-MT-2601-15-15-18X1.5	176.35
MFL-MT-2601-18-18-22X1.5	217.30



MFL-MT-2605 - Tee
 (1) (3) Male Flareless
 (2) Male Metric Taper
Light

MFL-MT-2605-06-10X1.0-06	106.15
MFL-MT-2605-08-12X1.5-08	121.95
MFL-MT-2605-10-14X1.5-10	124.20
MFL-MT-2605-12-16X1.5-12	126.85
MFL-MT-2605-15-18X1.5-15	247.60
MFL-MT-2605-18-22X1.5-18	278.65



MFL-SPO-2272 - Str.
 (1) Male Push On
 (2) Male Metric 24°

MFL-SPO-2272-04-06	29.45
MFL-SPO-2272-04-08	30.15
MFL-SPO-2272-06-10	34.50
MFL-SPO-2272-06-12	53.60

METRIC FLARELESS


Styles may vary from picture



MFL-SPO-2278 - Str.

- (1) Male Push On
- (2) Fem. Metric 24° Swivel


MFL-SPO-2278-04-06	26.30
MFL-SPO-2278-04-08	25.15
MFL-SPO-2278-06-10	26.05
MFL-SPO-2278-06-12	30.20
MFL-SPO-2278-08-15	39.60
MFL-SPO-2278-10-18	80.45
MFL-SPO-2278-12-22	124.80



MFL-SPO-2305 - 45°

- (1) Male Push On
- (2) Fem. Metric 24° Swivel

MFL-SPO-2305-06-10	116.60
--------------------	--------




MFL-SPO-2306 - 90°

- (1) Male Push On
- (2) Fem. Metric 24° Swivel

MFL-SPO-2306-06-10	120.20
MFL-SPO-2306-06-12	120.20
MFL-SPO-2306-08-15	146.95

METRIC MISCELLANEOUS

Styles may vary from picture



MT-FJX-6505 - Str.

(1) Fem. 37° Swivel

(2) Male Metric Taper

MT-FJX-6505-04-10X1.0	39.84
MT-FJX-6505-05-12X1.5	49.04
MT-FJX-6505-06-14X1.5	52.32
MT-FJX-6505-08-16X1.5	71.36
MT-FJX-6505-10-20X1.5	85.28
MT-FJX-6505-12-24X1.5	86.15
MT-FJX-6505-16-27X2.0	88.56
MT-FJX-6505-20-36X2.0	95.36

PARTS INDEX

BPP-0304-C.....	3	BPP-MJ-2404	13	JISM-0304-C	22
BPP-0306	3	BPP-MJ-2405	13	JISM-2403	23
BPP-1404	3	BPP-MJ-2501	13	JISM-2408	23
BPP-1406	3	BPP-MJ-6400-DS	13	JISM-6500	23
BPP-1501	3	BPP-MJ-6400-WO	14	JISM-6602	23
BPP-1501-L	3	BPP-MJ-6400-L-WO	14	JISM-MJ-2403	23
BPP-1503-L	4	BPP-MJ-6500	14	JISM-MJ-2406	23
BPP-1506	4	BPP-MJ-6500-L	14	JISM-MOFS-2406	23
BPP-1506-L	4	BPP-MJ-6502-L	14	JISM-MP-2404.....	23
BPP-1514-L	4	BPP-MJ-6510	14	JISM-OFS-2403.....	23
BPP-1603	4	BPP-MJ-6801-NWO	15	M-0319.....	24
BPP-1652	4	BPP-MJ-6801-L-NWO	15	M-4000.....	24
BPP-1660	4	BPP-MJ-6802-NWO	15	M-4000-EO	24
BPP-1662	4	BPP-MJ-6803-NWO	15	M-4000-ISO	24
BPP-1663	5	BPP-MJ-6804-NWO	15	M-5000	24
BPP-4000	5	BPP-MP-1404	16	M-5404.....	24
BPP-4000-EO	5	BPP-MP-1501	16	M-6000.....	25
BPP-5000	5	BPP-MP-5404	16	M-6001.....	25
BPP-5404	5	BPP-MP-5405	16	M-6408.....	25
BPP-5404-BH-LN	6	BPP-MP-5500	16	M-6408-ISO	25
BPP-5405	6	BPP-OFS-2404	17	M-6408-HHP-EO	25
BPP-5406	6	BPP-OFS-6400-EO	17	M-6408-HHP-ISO	25
BPP-5500	6	BPP-OFS-6400-WO	17	M-6410.....	25
BPP-5502	6	BPP-OFS-6400-L-WO	17	M-FB-6410-WO	26
BPP-5504	6	BPP-OFS-6801-NWO	17	M-FBPP-5405	26
BPP-5505	7	BPP-OFS-6802-NWO	17	M-FBPP-6510	26
BPP-5600	7	BPP-OFS-6803-NWO	17	M-FJX-6402-DS.....	26
BPP-5605	7	BPP-OFS-6804-NWO	18	M-FJX-6402-WO	26
BPP-6000	7	BPPOFS-MJ-6510.....	18	M-FJX-6505.....	26
BPP-6000-C.....	7	BPP-SPO-2272	18	MFL-0304-C.....	31
BPP-6001	7	BPP-SPO-2278	18	MFL-0304-C-H.....	31
BPP-6403-EO	7	BPP-SPO-2305	18	MFL-0306	31
BPP-6408	7	BPP-SPO-2306	18	MFL-0306-H.....	31
BPP-6408-HHP-EO	8	BST-5404.....	19	MFL-0318	31
BPP-6410-EO	8	BST-5406.....	19	MFL-0318-H.....	31
BPP-7801-NWO	8	BST-5406-HHP	19	MFL-0318-LL	31
BPP-7802-NWO	8	BST-5406-P	19	MFL-0319	31
BPP-7803-NWO	8	BST-BPO-2272	19	MFL-0319-H.....	32
BPP-7804-NWO	8	BST-FBPP-5405	19	MFL-0319-LL	31
BPP-BST-5404	8, 9	BST-FJX-6505.....	19	MFL-0320	32
BPP-BST-5500	9	BST-FP-5405.....	20	MFL-0320-H.....	32
BPP-BST-5501	9	BST-MJ-2404.....	20	MFL-2403	32
BPP-FB-6410.....	9	BST-MJ-2501.....	20	MFL-2403-H.....	32
BPP-FB-6410-WO	9	BST-MJ-2503.....	20	MFL-2403-LL	32
BPP-FBST-1405	9	BST-MJ-2601.....	20	MFL-2406	33
BPP-FBST-5405	9	BST-MJ-2605.....	20	MFL-2406-H.....	33
BPP-FJX-6402-DS.....	9	BST-MP-5404	20	MFL-2408	33
BPP-FJX-6402-EO	10	BST-SPO-2272	19	MFL-2408-H.....	33
BPP-FJX-6402-WO	10	JISBP-0304-C	21	MFL-2500	33
BPP-FJX-6501.....	10	JISBP-0321	21	MFL-2500-H.....	34
BPP-FJX-6505.....	10	JISBP-2403	21	MFL-2500-LL	33
BPP-FJX-6565.....	10	JISBP-2408	21	MFL-2603	34
BPP-FOFS-6510	10	JISBP-6500	21	MFL-2603-H.....	34
BPP-FP-5000.....	11	JISBP-6602	21	MFL-2603-LL	34
BPP-FP-5405.....	11	JISBP-BPP-6801-NWO	21	MFL-2650	34
BPP-FP-6405-DS.....	11	JISBP-BST-2404	21	MFL-2650-H.....	34
BPP-FP-6405-WO	11	JISBP-BST-2501	22	MFL-2650-LL	34
BPP-M-5404	11	JISBP-BST-2503	22	MFL-2700-H-LN.....	35
BPP-MB-6401-O	12	JISBP-MB-6400-O.....	22	MFL-2700-LN.....	35
BPP-MB-6803-NWO	12	JISBP-MJ-2403	22	MFL-2701-H-LN.....	35
BPP-MB-6804-NWO	12	JISBP-MJ-2406	22	MFL-2701-LN.....	35
BPP-MB-6806-NWO	12	JISBP-MOFS-2406	22	MFL-6500	35
BPP-MBST-1404	12	JISBP-MP-2404	22	MFL-6500-H.....	35
BPP-MBST-1501	12	JISBP-OFS-2403.....	22	MFL-6565	35

PARTS INDEX

MFL-6565-H.....	35	MFL-MJ-3901-H.....	44
MFL-6600.....	35	MFL-MJ-3901-LL.....	44
MFL-6600-H.....	36	MFL-MJ-6510.....	44
MFL-6602.....	36	MFL-MJ-6510-H.....	44
MFL-6602-H.....	36	MFL-MJ-6511.....	45
MFL-BPP-2404.....	36	MFL-MP-2404.....	45
MFL-BPP-2404-H.....	36	MFL-MP-2404-H.....	45
MFL-BPP-2405.....	37	MFL-MP-2404-LL.....	45
MFL-BPP-2405-H.....	37	MFL-MP-2501.....	45
MFL-BPP-2501.....	37	MFL-MP-2501-H.....	45
MFL-BPP-2501-H.....	37	MFL-MP-2501-LL.....	45
MFL-BPP-2601.....	37	MFL-MP-2601.....	46
MFL-BPP-2601-H.....	37	MFL-MP-2601-H.....	46
MFL-BPP-2605.....	37	MFL-MP-6510.....	46
MFL-BPP-2605-H.....	37	MFL-MP-6510-H.....	46
MFL-BPP-6400-EO.....	38	MFL-MT-2404.....	46
MFL-BPP-6400-H-EO.....	38	MFL-MT-2404-H.....	46
MFL-BPP-6510.....	38	MFL-MT-2404-LL.....	46
MFL-BPP-6510-EO.....	38	MFL-MT-2501.....	46
MFL-BPP-6510-H.....	38	MFL-MT-2501-H.....	47
MFL-BPP-6510-H-EO.....	38	MFL-MT-2501-LL.....	46
MFL-BPP-6801-NWO.....	38	MFL-MT-2601.....	47
MFL-BPP-6801-H-NWO.....	39	MFL-MT-2601-H.....	47
MFL-BPP-6810-NWO.....	39	MFL-MT-2601-LL.....	47
MFL-BST-2404.....	39	MFL-MT-2605.....	47
MFL-BST-2404-H.....	39	MFL-MT-2605-H.....	47
MFL-BST-2404-LL.....	39	MFL-MT-2605-LL.....	47
MFL-BST-2501.....	39	MFL-OFS-3901.....	47
MFL-BST-2501-H.....	39	MFL-SPO-2272.....	47
MFL-BST-2501-LL.....	39	MFL-SPO-2278.....	48
MFL-BST-2601.....	40	MFL-SPO-2305.....	48
MFL-BST-2601-H.....	40	MFL-SPO-2306.....	48
MFL-BST-2601-LL.....	39	M-FP-5405.....	26
MFL-BST-2605.....	40	M-FP-6405-DS.....	27
MFL-BST-2605-H.....	40	M-FP-6405-WO.....	27
MFL-BST-2605-LL.....	40	M-MJ-2404.....	27
MFL-M-2404.....	40	M-MJ-6400-DS.....	28
MFL-M-2404-H.....	41	M-MJ-6400-WO.....	28
MFL-M-2404-LL.....	40	M-MJ-6801-NWO.....	28
MFL-M-2405.....	41	M-MJ-6801-L-NWO.....	28
MFL-M-2405-H.....	41	M-MJ-6802-NWO.....	28
MFL-M-2501.....	41	M-MJ-6803-NWO.....	29
MFL-M-2501-H.....	41	M-MJ-6804-NWO.....	29
MFL-M-6400-EO.....	41	M-MP-5405.....	29
MFL-M-6400-ISO.....	41	M-OFS-6400-EO.....	29
MFL-M-6400-H-EO.....	42	M-OFS-6400-WO.....	29
MFL-M-6400-H-ISO.....	42	M-OFS-6400-L-WO.....	29
MFL-M-6510.....	42	M-OFS-6801-NWO.....	29
MFL-M-6510-EO.....	42	M-OFS-6801-NWO-ISO.....	30
MFL-M-6510-H.....	42	M-OFS-6802-NWO-ISO.....	30
MFL-M-6510-H-EO.....	42	M-OFS-6803-NWO-ISO.....	30
MFL-M-6801-NWO.....	42	M-OFS-6804-NWO.....	30
MFL-M-6801-NWO-ISO.....	42	M-SBT-2404.....	30
MFL-M-6801-H-NWO.....	42	MT-FJX-6505.....	49
MFL-M-6801-H-NWO-ISO.....	43		
MFL-MB-6400-O.....	43		
MFL-MB-6400-H-O.....	43		
MFL-MB-6510-O.....	43		
MFL-MB-6510-H-O.....	43		
MFL-MB-6801-NWO.....	43		
MFL-MB-6801-H-NWO.....	43		
MFL-MJ-3901.....	44		



FITTINGS UNLIMITED, INC.

Adapter & Fitting Specialist

1-800-348-8467