

# **FUI** **FITTINGS** **UNLIMITED** INC

*Adapter & Fitting Specialist*

www.myfui.com

---

## Standard Parts List

---

### CORPORATE SALES

#### **DALLAS, TX**

3000 AVENUE F

ARLINGTON, TX 76011

(800) 348-8467 (281) 500-9570 FAX

#### **CLEVELAND, OH**

(800) 348-8467 (817) 860-8517 FAX

#### **HOUSTON, TX**

(800) 633-5340 (281) 500-9570 FAX

#### **SALT LAKE CITY, UT**

(800) 348-8467 (817) 860-8517 FAX

#### **CANADA -AURORA, ONTARIO**









(877) 644-4403 (905) 713-3927 FAX

#### **ATLANTA, GA**

(800) 348-8467 (817) 860-8517 FAX

- TERMS -** All invoices are 2%-10 Net 30 with approved credit. A 1½% finance charge will be assessed on all past due accounts. All accounts due and payable in Arlington, Tarrant County, Texas.
- MINIMUM ORDER -** \$25.00 per order
- POR -** Price On Request
- RETURNS -** Fittings may be returned only with authorization from FITTINGS UNLIMITED, INC. - subject to our inspection and must be shipped freight prepaid within 30 days of original shipment. A restocking fee of 20% or \$10.00, whichever is greater, will apply. In case of shipping errors, notification must be made within 30 days to receive an adjustment. Special fittings and made to order items are non-cancelable and not returnable without written consent of FITTINGS UNLIMITED, INC.

***O-Ring Face Seal  
Fittings***

								
Size	Pipe Size	O-Ring Face Seal	37° Flare (JIC)	Flareless	Straight Thread O-Ring SAE	45° Flare	Inverted Flare	Compression
1/8	1/8-27	–	5/16-24	5/16-24	5/16-24	5/16-24	5/16-28	5/16-24
3/16	–	–	3/8-24	3/8-24	3/8-24	3/8-24	3/8-24	3/8-24
1/4	1/4-18	9/16-18	7/16-20	7/16-20	7/16-20	7/16-20	7/16-24	7/16-24
5/16	–	–	1/2-20	1/2-20	1/2-20	1/2-20	1/2-20	1/2-24
3/8	3/8-18	11/16-16	9/16-18	9/16-18	9/16-18	5/8-18	5/8-18	9/16-24
7/16	–	–	–	–	–	11/16-16	11/16-18	5/8-24
1/2	1/2-14	13/16-16	3/4-16	3/4-16	3/4-16	3/4-16	3/4-18	11/16-20
5/8	–	1-14	7/8-14	7/8-14	7/8-14	7/8-14	7/8-18	13/16-18
3/4	3/4-14	1 3/16-12	1 1/16-12	1 1/16-12	1 1/16-12	1 1/16-14	1 1/16-16	1-18
7/8	–	1 3/16-12	1 3/16-12	1 3/16-12	1 3/16-12	–	1 3/16-16	–
1	1-11/ 1/2	1 7/16-12	1 5/16-12	1 5/16-12	1 5/16-12	–	1 5/16-16	1 1/4-18
1 1/4	1 1/4-11 1/2	1 11/16-12	1 5/8-12	1 5/8-12	1 5/8-12	–	–	–
1 1/2	1 1/2-11 1/2	2-12	1 7/8-12	1 7/8-12	1 7/8-12	–	–	–
2	2-11 1/2	–	2 1/2-12	2 1/2 12	2 1/2-12	–	–	–

Notes: \_\_\_\_\_

---



---



---



---



---



---



---



---




---



---

# O-RING FACE SEAL

Styles may vary from picture



## OFS-0304-C

Cap Nut


OFS-0304-C-04  
OFS-0304-C-06  
OFS-0304-C-08  
OFS-0304-C-10  
OFS-0304-C-12  
OFS-0304-C-16  
OFS-0304-C-20  
OFS-0304-C-24  
OFS-0304-C-32



## OFS-0306

Bulkhead Lock Nut


OFS-0306-04  
OFS-0306-06  
OFS-0306-08  
OFS-0306-10  
OFS-0306-12  
OFS-0306-16  
OFS-0306-20  
OFS-0306-24



## OFS-0318

OFS Nut

OFS-0318-04  
OFS-0318-06  
OFS-0318-08  
OFS-0318-10  
OFS-0318-12  
OFS-0318-16  
OFS-0318-20  
OFS-0318-24  
OFS-0318-32



## OFS-0319

OFS Braze Shoulder

OFS-0319-04  
OFS-0319-06  
OFS-0319-06-04  
OFS-0319-08  
OFS-0319-08-04  
OFS-0319-08-06  
OFS-0319-10  
OFS-0319-10-04  
OFS-0319-10-06  
OFS-0319-10-08  
OFS-0319-12  
OFS-0319-12-04  
OFS-0319-12-06  
OFS-0319-12-08  
OFS-0319-12-10  
OFS-0319-12-14  
OFS-0319-16  
OFS-0319-16-08  
OFS-0319-16-10  
OFS-0319-16-12  
OFS-0319-16-14  
OFS-0319-20  
OFS-0319-20-12  
OFS-0319-20-16  
OFS-0319-24  
OFS-0319-24-16  
OFS-0319-24-20  
OFS-0319-32



## OFS-0320

Insert Cap  
(Use with OFS-0318 nut)

OFS-0320-04  
OFS-0320-06  
OFS-0320-08  
OFS-0320-10  
OFS-0320-12  
OFS-0320-16  
OFS-0320-20



## OFS-0333

OFS Sleeve


OFS-0333-04  
OFS-0333-06  
OFS-0333-08  
OFS-0333-10  
OFS-0333-12  
OFS-0333-16  
OFS-0333-20  
OFS-0333-24  
OFS-0333-32



## OFS-0400

OFS Braze Ring

OFS-0400-04  
OFS-0400-06  
OFS-0400-08  
OFS-0400-10  
OFS-0400-12  
OFS-0400-16  
OFS-0400-20  
OFS-0400-24




## OFS-0403 - Str.

(1) Bore for Brazing  
(2) Male OFS

OFS-0403-04-04  
OFS-0403-06-04  
OFS-0403-06-06  
OFS-0403-08-06  
OFS-0403-08-08  
OFS-0403-08-10  
OFS-0403-10-08  
OFS-0403-10-10  
OFS-0403-12-10  
OFS-0403-12-12  
OFS-0403-12-16  
OFS-0403-16-12  
OFS-0403-16-16  
OFS-0403-20-16  
OFS-0403-20-20  
OFS-0403-24-24

# O-RING FACE SEAL

Styles may vary from picture



**OFS-0618**

OFS Nut  
(For Non Brazed Assembly)

- OFS-0618-04
- OFS-0618-06
- OFS-0618-08
- OFS-0618-10
- OFS-0618-12
- OFS-0618-16
- OFS-0618-20
- OFS-0618-24



**OFS-0619**

OFS Ferrule  
(Requires OFS-0620)


- OFS-0619-04
- OFS-0619-06
- OFS-0619-08
- OFS-0619-10
- OFS-0619-12
- OFS-0619-16
- OFS-0619-20
- OFS-0619-24



**OFS-0620**

OFS Sleeve


- OFS-0620-04
- OFS-0620-06
- OFS-0620-08
- OFS-0620-10
- OFS-0620-12
- OFS-0620-16
- OFS-0620-20
- OFS-0620-24



**OFS-1700-61 - Str.**

(1) Male OFS  
(2) O-Ring Flange  
Code 61


- OFS-1700-61-12-12
- OFS-1700-61-16-16
- OFS-1700-61-20-20
- OFS-1700-61-24-24



**OFS-1700-61-H-Str**

Heavy  
(1) Male OFS  
(2) O-Ring Flange  
Code 61


- OFS-1700-61-H-12-12
- OFS-1700-61-H-16-16
- OFS-1700-61-H-20-20



**OFS-1700-62- Str.**

(1) Male OFS  
(2) O-Ring Flange  
Code 62


- OFS-1700-62-12-12
- OFS-1700-62-16-16
- OFS-1700-62-20-20
- OFS-1700-62-24-24



**OFS-1703-61 - 45°**

(1) Male OFS  
(2) O-Ring Flange  
Code 61


- OFS-1703-61-16-16



**OFS-1703-61-H - 45°**

Heavy  
(1) Male OFS  
(2) O-Ring Flange  
Code 61

- OFS-1703-61-H-12-12
- OFS-1703-61-H-16-16
- OFS-1703-61-H-20-20




**OFS-1703-62 - 45°**

(1) Male OFS  
(2) O-Ring Flange  
Code 62

- OFS-1703-62-12-12
- OFS-1703-62-16-16


# O-RING FACE SEAL

Styles may vary from picture




**OFS-1703-F-61 - 45°**  
 Forged  
 (1) Male OFS  
 (2) O-Ring Flange  
 Code 61

OFS-1703-F-61-12-12  
 OFS-1703-F-61-16-16  
 OFS-1703-F-61-20-20




**OFS-1703-F-62 - 45°**  
 Forged  
 (1) Male OFS  
 (2) O-Ring Flange  
 Code 62

OFS-1703-F-62-16-16  
 OFS-1703-F-62-20-20  
 OFS-1703-F-62-24-24




**OFS-1704-61 - 90°**  
 Forged  
 (1) Male OFS  
 (2) O-Ring Flange  
 Code 61

OFS-1704-61-12-12  
 OFS-1704-61-16-16  
 OFS-1704-61-20-20




**OFS-1704-61-H - 90°**  
 Heavy  
 (1) Male OFS  
 (2) O-Ring Flange  
 Code 61

OFS-1704-61-H-12-12  
 OFS-1704-61-H-16-16  
 OFS-1704-61-H-20-20




**OFS-1704-62 - 90°**  
 (1) Male OFS  
 (2) O-Ring Flange  
 Code 62

OFS-1704-62-12-12  
 OFS-1704-62-16-16  
 OFS-1704-62-20-20




**OFS-1704-F-61 - 90°**  
 Forged  
 (1) Male OFS  
 (2) O-Ring Flange  
 Code 61

OFS-1704-F-61-12-12  
 OFS-1704-F-61-16-16  
 OFS-1704-F-61-20-20  
 OFS-1704-F-61-24-24



**OFS-1704-F-62 - 90°**  
 Forged  
 (1) Male OFS  
 (2) O-Ring Flange  
 Code 62

OFS-1704-F-62-12-12  
 OFS-1704-F-62-16-16  
 OFS-1704-F-62-20-20  
 OFS-1704-F-62-24-24




**OFS-2403 - Str.**  
 (1) (2) Male OFS Union

OFS-2403-04-04  
 OFS-2403-06-04  
 OFS-2403-06-06  
 OFS-2403-08-06  
 OFS-2403-08-08  
 OFS-2403-10-08  
 OFS-2403-10-10  
 OFS-2403-12-08  
 OFS-2403-12-10  
 OFS-2403-12-12  
 OFS-2403-16-12  
 OFS-2403-16-16  
 OFS-2403-20-20  
 OFS-2403-24-24  
 OFS-2403-32-32

# O-RING FACE SEAL


Styles may vary from picture



**OFS-2404 - Str.**

(1) Male OFS  
(2) Male Pipe


- OFS-2404-04-02
- OFS-2404-04-04
- OFS-2404-04-06
- OFS-2404-04-08
- OFS-2404-06-02
- OFS-2404-06-04
- OFS-2404-06-06
- OFS-2404-06-08
- OFS-2404-08-04
- OFS-2404-08-06
- OFS-2404-08-08
- OFS-2404-08-12
- OFS-2404-10-08
- OFS-2404-10-12
- OFS-2404-12-08
- OFS-2404-12-12
- OFS-2404-12-16
- OFS-2404-16-12
- OFS-2404-16-16
- OFS-2404-16-20
- OFS-2404-20-16
- OFS-2404-20-20
- OFS-2404-24-24



**OFS-2406 - Str.**

Reducer  
(1) Fem. OFS  
(2) Male OFS


- OFS-2406-06-04
- OFS-2406-08-04
- OFS-2406-08-06
- OFS-2406-10-04
- OFS-2406-10-06
- OFS-2406-10-08
- OFS-2406-12-04
- OFS-2406-12-06
- OFS-2406-12-08
- OFS-2406-12-10
- OFS-2406-16-08
- OFS-2406-16-10
- OFS-2406-16-12
- OFS-2406-20-12
- OFS-2406-20-16
- OFS-2406-24-16
- OFS-2406-24-20
- OFS-2406-32-20
- OFS-2406-32-24



**OFS-2407 - Str.**

Reducer Less Nut  
(1) Fem. OFS  
(2) Male OFS


- OFS-2407-08-04
- OFS-2407-10-04
- OFS-2407-10-06
- OFS-2407-10-08
- OFS-2407-12-04
- OFS-2407-12-06
- OFS-2407-12-08
- OFS-2407-16-08
- OFS-2407-16-10
- OFS-2407-20-12
- OFS-2407-24-16
- OFS-2407-24-20
- OFS-2407-32-20
- OFS-2407-32-24



**OFS-2408**

(1) Male OFS Plug


- OFS-2408-04
- OFS-2408-06
- OFS-2408-08
- OFS-2408-10
- OFS-2408-12
- OFS-2408-16
- OFS-2408-20
- OFS-2408-24
- OFS-2408-32



**OFS-2500 - 90°**

(1) (2) Male OFS Union


- OFS-2500-04-04
- OFS-2500-06-06
- OFS-2500-08-08
- OFS-2500-10-10
- OFS-2500-12-12
- OFS-2500-16-16
- OFS-2500-20-20
- OFS-2500-24-24
- OFS-2500-32-32



**OFS-2501 - 90°**

(1) Male OFS  
(2) Male Pipe

- OFS-2501-04-02
- OFS-2501-04-04
- OFS-2501-04-06
- OFS-2501-04-08
- OFS-2501-06-04
- OFS-2501-06-06
- OFS-2501-06-08
- OFS-2501-08-04
- OFS-2501-08-06
- OFS-2501-08-08
- OFS-2501-08-12
- OFS-2501-10-06
- OFS-2501-10-08
- OFS-2501-10-12
- OFS-2501-12-08
- OFS-2501-12-12
- OFS-2501-12-16
- OFS-2501-16-12
- OFS-2501-16-16
- OFS-2501-20-20
- OFS-2501-24-20
- OFS-2501-24-24




**OFS-2503 - 45°**

(1) Male OFS  
(2) Male Pipe

- OFS-2503-04-02
- OFS-2503-04-04
- OFS-2503-06-04
- OFS-2503-06-06
- OFS-2503-08-06
- OFS-2503-08-08
- OFS-2503-10-08
- OFS-2503-12-12
- OFS-2503-16-16
- OFS-2503-20-20


# O-RING FACE SEAL

Styles may vary from picture




**OFS-2603 - Tee**  
(1) (2) (3) Male OFS Union

- OFS-2603-04-04-04
- OFS-2603-06-06-06
- OFS-2603-08-08-08
- OFS-2603-10-10-10
- OFS-2603-12-12-12
- OFS-2603-16-16-16
- OFS-2603-20-20-20
- OFS-2603-24-24-24
- OFS-2603-32-32-32




**OFS-2650 - Cross**  
(1) (2) (3) (4) Male OFS Union

- OFS-2650-04-04-04-04
- OFS-2650-06-06-06-06
- OFS-2650-08-08-08-08
- OFS-2650-10-10-10-10
- OFS-2650-12-12-12-12
- OFS-2650-16-16-16-16
- OFS-2650-20-20-20-20




**OFS-2700**  
(1) Male OFS  
(2) OFS Bulkhead

- OFS-2700-04-04
- OFS-2700-06-06
- OFS-2700-08-08
- OFS-2700-10-10
- OFS-2700-12-12
- OFS-2700-16-16
- OFS-2700-20-20
- OFS-2700-24-24




**OFS-2700-LN - Str.**  
(1) Male OFS  
(2) OFS Bulkhead with Locknut

- OFS-2700-LN-04-04
- OFS-2700-LN-06-06
- OFS-2700-LN-08-08
- OFS-2700-LN-10-10
- OFS-2700-LN-12-12
- OFS-2700-LN-16-16
- OFS-2700-LN-20-20
- OFS-2700-LN-24-24




**OFS-2701 - 90°**  
(1) Male OFS  
(2) OFS Bulkhead

- OFS-2701-04-04
- OFS-2701-06-06
- OFS-2701-08-08
- OFS-2701-10-10
- OFS-2701-12-12
- OFS-2701-16-16
- OFS-2701-20-20
- OFS-2701-24-24




**OFS-2701-LN - 90°**  
(1) Male OFS  
(2) OFS Bulkhead with Locknut

- OFS-2701-LN-04-04
- OFS-2701-LN-06-06
- OFS-2701-LN-08-08
- OFS-2701-LN-10-10
- OFS-2701-LN-12-12
- OFS-2701-LN-16-16
- OFS-2701-LN-20-20
- OFS-2701-LN-24-24




**OFS-2702 - 45°**  
(1) Male OFS  
(2) OFS Bulkhead

- OFS-2702-04-04
- OFS-2702-06-06
- OFS-2702-08-08
- OFS-2702-10-10
- OFS-2702-12-12
- OFS-2702-16-16
- OFS-2702-20-20
- OFS-2702-24-24



**OFS-2702-LN - 45°**  
(1) Male OFS  
(2) OFS Bulkhead with Locknut

- OFS-2702-LN-04-04
- OFS-2702-LN-06-06
- OFS-2702-LN-08-08
- OFS-2702-LN-10-10
- OFS-2702-LN-12-12
- OFS-2702-LN-16-16
- OFS-2702-LN-20-20
- OFS-2702-LN-24-24




**OFS-2703 - Tee**  
(1) (2) Male-OFS  
(3) OFS Bulkhead

- OFS-2703-04-04-04
- OFS-2703-06-06-06
- OFS-2703-08-08-08
- OFS-2703-10-10-10
- OFS-2703-12-12-12
- OFS-2703-16-16-16

# O-RING FACE SEAL


Styles may vary from picture



### OFS-2703-LN - Tee

(1) (2) Male OFS  
(3) OFS Bulkhead with Locknut


OFS-2703-LN-04-04-04	23.10
OFS-2703-LN-06-06-06	26.83
OFS-2703-LN-08-08-08	30.87
OFS-2703-LN-10-10-10	41.11
OFS-2703-LN-12-12-12	52.54
OFS-2703-LN-16-16-16	709.63



### OFS-2704-LN - Tee

(1) (3) Male OFS  
(2) OFS Bulkhead with Locknut


OFS-2704-LN-04-04-04	24.13
OFS-2704-LN-06-06-06	31.59
OFS-2704-LN-08-08-08	33.41
OFS-2704-LN-10-10-10	37.14
OFS-2704-LN-12-12-12	50.63
OFS-2704-LN-16-16-16	86.35
OFS-2704-LN-20-20-20	551.87
OFS-2704-LN-24-24-24	718.05



### OFS-2711-O - Str.

(1) Male O-Ring  
(2) OFS Bulkhead

OFS-2711-04-04-O	53.99
OFS-2711-06-06-O	105.71
OFS-2711-08-08-O	55.84
OFS-2711-10-10-O	82.85
OFS-2711-12-12-O	142.55



### OFS-2711-LN-O - Str.

(1) Male O-Ring  
(2) OFS Bulkhead with Locknut

OFS-2711-LN-04-04-O	59.35
OFS-2711-LN-06-06-O	107.90
OFS-2711-LN-08-08-O	68.38
OFS-2711-LN-10-10-O	98.11
OFS-2711-LN-12-12-O	147.46



### OFS-4000 O-Ring

Buna-N 90 Duro


OFS-4000-04	0.40
OFS-4000-06	0.55
OFS-4000-08	0.56
OFS-4000-10	0.57
OFS-4000-12	0.65
OFS-4000-16	0.67
OFS-4000-20	0.68
OFS-4000-24	0.75



### OFS-4000-V

Viton O-Ring

OFS-4000-V-04 BRN-90	1.80
OFS-4000-V-06 BRN-90	2.07
OFS-4000-V-08 BRN-90	3.01
OFS-4000-V-10 BRN-90	3.47
OFS-4000-V-12 BRN-90	4.53
OFS-4000-V-16 BRN-90	5.60
OFS-4000-V-20 BRN-90	9.27
OFS-4000-V-24 BRN-90	12.40



### OFS-6400-O - Str.

(1) Male OFS  
(2) Male O-Ring

OFS-6400-04-03-O	11.35
OFS-6400-04-04-O	3.89
OFS-6400-04-05-O	12.54
OFS-6400-04-06-O	5.40
OFS-6400-04-08-O	8.49
OFS-6400-06-04-O	6.98
OFS-6400-06-05-O	11.51
OFS-6400-06-06-O	5.08
OFS-6400-06-08-O	6.75
OFS-6400-06-10-O	10.08
OFS-6400-06-12-O	19.21
OFS-6400-08-04-O	85.52
OFS-6400-08-06-O	7.30
OFS-6400-08-08-O	5.95
OFS-6400-08-10-O	8.33
OFS-6400-08-12-O	14.54
OFS-6400-08-16-O	25.87
OFS-6400-10-06-O	36.40
OFS-6400-10-08-O	9.44
OFS-6400-10-10-O	7.62
OFS-6400-10-12-O	12.62
OFS-6400-10-16-O	92.19
OFS-6400-12-08-O	13.41
OFS-6400-12-10-O	12.54
OFS-6400-12-12-O	11.19
OFS-6400-12-16-O	18.10
OFS-6400-16-10-O	31.43
OFS-6400-16-12-O	15.40
OFS-6400-16-16-O	16.75
OFS-6400-16-20-O	29.05
OFS-6400-20-16-O	32.38
OFS-6400-20-20-O	29.29
OFS-6400-20-24-O	90.08
OFS-6400-24-20-O	59.21
OFS-6400-24-24-O	62.54
OFS-6400-32-32-O	289.52



### OFS-6400-L-O - Str.


(1) Male OFS  
(2) Male O-Ring-Long

OFS-6400-L-04-04-O	22.94
OFS-6400-L-06-06-O	10.48
OFS-6400-L-08-08-O	16.83
OFS-6400-L-10-10-O	29.29
OFS-6400-L-12-12-O	36.98
OFS-6400-L-16-16-O	59.84
OFS-6400-L-20-20-O	96.43
OFS-6400-L-24-24-O	408.37




# O-RING FACE SEAL

Styles may vary from picture




**OFS-6402-O - Str.**  
 (1) Fem. OFS Swivel  
 (2) Male O-Ring

OFS-6402-04-04-O	14.92
OFS-6402-06-06-O	16.59
OFS-6402-08-08-O	18.97
OFS-6402-10-10-O	22.94
OFS-6402-12-12-O	29.76
OFS-6402-16-16-O	44.76
OFS-6402-20-20-O	62.94




**OFS-6504 - Str.**  
 (1) Male OFS  
 (2) Fem. OFS Swivel

OFS-6504-04-04	30.65
OFS-6504-08-04	52.44
OFS-6504-10-04	55.22
OFS-6504-10-08	55.01
OFS-6504-12-06	76.11
OFS-6504-12-08	76.11
OFS-6504-16-08	76.11
OFS-6504-16-10	91.33
OFS-6504-20-12	91.33




**OFS-6801-NWO - 90°**  
 (1) Male OFS  
 (2) Adj. O-Ring

OFS-6801-04-04-NWO	12.06
OFS-6801-04-06-NWO	13.41
OFS-6801-04-08-NWO	26.03
OFS-6801-06-04-NWO	14.60
OFS-6801-06-05-NWO	17.38
OFS-6801-06-06-NWO	13.25
OFS-6801-06-08-NWO	15.79
OFS-6801-06-10-NWO	30.24
OFS-6801-06-12-NWO	41.59
OFS-6801-08-06-NWO	18.65
OFS-6801-08-08-NWO	15.71
OFS-6801-08-10-NWO	21.67
OFS-6801-08-12-NWO	36.98
OFS-6801-10-08-NWO	23.17
OFS-6801-10-10-NWO	22.94
OFS-6801-10-12-NWO	30.63
OFS-6801-12-08-NWO	38.73
OFS-6801-12-10-NWO	33.41
OFS-6801-12-12-NWO	31.11
OFS-6801-12-16-NWO	55.16
OFS-6801-16-12-NWO	49.21
OFS-6801-16-16-NWO	46.19
OFS-6801-16-20-NWO	75.24
OFS-6801-20-16-NWO	82.14
OFS-6801-20-20-NWO	68.10
OFS-6801-20-24-NWO	101.19
OFS-6801-24-20-NWO	97.22
OFS-6801-24-24-NWO	94.44
OFS-6801-32-32-NWO	395.63




**OFS-6500 - 90°**  
 (1) Male OFS  
 (2) Fem. OFS Swivel

OFS-6500-04-04	13.33
OFS-6500-06-06	13.97
OFS-6500-08-08	16.11
OFS-6500-10-10	21.27
OFS-6500-12-12	33.17
OFS-6500-16-16	55.32
OFS-6500-20-20	88.89
OFS-6500-24-24	130.48




**OFS-6600 - Tee**  
 (1) (2) Male OFS  
 (3) Fem. OFS Swivel

OFS-6600-04-04-04	21.03
OFS-6600-06-06-06	23.10
OFS-6600-08-08-08	25.08
OFS-6600-10-10-10	36.43
OFS-6600-12-12-12	49.84
OFS-6600-16-16-16	71.11
OFS-6600-20-20-20	133.33
OFS-6600-24-24-24	203.33




**OFS-6502 - 45°**  
 (1) Male OFS  
 (2) Fem. OFS Swivel

OFS-6502-04-04	16.11
OFS-6502-06-06	16.98
OFS-6502-08-08	21.35
OFS-6502-10-10	26.11
OFS-6502-12-12	36.90



**OFS-6602 - Tee**  
 (1) (3) Male OFS  
 (2) Fem. OFS Swivel

OFS-6602-04-04-04	21.03
OFS-6602-06-06-06	23.49
OFS-6602-08-08-08	25.48
OFS-6602-10-10-10	35.08
OFS-6602-12-12-12	45.08
OFS-6602-16-16-16	70.87
OFS-6602-20-20-20	134.52
OFS-6602-24-24-24	212.30




**OFS-6801-L-NWO - 90°**  
 (1) Male OFS  
 (2) Adj. O-Ring-Long

OFS-6801-L-04-04-NWO	98.21
OFS-6801-L-06-06-NWO	94.31
OFS-6801-L-08-08-NWO	101.03
OFS-6801-L-10-10-NWO	181.03
OFS-6801-L-12-12-NWO	63.02
OFS-6801-L-16-16-NWO	144.13

# O-RING FACE SEAL


Styles may vary from picture



### OFS-6802-NWO - 45°

- (1) Male OFS
- (2) Adj. O-Ring


OFS-6802-04-04-NWO	13.81
OFS-6802-04-06-NWO	16.83
OFS-6802-06-04-NWO	17.54
OFS-6802-06-06-NWO	15.63
OFS-6802-06-08-NWO	18.89
OFS-6802-08-06-NWO	20.08
OFS-6802-08-08-NWO	19.84
OFS-6802-08-10-NWO	24.60
OFS-6802-08-12-NWO	47.78
OFS-6802-10-08-NWO	29.13
OFS-6802-10-10-NWO	25.32
OFS-6802-10-12-NWO	29.52
OFS-6802-12-10-NWO	36.67
OFS-6802-12-12-NWO	30.24
OFS-6802-12-16-NWO	48.57
OFS-6802-16-12-NWO	52.70
OFS-6802-16-16-NWO	46.11
OFS-6802-16-20-NWO	82.22
OFS-6802-20-20-NWO	65.24
OFS-6802-20-24-NWO	157.54
OFS-6802-24-20-NWO	118.65
OFS-6802-24-24-NWO	145.63



### OFS-6803-NWO - Tee

- (1) (2) Male OFS
- (3) Adj. O-Ring


OFS-6803-04-04-04-NWO	17.70
OFS-6803-04-04-06-NWO	95.48
OFS-6803-06-06-04-NWO	113.16
OFS-6803-06-06-06-NWO	23.57
OFS-6803-06-06-08-NWO	30.71
OFS-6803-08-08-08-NWO	27.06
OFS-6803-08-08-10-NWO	157.41
OFS-6803-08-08-12-NWO	166.42
OFS-6803-10-10-10-NWO	39.52
OFS-6803-12-12-12-NWO	44.60
OFS-6803-12-12-16-NWO	211.14
OFS-6803-16-16-16-NWO	80.63
OFS-6803-20-20-20-NWO	125.56
OFS-6803-24-24-24-NWO	188.49



### OFS-6804-NWO - Tee

- (1) (3) Male OFS
- (2) Adj. O-Ring


OFS-6804-04-04-04-NWO	18.49
OFS-6804-04-06-04-NWO	30.24
OFS-6804-06-06-06-NWO	25.32
OFS-6804-08-08-08-NWO	26.83
OFS-6804-08-10-08-NWO	148.09
OFS-6804-08-12-08-NWO	210.34
OFS-6804-10-10-10-NWO	35.40
OFS-6804-10-12-10-NWO	175.96
OFS-6804-12-12-12-NWO	45.16
OFS-6804-12-16-12-NWO	187.09
OFS-6804-16-16-16-NWO	70.48
OFS-6804-20-20-20-NWO	134.52
OFS-6804-24-24-24-NWO	187.30



### OFS-6809-NWO - 90°

- (1) Fem. OFS Swivel
- (2) Adj. O-Ring


OFS-6809-04-04-NWO	17.70
OFS-6809-06-06-NWO	20.48
OFS-6809-08-08-NWO	25.24
OFS-6809-10-10-NWO	168.41
OFS-6809-12-12-NWO	205.44
OFS-6809-16-16-NWO	85.00
OFS-6809-20-20-NWO	993.63
OFS-6809-24-24-NWO	1421.22



### OFS-FJIC-6504 - Str.

- (1) Male OFS
- (2) Fem. JIC Swivel


OFS-FJIC-6504-04-04	96.92
OFS-FJIC-6504-06-06	110.07
OFS-FJIC-6504-08-08	121.01
OFS-FJIC-6504-10-10	190.88
OFS-FJIC-6504-12-12	203.73
OFS-FJIC-6504-16-16	220.57
OFS-FJIC-6504-20-20	332.41



### OFS-MJIC-2403 - Str.

- (1) Male OFS
- (2) Male JIC

OFS-MJIC-2403-04-04	16.11
OFS-MJIC-2403-06-06	17.94
OFS-MJIC-2403-08-08	19.29
OFS-MJIC-2403-10-10	20.87
OFS-MJIC-2403-12-12	31.11
OFS-MJIC-2403-16-16	36.19
OFS-MJIC-2403-20-20	102.14
OFS-MJIC-2403-24-24	428.91




### OFS-MJIC-6504 - Str.

- (1) Fem. OFS Swivel
- (2) Male JIC

OFS-MJIC-6504-04-04	18.97
OFS-MJIC-6504-06-06	20.08
OFS-MJIC-6504-08-08	25.95
OFS-MJIC-6504-10-10	29.52
OFS-MJIC-6504-12-12	35.40
OFS-MJIC-6504-16-16	43.49
OFS-MJIC-6504-20-20	66.75

# O-RING FACE SEAL


Styles may vary from picture



**OFS-SPO-2287 - Str.**

- (1) Steel Push On
- (2) Fem. OFS Swivel


OFS-SPO-2287-04-04	17.55
OFS-SPO-2287-06-06	21.54
OFS-SPO-2287-06-08	41.69
OFS-SPO-2287-08-08	27.76
OFS-SPO-2287-10-10	84.13
OFS-SPO-2287-12-12	56.83



**OFS-SPO-2306-LL - 90°**

- (1) Steel Push On
- (2) Fem. OFS Swivel - Ex. Long


OFS-SPO-2306-LL-08-08	70.11
-----------------------	-------



**OFS-SPO-2305 - 45°**

- (1) Steel Push On
- (2) Fem. OFS Swivel

OFS-SPO-2305-04-04	37.70
OFS-SPO-2305-06-06	45.69
OFS-SPO-2305-08-08	46.24



**OFS-SPO-2306 - 90°**

- (1) Steel Push On
- (2) Fem. OFS Swivel

OFS-SPO-2306-04-04	41.14
OFS-SPO-2306-06-06	42.44
OFS-SPO-2306-06-08	117.37
OFS-SPO-2306-08-06	47.91
OFS-SPO-2306-08-08	54.14
OFS-SPO-2306-10-10	90.54
OFS-SPO-2306-12-12	107.16



---

**FITTINGS UNLIMITED, INC.**

---

*Adapter & Fitting Specialist*

**1-800-348-8467**