



www.myfui.com

Standard Parts List

CORPORATE SALES

DALLAS, TX

3000 AVENUE F

ARLINGTON, TX 76011

(800) 348-8467 (281) 500-9570 FAX

CLEVELAND, OH

(800) 348-8467 (817) 860-8517 FAX

HOUSTON, TX

(800) 633-5340 (281) 500-9570 FAX

SALT LAKE CITY, UT

(800) 348-8467 (817) 860-8517 FAX

CANADA -AURORA, ONTARIO

(877) 644-4403 (905) 713-3927 FAX

ATLANTA, GA


(800) 348-8467 (817) 860-8517 FAX

***O-Ring Face Seal
Fittings***

The text 'O-Ring Face Seal Fittings' is centered within a black oval border. 'O-Ring Face Seal' is on the top line and 'Fittings' is on the bottom line, both in a bold, italicized serif font.

O-RING FACE SEAL

Styles may vary from picture



OFS-0304-C

Cap Nut

OFS-0304-C-04
OFS-0304-C-06
OFS-0304-C-08
OFS-0304-C-10
OFS-0304-C-12
OFS-0304-C-16
OFS-0304-C-20
OFS-0304-C-24
OFS-0304-C-32



OFS-0306

Bulkhead Lock Nut


OFS-0306-04
OFS-0306-06
OFS-0306-08
OFS-0306-10
OFS-0306-12
OFS-0306-16
OFS-0306-20
OFS-0306-24



OFS-0318

OFS Nut

OFS-0318-04
OFS-0318-06
OFS-0318-08
OFS-0318-10
OFS-0318-12
OFS-0318-16
OFS-0318-20
OFS-0318-24
OFS-0318-32



OFS-0319

OFS Braze Shoulder

OFS-0319-04
OFS-0319-06
OFS-0319-06-04
OFS-0319-08
OFS-0319-08-04
OFS-0319-08-06
OFS-0319-10
OFS-0319-10-04
OFS-0319-10-06
OFS-0319-10-08
OFS-0319-12
OFS-0319-12-04
OFS-0319-12-06
OFS-0319-12-08
OFS-0319-12-10
OFS-0319-12-14
OFS-0319-16
OFS-0319-16-08
OFS-0319-16-10
OFS-0319-16-12
OFS-0319-16-14
OFS-0319-20
OFS-0319-20-12
OFS-0319-20-16
OFS-0319-24
OFS-0319-24-16
OFS-0319-24-20
OFS-0319-32



OFS-0320

Insert Cap
(Use with OFS-0318 nut)

OFS-0320-04
OFS-0320-06
OFS-0320-08
OFS-0320-10
OFS-0320-12
OFS-0320-16
OFS-0320-20



OFS-0333

OFS Sleeve


OFS-0333-04
OFS-0333-06
OFS-0333-08
OFS-0333-10
OFS-0333-12
OFS-0333-16
OFS-0333-20
OFS-0333-24
OFS-0333-32



OFS-0400

OFS Braze Ring

OFS-0400-04
OFS-0400-06
OFS-0400-08
OFS-0400-10
OFS-0400-12
OFS-0400-16
OFS-0400-20
OFS-0400-24




OFS-0403 - Str.

(1) Bore for Brazing
(2) Male OFS

OFS-0403-04-04
OFS-0403-06-04
OFS-0403-06-06
OFS-0403-08-06
OFS-0403-08-08
OFS-0403-08-10
OFS-0403-10-08
OFS-0403-10-10
OFS-0403-12-10
OFS-0403-12-12
OFS-0403-12-16
OFS-0403-16-12
OFS-0403-16-16
OFS-0403-20-16
OFS-0403-20-20
OFS-0403-24-24

O-RING FACE SEAL

Styles may vary from picture



OFS-0618

OFS Nut
(For Non Brazed Assembly)


- OFS-0618-04
- OFS-0618-06
- OFS-0618-08
- OFS-0618-10
- OFS-0618-12
- OFS-0618-16
- OFS-0618-20
- OFS-0618-24



OFS-0619

OFS Ferrule
(Requires OFS-0620)


- OFS-0619-04
- OFS-0619-06
- OFS-0619-08
- OFS-0619-10
- OFS-0619-12
- OFS-0619-16
- OFS-0619-20
- OFS-0619-24



OFS-0620

OFS Sleeve


- OFS-0620-04
- OFS-0620-06
- OFS-0620-08
- OFS-0620-10
- OFS-0620-12
- OFS-0620-16
- OFS-0620-20
- OFS-0620-24



OFS-1700-61 - Str.

(1) Male OFS
(2) O-Ring Flange
Code 61


- OFS-1700-61-12-12
- OFS-1700-61-16-16
- OFS-1700-61-20-20
- OFS-1700-61-24-24



OFS-1700-61-H-Str

Heavy
(1) Male OFS
(2) O-Ring Flange
Code 61


- OFS-1700-61-H-12-12
- OFS-1700-61-H-16-16
- OFS-1700-61-H-20-20



OFS-1700-62- Str.

(1) Male OFS
(2) O-Ring Flange
Code 62


- OFS-1700-62-12-12
- OFS-1700-62-16-16
- OFS-1700-62-20-20
- OFS-1700-62-24-24



OFS-1703-61 - 45°

(1) Male OFS
(2) O-Ring Flange
Code 61


- OFS-1703-61-16-16



OFS-1703-61-H - 45°

Heavy
(1) Male OFS
(2) O-Ring Flange
Code 61

- OFS-1703-61-H-12-12
- OFS-1703-61-H-16-16
- OFS-1703-61-H-20-20




OFS-1703-62 - 45°

(1) Male OFS
(2) O-Ring Flange
Code 62

- OFS-1703-62-12-12
- OFS-1703-62-16-16


O-RING FACE SEAL

Styles may vary from picture




OFS-1703-F-61 - 45°
 Forged
 (1) Male OFS
 (2) O-Ring Flange
 Code 61

OFS-1703-F-61-12-12
 OFS-1703-F-61-16-16
 OFS-1703-F-61-20-20




OFS-1703-F-62 - 45°
 Forged
 (1) Male OFS
 (2) O-Ring Flange
 Code 62

OFS-1703-F-62-16-16
 OFS-1703-F-62-20-20
 OFS-1703-F-62-24-24




OFS-1704-61 - 90°
 Forged
 (1) Male OFS
 (2) O-Ring Flange
 Code 61

OFS-1704-61-12-12
 OFS-1704-61-16-16
 OFS-1704-61-20-20




OFS-1704-61-H - 90°
 Heavy
 (1) Male OFS
 (2) O-Ring Flange
 Code 61

OFS-1704-61-H-12-12
 OFS-1704-61-H-16-16
 OFS-1704-61-H-20-20




OFS-1704-62 - 90°
 (1) Male OFS
 (2) O-Ring Flange
 Code 62

OFS-1704-62-12-12
 OFS-1704-62-16-16
 OFS-1704-62-20-20




OFS-1704-F-61 - 90°
 Forged
 (1) Male OFS
 (2) O-Ring Flange
 Code 61

OFS-1704-F-61-12-12
 OFS-1704-F-61-16-16
 OFS-1704-F-61-20-20
 OFS-1704-F-61-24-24



OFS-1704-F-62 - 90°
 Forged
 (1) Male OFS
 (2) O-Ring Flange
 Code 62

OFS-1704-F-62-12-12
 OFS-1704-F-62-16-16
 OFS-1704-F-62-20-20
 OFS-1704-F-62-24-24




OFS-2403 - Str.
 (1) (2) Male OFS Union

OFS-2403-04-04
 OFS-2403-06-04
 OFS-2403-06-06
 OFS-2403-08-06
 OFS-2403-08-08
 OFS-2403-10-08
 OFS-2403-10-10
 OFS-2403-12-08
 OFS-2403-12-10
 OFS-2403-12-12
 OFS-2403-16-12
 OFS-2403-16-16
 OFS-2403-20-20
 OFS-2403-24-24
 OFS-2403-32-32

O-RING FACE SEAL


Styles may vary from picture



OFS-2404 - Str.

- (1) Male OFS
- (2) Male Pipe


- OFS-2404-04-02
- OFS-2404-04-04
- OFS-2404-04-06
- OFS-2404-04-08
- OFS-2404-06-02
- OFS-2404-06-04
- OFS-2404-06-06
- OFS-2404-06-08
- OFS-2404-08-04
- OFS-2404-08-06
- OFS-2404-08-08
- OFS-2404-08-12
- OFS-2404-10-08
- OFS-2404-10-12
- OFS-2404-12-08
- OFS-2404-12-12
- OFS-2404-12-16
- OFS-2404-16-12
- OFS-2404-16-16
- OFS-2404-16-20
- OFS-2404-20-16
- OFS-2404-20-20
- OFS-2404-24-24



OFS-2406 - Str.

- Reducer
- (1) Fem. OFS
- (2) Male OFS


- OFS-2406-06-04
- OFS-2406-08-04
- OFS-2406-08-06
- OFS-2406-10-04
- OFS-2406-10-06
- OFS-2406-10-08
- OFS-2406-12-04
- OFS-2406-12-06
- OFS-2406-12-08
- OFS-2406-12-10
- OFS-2406-16-08
- OFS-2406-16-10
- OFS-2406-16-12
- OFS-2406-20-12
- OFS-2406-20-16
- OFS-2406-24-16
- OFS-2406-24-20
- OFS-2406-32-20
- OFS-2406-32-24



OFS-2407 - Str.

- Reducer Less Nut
- (1) Fem. OFS
- (2) Male OFS


- OFS-2407-08-04
- OFS-2407-10-04
- OFS-2407-10-06
- OFS-2407-10-08
- OFS-2407-12-04
- OFS-2407-12-06
- OFS-2407-12-08
- OFS-2407-16-08
- OFS-2407-16-10
- OFS-2407-20-12
- OFS-2407-24-16
- OFS-2407-24-20
- OFS-2407-32-20
- OFS-2407-32-24



OFS-2408

- (1) Male OFS Plug


- OFS-2408-04
- OFS-2408-06
- OFS-2408-08
- OFS-2408-10
- OFS-2408-12
- OFS-2408-16
- OFS-2408-20
- OFS-2408-24
- OFS-2408-32



OFS-2500 - 90°

- (1) (2) Male OFS Union


- OFS-2500-04-04
- OFS-2500-06-06
- OFS-2500-08-08
- OFS-2500-10-10
- OFS-2500-12-12
- OFS-2500-16-16
- OFS-2500-20-20
- OFS-2500-24-24
- OFS-2500-32-32



OFS-2501 - 90°

- (1) Male OFS
- (2) Male Pipe

- OFS-2501-04-02
- OFS-2501-04-04
- OFS-2501-04-06
- OFS-2501-04-08
- OFS-2501-06-04
- OFS-2501-06-06
- OFS-2501-06-08
- OFS-2501-08-04
- OFS-2501-08-06
- OFS-2501-08-08
- OFS-2501-08-12
- OFS-2501-10-06
- OFS-2501-10-08
- OFS-2501-10-12
- OFS-2501-12-08
- OFS-2501-12-12
- OFS-2501-12-16
- OFS-2501-16-12
- OFS-2501-16-16
- OFS-2501-20-20
- OFS-2501-24-20
- OFS-2501-24-24




OFS-2503 - 45°

- (1) Male OFS
- (2) Male Pipe

- OFS-2503-04-02
- OFS-2503-04-04
- OFS-2503-06-04
- OFS-2503-06-06
- OFS-2503-08-06
- OFS-2503-08-08
- OFS-2503-10-08
- OFS-2503-12-12
- OFS-2503-16-16
- OFS-2503-20-20


O-RING FACE SEAL

Styles may vary from picture




OFS-2603 - Tee
 (1) (2) (3) Male OFS Union

- OFS-2603-04-04-04
- OFS-2603-06-06-06
- OFS-2603-08-08-08
- OFS-2603-10-10-10
- OFS-2603-12-12-12
- OFS-2603-16-16-16
- OFS-2603-20-20-20
- OFS-2603-24-24-24
- OFS-2603-32-32-32




OFS-2650 - Cross
 (1) (2) (3) (4) Male OFS Union

- OFS-2650-04-04-04-04
- OFS-2650-06-06-06-06
- OFS-2650-08-08-08-08
- OFS-2650-10-10-10-10
- OFS-2650-12-12-12-12
- OFS-2650-16-16-16-16
- OFS-2650-20-20-20-20




OFS-2700
 (1) Male OFS
 (2) OFS Bulkhead

- OFS-2700-04-04
- OFS-2700-06-06
- OFS-2700-08-08
- OFS-2700-10-10
- OFS-2700-12-12
- OFS-2700-16-16
- OFS-2700-20-20
- OFS-2700-24-24




OFS-2700-LN - Str.
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

- OFS-2700-LN-04-04
- OFS-2700-LN-06-06
- OFS-2700-LN-08-08
- OFS-2700-LN-10-10
- OFS-2700-LN-12-12
- OFS-2700-LN-16-16
- OFS-2700-LN-20-20
- OFS-2700-LN-24-24




OFS-2701 - 90°
 (1) Male OFS
 (2) OFS Bulkhead

- OFS-2701-04-04
- OFS-2701-06-06
- OFS-2701-08-08
- OFS-2701-10-10
- OFS-2701-12-12
- OFS-2701-16-16
- OFS-2701-20-20
- OFS-2701-24-24




OFS-2701-LN - 90°
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

- OFS-2701-LN-04-04
- OFS-2701-LN-06-06
- OFS-2701-LN-08-08
- OFS-2701-LN-10-10
- OFS-2701-LN-12-12
- OFS-2701-LN-16-16
- OFS-2701-LN-20-20
- OFS-2701-LN-24-24




OFS-2702 - 45°
 (1) Male OFS
 (2) OFS Bulkhead

- OFS-2702-04-04
- OFS-2702-06-06
- OFS-2702-08-08
- OFS-2702-10-10
- OFS-2702-12-12
- OFS-2702-16-16
- OFS-2702-20-20
- OFS-2702-24-24



OFS-2702-LN - 45°
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

- OFS-2702-LN-04-04
- OFS-2702-LN-06-06
- OFS-2702-LN-08-08
- OFS-2702-LN-10-10
- OFS-2702-LN-12-12
- OFS-2702-LN-16-16
- OFS-2702-LN-20-20
- OFS-2702-LN-24-24




OFS-2703 - Tee
 (1) (2) Male-OFS
 (3) OFS Bulkhead

- OFS-2703-04-04-04
- OFS-2703-06-06-06
- OFS-2703-08-08-08
- OFS-2703-10-10-10
- OFS-2703-12-12-12
- OFS-2703-16-16-16

O-RING FACE SEAL


Styles may vary from picture



OFS-2703-LN - Tee

(1) (2) Male OFS
(3) OFS Bulkhead with Locknut


- OFS-2703-LN-04-04-04
- OFS-2703-LN-06-06-06
- OFS-2703-LN-08-08-08
- OFS-2703-LN-10-10-10
- OFS-2703-LN-12-12-12
- OFS-2703-LN-16-16-16



OFS-2704-LN - Tee

(1) (3) Male OFS
(2) OFS Bulkhead with Locknut


- OFS-2704-LN-04-04-04
- OFS-2704-LN-06-06-06
- OFS-2704-LN-08-08-08
- OFS-2704-LN-10-10-10
- OFS-2704-LN-12-12-12
- OFS-2704-LN-16-16-16
- OFS-2704-LN-20-20-20
- OFS-2704-LN-24-24-24



OFS-2711-O - Str.

(1) Male O-Ring
(2) OFS Bulkhead

- OFS-2711-04-04-O
- OFS-2711-06-06-O
- OFS-2711-08-08-O
- OFS-2711-10-10-O
- OFS-2711-12-12-O



OFS-2711-LN-O - Str.

(1) Male O-Ring
(2) OFS Bulkhead with Locknut

- OFS-2711-LN-04-04-O
- OFS-2711-LN-06-06-O
- OFS-2711-LN-08-08-O
- OFS-2711-LN-10-10-O
- OFS-2711-LN-12-12-O



OFS-4000 O-Ring

Buna-N 90 Duro


- OFS-4000-04
- OFS-4000-06
- OFS-4000-08
- OFS-4000-10
- OFS-4000-12
- OFS-4000-16
- OFS-4000-20
- OFS-4000-24



OFS-4000-V

Viton O-Ring

- OFS-4000-V-04 BRN-90
- OFS-4000-V-06 BRN-90
- OFS-4000-V-08 BRN-90
- OFS-4000-V-10 BRN-90
- OFS-4000-V-12 BRN-90
- OFS-4000-V-16 BRN-90
- OFS-4000-V-20 BRN-90
- OFS-4000-V-24 BRN-90



OFS-6400-O - Str.

(1) Male OFS
(2) Male O-Ring

- OFS-6400-04-03-O
- OFS-6400-04-04-O
- OFS-6400-04-05-O
- OFS-6400-04-06-O
- OFS-6400-04-08-O
- OFS-6400-06-04-O
- OFS-6400-06-05-O
- OFS-6400-06-06-O
- OFS-6400-06-08-O
- OFS-6400-06-10-O
- OFS-6400-06-12-O
- OFS-6400-08-04-O
- OFS-6400-08-06-O
- OFS-6400-08-08-O
- OFS-6400-08-10-O
- OFS-6400-08-12-O
- OFS-6400-08-16-O
- OFS-6400-10-06-O
- OFS-6400-10-08-O
- OFS-6400-10-10-O
- OFS-6400-10-12-O
- OFS-6400-10-16-O
- OFS-6400-12-08-O
- OFS-6400-12-10-O
- OFS-6400-12-12-O
- OFS-6400-12-16-O
- OFS-6400-16-10-O
- OFS-6400-16-12-O
- OFS-6400-16-16-O
- OFS-6400-16-20-O
- OFS-6400-20-16-O
- OFS-6400-20-20-O
- OFS-6400-20-24-O
- OFS-6400-24-20-O
- OFS-6400-24-24-O
- OFS-6400-32-32-O




OFS-6400-L-O - Str.

(1) Male OFS
(2) Male O-Ring-Long

- OFS-6400-L-04-04-O
- OFS-6400-L-06-06-O
- OFS-6400-L-08-08-O
- OFS-6400-L-10-10-O
- OFS-6400-L-12-12-O
- OFS-6400-L-16-16-O
- OFS-6400-L-20-20-O
- OFS-6400-L-24-24-O

O-RING FACE SEAL


Styles may vary from picture



OFS-6402-O - Str.

- (1) Fem. OFS Swivel
- (2) Male O-Ring


OFS-6402-04-04-O
 OFS-6402-06-06-O
 OFS-6402-08-08-O
 OFS-6402-10-10-O
 OFS-6402-12-12-O
 OFS-6402-16-16-O
 OFS-6402-20-20-O



OFS-6500 - 90°

- (1) Male OFS
- (2) Fem. OFS Swivel


OFS-6500-04-04
 OFS-6500-06-06
 OFS-6500-08-08
 OFS-6500-10-10
 OFS-6500-12-12
 OFS-6500-16-16
 OFS-6500-20-20
 OFS-6500-24-24



OFS-6502 - 45°

- (1) Male OFS
- (2) Fem. OFS Swivel


OFS-6502-04-04
 OFS-6502-06-06
 OFS-6502-08-08
 OFS-6502-10-10
 OFS-6502-12-12



OFS-6504 - Str.

- (1) Male OFS
- (2) Fem. OFS Swivel


OFS-6504-04-04
 OFS-6504-08-04
 OFS-6504-10-04
 OFS-6504-10-08
 OFS-6504-12-06
 OFS-6504-12-08
 OFS-6504-16-08
 OFS-6504-16-10
 OFS-6504-20-12



OFS-6600 - Tee

- (1) (2) Male OFS
- (3) Fem. OFS Swivel


OFS-6600-04-04-04
 OFS-6600-06-06-06
 OFS-6600-08-08-08
 OFS-6600-10-10-10
 OFS-6600-12-12-12
 OFS-6600-16-16-16
 OFS-6600-20-20-20
 OFS-6600-24-24-24



OFS-6602 - Tee

- (1) (3) Male OFS
- (2) Fem. OFS Swivel


OFS-6602-04-04-04
 OFS-6602-06-06-06
 OFS-6602-08-08-08
 OFS-6602-10-10-10
 OFS-6602-12-12-12
 OFS-6602-16-16-16
 OFS-6602-20-20-20
 OFS-6602-24-24-24



OFS-6801-NWO - 90°

- (1) Male OFS
- (2) Adj. O-Ring

OFS-6801-04-04-NWO
 OFS-6801-04-06-NWO
 OFS-6801-04-08-NWO
 OFS-6801-06-04-NWO
 OFS-6801-06-05-NWO
 OFS-6801-06-06-NWO
 OFS-6801-06-08-NWO
 OFS-6801-06-10-NWO
 OFS-6801-06-12-NWO
 OFS-6801-08-06-NWO
 OFS-6801-08-08-NWO
 OFS-6801-08-10-NWO
 OFS-6801-08-12-NWO
 OFS-6801-10-08-NWO
 OFS-6801-10-10-NWO
 OFS-6801-10-12-NWO
 OFS-6801-12-08-NWO
 OFS-6801-12-10-NWO
 OFS-6801-12-12-NWO
 OFS-6801-12-16-NWO
 OFS-6801-16-12-NWO
 OFS-6801-16-16-NWO
 OFS-6801-16-20-NWO
 OFS-6801-20-16-NWO
 OFS-6801-20-20-NWO
 OFS-6801-20-24-NWO
 OFS-6801-24-20-NWO
 OFS-6801-24-24-NWO
 OFS-6801-32-32-NWO




OFS-6801-L-NWO - 90°

- (1) Male OFS
- (2) Adj. O-Ring-Long

OFS-6801-L-04-04-NWO
 OFS-6801-L-06-06-NWO
 OFS-6801-L-08-08-NWO
 OFS-6801-L-10-10-NWO
 OFS-6801-L-12-12-NWO
 OFS-6801-L-16-16-NWO

O-RING FACE SEAL


Styles may vary from picture



OFS-6802-NWO - 45°

- (1) Male OFS
- (2) Adj. O-Ring


OFS-6802-04-04-NWO
 OFS-6802-04-06-NWO
 OFS-6802-06-04-NWO
 OFS-6802-06-06-NWO
 OFS-6802-06-08-NWO
 OFS-6802-08-06-NWO
 OFS-6802-08-08-NWO
 OFS-6802-08-10-NWO
 OFS-6802-08-12-NWO
 OFS-6802-10-08-NWO
 OFS-6802-10-10-NWO
 OFS-6802-10-12-NWO
 OFS-6802-12-10-NWO
 OFS-6802-12-12-NWO
 OFS-6802-12-16-NWO
 OFS-6802-16-12-NWO
 OFS-6802-16-16-NWO
 OFS-6802-16-20-NWO
 OFS-6802-20-20-NWO
 OFS-6802-20-24-NWO
 OFS-6802-24-20-NWO
 OFS-6802-24-24-NWO



OFS-6803-NWO - Tee

- (1) (2) Male OFS
- (3) Adj. O-Ring


OFS-6803-04-04-04-NWO
 OFS-6803-04-04-06-NWO
 OFS-6803-06-06-04-NWO
 OFS-6803-06-06-06-NWO
 OFS-6803-06-06-08-NWO
 OFS-6803-08-08-08-NWO
 OFS-6803-08-08-10-NWO
 OFS-6803-08-08-12-NWO
 OFS-6803-10-10-10-NWO
 OFS-6803-12-12-12-NWO
 OFS-6803-12-12-16-NWO
 OFS-6803-16-16-16-NWO
 OFS-6803-20-20-20-NWO
 OFS-6803-24-24-24-NWO



OFS-6804-NWO - Tee

- (1) (3) Male OFS
- (2) Adj. O-Ring


OFS-6804-04-04-04-NWO
 OFS-6804-04-06-04-NWO
 OFS-6804-06-06-06-NWO
 OFS-6804-08-08-08-NWO
 OFS-6804-08-10-08-NWO
 OFS-6804-08-12-08-NWO
 OFS-6804-10-10-10-NWO
 OFS-6804-10-12-10-NWO
 OFS-6804-12-12-12-NWO
 OFS-6804-12-16-12-NWO
 OFS-6804-16-16-16-NWO
 OFS-6804-20-20-20-NWO
 OFS-6804-24-24-24-NWO



OFS-6809-NWO - 90°

- (1) Fem. OFS Swivel
- (2) Adj. O-Ring


OFS-6809-04-04-NWO
 OFS-6809-06-06-NWO
 OFS-6809-08-08-NWO
 OFS-6809-10-10-NWO
 OFS-6809-12-12-NWO
 OFS-6809-16-16-NWO
 OFS-6809-20-20-NWO
 OFS-6809-24-24-NWO



OFS-FJIC-6504 - Str.

- (1) Male OFS
- (2) Fem. JIC Swivel


OFS-FJIC-6504-04-04
 OFS-FJIC-6504-06-06
 OFS-FJIC-6504-08-08
 OFS-FJIC-6504-10-10
 OFS-FJIC-6504-12-12
 OFS-FJIC-6504-16-16
 OFS-FJIC-6504-20-20



OFS-MJIC-2403 - Str.

- (1) Male OFS
- (2) Male JIC

OFS-MJIC-2403-04-04
 OFS-MJIC-2403-06-06
 OFS-MJIC-2403-08-08
 OFS-MJIC-2403-10-10
 OFS-MJIC-2403-12-12
 OFS-MJIC-2403-16-16
 OFS-MJIC-2403-20-20
 OFS-MJIC-2403-24-24




OFS-MJIC-6504 - Str.

- (1) Fem. OFS Swivel
- (2) Male JIC

OFS-MJIC-6504-04-04
 OFS-MJIC-6504-06-06
 OFS-MJIC-6504-08-08
 OFS-MJIC-6504-10-10
 OFS-MJIC-6504-12-12
 OFS-MJIC-6504-16-16
 OFS-MJIC-6504-20-20

O-RING FACE SEAL


Styles may vary from picture



OFS-SPO-2287 - Str.

- (1) Steel Push On
- (2) Fem. OFS Swivel


OFS-SPO-2287-04-04
OFS-SPO-2287-06-06
OFS-SPO-2287-06-08
OFS-SPO-2287-08-08
OFS-SPO-2287-10-10
OFS-SPO-2287-12-12



OFS-SPO-2306-LL - 90°

- (1) Steel Push On
- (2) Fem. OFS Swivel - Ex. Long


OFS-SPO-2306-LL-08-08



OFS-SPO-2305 - 45°

- (1) Steel Push On
- (2) Fem. OFS Swivel

OFS-SPO-2305-04-04
OFS-SPO-2305-06-06
OFS-SPO-2305-08-08



OFS-SPO-2306 - 90°

- (1) Steel Push On
- (2) Fem. OFS Swivel

OFS-SPO-2306-04-04
OFS-SPO-2306-06-06
OFS-SPO-2306-06-08
OFS-SPO-2306-08-06
OFS-SPO-2306-08-08
OFS-SPO-2306-10-10
OFS-SPO-2306-12-12



1-800-348-8467

www.myfui.com