

# **FUI** **FITTINGS** **UNLIMITED** INC

*Adapter & Fitting Specialist*

www.myfui.com

---

## Standard Parts List

---

CORPORATE SALES

**DALLAS, TX**

3000 AVENUE F

ARLINGTON, TX 76011

(800) 348-8467 (281) 500-9570 FAX

**CLEVELAND, OH**

(800) 348-8467 (817) 860-8517 FAX

**HOUSTON, TX**

(800) 633-5340 (281) 500-9570 FAX

**SALT LAKE CITY, UT**

(800) 348-8467 (817) 860-8517 FAX

**CANADA -AURORA, ONTARIO**

(877) 644-4403 (905) 713-3927 FAX

**ATLANTA, GA**

(800) 348-8467 (817) 860-8517 FAX

- TERMS -** All invoices are 2%-10 Net 30 with approved credit. A 1½% finance charge will be assessed on all past due accounts. All accounts due and payable in Arlington, Tarrant County, Texas.
- MINIMUM ORDER -** \$25.00 per order
- POR -** Price On Request
- RETURNS -** Fittings may be returned only with authorization from FITTINGS UNLIMITED, INC. - subject to our inspection and must be shipped freight prepaid within 30 days of original shipment. A restocking fee of 20% or \$10.00, whichever is greater, will apply. In case of shipping errors, notification must be made within 30 days to receive an adjustment. Special fittings and made to order items are non-cancelable and not returnable without written consent of FITTINGS UNLIMITED, INC.

*Stainless Steel  
International and  
Conversion Adapters*



*“It is the policy of Fittings Unlimited, Inc.  
to maintain and improve our customer satisfaction by  
providing hydraulic and pneumatic fittings and  
accessories that consistently meet our customer’s  
specified product and delivery requirements.”*

# TABLE OF CONTENTS

Identifying Metric Connections	2-3
Digital Caliper, BSPP and Metric Thread ID Kit	4
Stainless Steel British Parallel Pipe	5-7
Stainless Steel British Standard Taper	8
Stainless Steel Metric	9
Stainless Steel Metric Flareless	10-20
Parts Index	21

# Identifying Metric Connections

## German DIN Compression



Series	Oper. Press. (bar)	Tube O.D.	Thread Size
LL	100	4	M 8x1
LL	100	6	M 10x1
LL	100	8	M 12x1
L	250	6	M 12x1.5
L	250	8	M 14x1.5
L	250	10	M 16x1.5
L	250	12	M 18x1.5
L	250	15	M 22x1.5
L	160	18	M 26x1.5
L	160	22	M 30x2
L	100	28	M 36x2
L	100	35	M 45x2
L	100	42	M 52x2
S	630	6	M 14x1.5
S	630	8	M 16x1.5
S	630	10	M 18x1.5
S	630	12	M 20x1.5
S	630	14	M 22x1.5
S	400	16	M 24x1.5
S	400	20	M 30x2
S	400	25	M 36x2
S	250	30	M 42x2
S	250	38	M 52x2

Tube O.D. Light MM	Tube O.D. Heavy MM	Metric Thread Size	Male Thread O.D.		Female Thread I.D.	
			MM	Frac. (in.)	MM	Frac. (in.)
6		M12x1.5	12	15/32	10.5	13/32
8	6	M14x1.5	14	9/16	12.5	1/2
10	8	M16x1.5	16	5/8	14.5	9/16
12	10	M18x1.5	18	23/32	16.5	21/32
	12	M20x1.5	20	25/32	18.5	23/32
15	14	M22x1.5	22	78/8	20.5	13/16
	16	M24x1.5	24	15/16	22.5	7/8
18		M26x1.5	26	1-1/32	24.5	31/32
22	20	M30x2.0	30	1-3/16	28	1-1/8
28	25	M36x2.0	36	1-13/32	34	1-11/32
	30	M42x2.0	42	1-21/32	40	1-9/16
35		M45x2.0	45	1-25/32	43	1-23/32
42	38	M52x2.0	52	2-1/32	50	1-31/32


This connection style consists of a common male and three different female styles.

The male has a straight metric thread, a 24° included angle and a recessed counterbore that matches the tube O.D. used with it. The female may be a tube, nut and sleeve, a globeseal or a globeseal with an O-Ring in the nose.


## Common Port Sealing Designs



DIN 3852 Form B: Sealing by means of a sealing "shoulder." Female thread is parallel.




DIN 3852 Form C: Sealing by means of tapered thread. Female thread must be tapered to achieve rated operating pressure.



Form PEFLEX: Sealing by means of a profiled elastomer ring recessed into the fitting body. Female thread is parallel.




DIN 3852 Form A (formerly Form D): Sealing by means of a washer or bonded seal. Female thread is parallel.



Form SAE J514: Sealing by means of an O-Ring in the thread undercut. Female thread is parallel.


Metric Thread Size	Male Thread O.D. (A) (mm)	Female Thread I.D. (B) (mm)
M 10x1	10	8.5
M 12x1.5	12	10.5
M 14x1.5	14	12.5
M 16x1.5	16	14.5
M 18x1.5	18	16.5
M 20x1.5	20	18.5
M 22x1.5	22	20.5
M 26x1.5	26	24.5
M 27x2	27	25.5
M 30x2	30	28.5
M 33x2	33	31.5
M 42x2	42	39.9
M 48x2	48	46.5
M 52x2	52	50.5
M 65x2	65	62.9
M 78x2	78	75.9
M 90x2	90	87.9

# British Standard Pipe




Dash Size	Inch Size	Thread	Male Thread O.D.		Female Thread I.D.	
			mm	in	mm	in
-2	1/8	1/8 - 28	9.4	.37	8.1	.32
-4	1/4	1/4 - 19	13.7	.53	12.4	.49
-6	3/8	3/8 - 19	17.2	.68	16.0	.62
-8	1/2	1/2 - 14	21.5	.84	19.8	.77
-10	5/8	5/8 - 14	23.1	.91	20.6	.81
-12	3/4	3/4 - 14	26.9	1.06	25.4	1.00
-16	1	1 - 11	34.0	1.34	31.8	1.25
-20	1 1/4	1 1/4 - 11	42.6	1.68	40.4	1.59
-24	1 1/2	1 1/2 - 11	48.5	1.90	46.2	1.81
-32	2	2	60.4	2.37	58.2	2.29

The BSPT (tapered) connection is similar to the NPT except that the thread pitches are different in most sizes. To achieve full pressure rating, a tapered male must be threaded into a tapered female.



The BSPP (parallel) male is similar to the NPSM male except the thread pitches are different in most sizes. The mating female swivel is a BSP globe seal, which seals on the cone of the male.

## JAPANESE Metric and British JIS 30° Flare



### METRIC

Dash No.	Metric Size	Metric Thread	Male Thread O.D.		Female Thread I.D.	
			mm	in	mm	in
-4		M14x1.5	14	.55	12.5	
-6	9	M18x1.5	18	.71	16.5	.65
-8	12	M22x1.5	22	.87	20.5	.82
-10	16	M24x1.5	24	.94	22.5	.88
-12	19	M30x1.5	30	1.18	28.5	1.12
-16	25	M33x1.5	33	1.30	31.5	1.24
-20	32	M36x1.5	36	1.42	34.5	1.36
-24	38	M42x1.5	42	1.65	40.5	1.59

### METRIC

Used extensively on Komatsu equipment this 30° flare connector has parallel metric threads and is sometimes confused with JIS 30° flare which has BSPP threads.

### BSPP


This Japanese connector is similar to the American 37° JIC flare except for the 30° seat angle. The straight (parallel) threads are the same as BSPP.

### BSPP

Dash Size	Inch Size	Thread	Male Thread O.D.		Female Thread I.D.	
			mm	in	mm	in
-2	1/8	1/8 - 28	9.4	.37	8.1	.32
-4	1/4	1/4 - 19	13.7	.53	12.4	.49
-6	3/8	3/8 - 19	17.2	.68	16.0	.62
-8	1/2	1/2 - 14	21.5	.84	19.8	.77
-10	5/8	5/8 - 14	23.1	.91	20.6	.81
-12	3/4	3/4 - 14	26.9	1.06	25.4	1.00
-16	1	1 - 11	34.0	1.34	31.8	1.25
-20	1 1/4	1 1/4 - 11	42.6	1.68	40.4	1.59
-24	1 1/2	1 1/2 - 11	48.5	1.90	46.2	1.81
-32	2	2	60.4	2.37	58.2	2.29

# DIGITAL CALIPER

- ✓ Manual power on/off
- ✓ Metric/Inch system interchange at any position
- ✓ Zero setting at any position
- ✓ With data output interface
- ✓ With carbide tipped measuring faces
- ✓ Carrying case



## THREAD IDENTIFICATION KIT

**Thread Identification Kit for male and female threads includes:**

1/8-28 BSP through 2-11 BSP thread gauges  
 M8 x 1.0 through M52 x 2.0 metric thread gauges  
 Thread and Port Guide


This kit includes carrying case and 31 dual threaded gauges that allow you to identify BSP and Metric threads quickly. Fittings Unlimited, Inc. also carries optional Digital Calipers.

Metric ID kit 31 pieces and box



# STAINLESS STEEL BRITISH PARALLEL PIPE

Styles may vary from picture




**SS-BPP-0304-C**  
Fem. BPP Swivel Cap

- SS-BPP-0304-C-02
- SS-BPP-0304-C-04
- SS-BPP-0304-C-06
- SS-BPP-0304-C-08
- SS-BPP-0304-C-12
- SS-BPP-0304-C-16
- SS-BPP-0304-C-20
- SS-BPP-0304-C-24
- SS-BPP-0304-C-32




**SS-BPP-0306**  
Bulkhead Lock Nut

- SS-BPP-0306-04
- SS-BPP-0306-06
- SS-BPP-0306-08
- SS-BPP-0306-12
- SS-BPP-0306-16




**SS-BPP-1404-Str.**  
(1) Male BPP  
(2) Fem. BPP Swivel

- SS-BPP-1404-02-04
- SS-BPP-1404-04-04
- SS-BPP-1404-04-06
- SS-BPP-1404-06-06
- SS-BPP-1404-06-08
- SS-BPP-1404-08-06
- SS-BPP-1404-08-08
- SS-BPP-1404-12-12
- SS-BPP-1404-16-16
- SS-BPP-1404-16-20
- SS-BPP-1404-20-20
- SS-BPP-1404-20-24
- SS-BPP-1404-24-24
- SS-BPP-1404-32-32




**SS-BPP-1406-Str.**  
(1) (2) Fem. BPP Swivel

- SS-BPP-1406-04-04
- SS-BPP-1406-06-06
- SS-BPP-1406-08-08
- SS-BPP-1406-12-12
- SS-BPP-1406-16-16




**SS-BPP-5000 - Str.**  
(1) (2) Fem. BPP

- SS-BPP-5000-02-02
- SS-BPP-5000-04-04
- SS-BPP-5000-06-06
- SS-BPP-5000-08-08
- SS-BPP-5000-12-12
- SS-BPP-5000-16-16
- SS-BPP-5000-20-20
- SS-BPP-5000-24-24
- SS-BPP-5000-32-32




**SS-BPP-5404 - Str.**  
(1) (2) Male BPP

- SS-BPP-5404-02-02
- SS-BPP-5404-04-04
- SS-BPP-5404-06-04
- SS-BPP-5404-06-06
- SS-BPP-5404-08-04
- SS-BPP-5404-08-06
- SS-BPP-5404-08-08
- SS-BPP-5404-10-08
- SS-BPP-5404-10-10
- SS-BPP-5404-12-08
- SS-BPP-5404-12-12
- SS-BPP-5404-16-12
- SS-BPP-5404-16-16
- SS-BPP-5404-20-16
- SS-BPP-5404-20-20
- SS-BPP-5404-24-24
- SS-BPP-5404-32-24
- SS-BPP-5404-32-32




**SS-BPP-5404-BH - Str.**  
(1) Male BPP  
(2) Male BPP Bulkhead w/ locknut

- SS-BPP-5404-BH-04-04
- SS-BPP-5404-BH-06-06
- SS-BPP-5404-BH-08-08
- SS-BPP-5404-BH-12-12
- SS-BPP-5404-BH-16-16



**\*SS-BPP-5405 - Str.**  
(1) Male BPP  
(2) Fem. BPP

- SS-BPP-5405-02-02
- SS-BPP-5405-02-04
- SS-BPP-5405-04-04
- SS-BPP-5405-04-06
- SS-BPP-5405-04-08
- SS-BPP-5405-06-06
- SS-BPP-5405-06-08
- SS-BPP-5405-08-06
- SS-BPP-5405-08-08
- SS-BPP-5405-08-12
- SS-BPP-5405-12-06
- SS-BPP-5405-12-12
- SS-BPP-5405-12-16
- SS-BPP-5405-16-12
- SS-BPP-5405-16-16
- SS-BPP-5405-16-20
- SS-BPP-5405-24-24
- SS-BPP-5405-32-32



**\*SS-BPP-5406 - Str.**  
Bushing  
(1) Male BPP  
(2) Fem. BPP

- SS-BPP-5406-04-02
- SS-BPP-5406-06-02
- SS-BPP-5406-06-04
- SS-BPP-5406-08-04
- SS-BPP-5406-08-06
- SS-BPP-5406-12-08
- SS-BPP-5406-16-12
- SS-BPP-5406-20-12
- SS-BPP-5406-20-16

\* Some BPP may not be Chamfer

# STAINLESS STEEL BRITISH PARALLEL PIPE

Styles may vary from picture




**SS-BPP-6001**  
BPP Bonded Seal

- SS-BPP-6001-02
- SS-BPP-6001-04
- SS-BPP-6001-06
- SS-BPP-6001-08
- SS-BPP-6001-10
- SS-BPP-6001-12
- SS-BPP-6001-16
- SS-BPP-6001-20
- SS-BPP-6001-24
- SS-BPP-6001-32




**SS-BPP-6001-V**  
BPP Viton Bonded Seal

- SS-BPP-6001-V-02
- SS-BPP-6001-V-04
- SS-BPP-6001-V-06
- SS-BPP-6001-V-08
- SS-BPP-6001-V-10
- SS-BPP-6001-V-12
- SS-BPP-6001-V-16
- SS-BPP-6001-V-20
- SS-BPP-6001-V-24
- SS-BPP-6001-V-32




**SS-BPP-6408**  
(1) Male BPP Plug

- SS-BPP-6408-02
- SS-BPP-6408-04
- SS-BPP-6408-06
- SS-BPP-6408-08
- SS-BPP-6408-12
- SS-BPP-6408-16
- SS-BPP-6408-20
- SS-BPP-6408-24
- SS-BPP-6408-32




**SS-BPP-6408-HHP-EO** - Str.  
(1) Male BPP Hollow Hex Plug w/  
Peflex Seal

- SS-BPP-6408-HHP-02-EO
- SS-BPP-6408-HHP-04-EO
- SS-BPP-6408-HHP-06-EO
- SS-BPP-6408-HHP-08-EO
- SS-BPP-6408-HHP-12-EO
- SS-BPP-6408-HHP-16-EO
- SS-BPP-6408-HHP-20-EO
- SS-BPP-6408-HHP-24-EO




**SS-BPP-BST-5404** - Str.  
(1) Male BPP  
(2) Male BSPT

- SS-BPP-BST-5404-02-02
- SS-BPP-BST-5404-02-04
- SS-BPP-BST-5404-04-02
- SS-BPP-BST-5404-04-04
- SS-BPP-BST-5404-04-06
- SS-BPP-BST-5404-04-08
- SS-BPP-BST-5404-04-12
- SS-BPP-BST-5404-06-06
- SS-BPP-BST-5404-06-08
- SS-BPP-BST-5404-06-12
- SS-BPP-BST-5404-08-04
- SS-BPP-BST-5404-08-06
- SS-BPP-BST-5404-08-08
- SS-BPP-BST-5404-08-12
- SS-BPP-BST-5404-12-04
- SS-BPP-BST-5404-12-12
- SS-BPP-BST-5404-12-16
- SS-BPP-BST-5404-16-12
- SS-BPP-BST-5404-16-16
- SS-BPP-BST-5404-16-20
- SS-BPP-BST-5404-20-16
- SS-BPP-BST-5404-20-20
- SS-BPP-BST-5404-20-24
- SS-BPP-BST-5404-24-24
- SS-BPP-BST-5404-24-32
- SS-BPP-BST-5404-32-32



**SS-BPP-FJX-6402-WO** - Str.  
(1) 37° Fem. Swivel  
(2) Male BPP w/ Washer O-Ring

- SS-BPP-FJX-6402-04-02-WO
- SS-BPP-FJX-6402-05-04-WO
- SS-BPP-FJX-6402-06-04-WO
- SS-BPP-FJX-6402-06-06-WO
- SS-BPP-FJX-6402-06-08-WO
- SS-BPP-FJX-6402-08-06-WO
- SS-BPP-FJX-6402-10-08-WO
- SS-BPP-FJX-6402-12-12-WO
- SS-BPP-FJX-6402-16-16-WO
- SS-BPP-FJX-6402-20-20-WO




**SS-BPP-FP-5405** - Str.  
(1) Male BPP  
(2) Fem. Pipe

- SS-BPP-FP-5405-02-02
- SS-BPP-FP-5405-04-04
- SS-BPP-FP-5405-06-04
- SS-BPP-FP-5405-06-06
- SS-BPP-FP-5405-08-06
- SS-BPP-FP-5405-08-08
- SS-BPP-FP-5405-12-12
- SS-BPP-FP-5405-16-16
- SS-BPP-FP-5405-20-20
- SS-BPP-FP-5405-24-24
- SS-BPP-FP-5405-32-32




# STAINLESS STEEL BRITISH PARALLEL PIPE

Styles may vary from picture




**SS-BPP-MJ-2404 - Str.**  
 (1) Male 37°  
 (2) Male BPP 30° Seat

- SS-BPP-MJ-2404-04-02
- SS-BPP-MJ-2404-04-04
- SS-BPP-MJ-2404-06-04
- SS-BPP-MJ-2404-06-06
- SS-BPP-MJ-2404-06-08
- SS-BPP-MJ-2404-08-06
- SS-BPP-MJ-2404-08-08
- SS-BPP-MJ-2404-10-08
- SS-BPP-MJ-2404-12-08
- SS-BPP-MJ-2404-12-12
- SS-BPP-MJ-2404-16-16
- SS-BPP-MJ-2404-20-20
- SS-BPP-MJ-2404-24-24




**SS-BPP-MJ-6400-WO - Str.**  
 (1) Male 37°  
 (2) Male BPP w/ Washer O-Ring

- SS-BPP-MJ-6400-04-02-WO
- SS-BPP-MJ-6400-04-04-WO
- SS-BPP-MJ-6400-04-06-WO
- SS-BPP-MJ-6400-05-04-WO
- SS-BPP-MJ-6400-06-02-WO
- SS-BPP-MJ-6400-06-04-WO
- SS-BPP-MJ-6400-06-06-WO
- SS-BPP-MJ-6400-06-08-WO
- SS-BPP-MJ-6400-08-04-WO
- SS-BPP-MJ-6400-08-06-WO
- SS-BPP-MJ-6400-08-08-WO
- SS-BPP-MJ-6400-08-12-WO
- SS-BPP-MJ-6400-10-06-WO
- SS-BPP-MJ-6400-10-08-WO
- SS-BPP-MJ-6400-12-08-WO
- SS-BPP-MJ-6400-12-12-WO
- SS-BPP-MJ-6400-12-16-WO
- SS-BPP-MJ-6400-16-12-WO
- SS-BPP-MJ-6400-16-16-WO
- SS-BPP-MJ-6400-16-20-WO
- SS-BPP-MJ-6400-20-16-WO
- SS-BPP-MJ-6400-20-20-WO
- SS-BPP-MJ-6400-24-24-WO
- SS-BPP-MJ-6400-32-32-WO




**SS-BPP-MJ-6801-NWO - 90°**  
 (1) Male 37°  
 (2) Male BPP Adj. O-Ring  
 w/ Retainer Washer

- SS-BPP-MJ-6801-04-02-NWO
- SS-BPP-MJ-6801-04-04-NWO
- SS-BPP-MJ-6801-04-06-NWO
- SS-BPP-MJ-6801-06-04-NWO
- SS-BPP-MJ-6801-06-06-NWO
- SS-BPP-MJ-6801-06-08-NWO
- SS-BPP-MJ-6801-08-06-NWO
- SS-BPP-MJ-6801-08-08-NWO
- SS-BPP-MJ-6801-08-12-NWO
- SS-BPP-MJ-6801-10-08-NWO
- SS-BPP-MJ-6801-12-08-NWO
- SS-BPP-MJ-6801-12-12-NWO
- SS-BPP-MJ-6801-16-16-NWO
- SS-BPP-MJ-6801-20-20-NWO
- SS-BPP-MJ-6801-24-24-NWO



**SS-BPP-MP-5404 - Str.**  
 (1) Male BPP 30°  
 (2) Male NPT Pipe

- SS-BPP-MP-5404-02-02
- SS-BPP-MP-5404-02-04
- SS-BPP-MP-5404-04-04
- SS-BPP-MP-5404-04-06
- SS-BPP-MP-5404-06-04
- SS-BPP-MP-5404-06-06
- SS-BPP-MP-5404-06-08
- SS-BPP-MP-5404-08-06
- SS-BPP-MP-5404-08-08
- SS-BPP-MP-5404-08-12
- SS-BPP-MP-5404-12-08
- SS-BPP-MP-5404-12-12
- SS-BPP-MP-5404-16-16
- SS-BPP-MP-5404-20-20
- SS-BPP-MP-5404-24-24
- SS-BPP-MP-5404-24-32




**SS-BPP-MP-5405 - Str.**  
 (1) Male NPT Pipe  
 (2) Fem. BPP (Rigid)

- SS-BPP-MP-5405-02-02
- SS-BPP-MP-5405-04-04
- SS-BPP-MP-5405-06-06
- SS-BPP-MP-5405-08-08
- SS-BPP-MP-5405-12-12
- SS-BPP-MP-5405-16-16
- SS-BPP-MP-5405-20-20
- SS-BPP-MP-5405-24-24


# STAINLESS STEEL BRITISH STANDARD TAPER PIPE

Styles may vary from picture




**SS-BST-5404 - Str.**  
(1) (2) Male BSPT

- SS-BST-5404-04-04
- SS-BST-5404-06-06
- SS-BST-5404-12-12
- SS-BST-5404-16-16




**SS-BST-FP-5405 - Str.**  
(1) Male BSPT  
(2) Fem. NPT Pipe

- SS-BST-FP-5405-02-02
- SS-BST-FP-5405-04-04
- SS-BST-FP-5405-04-06
- SS-BST-FP-5405-06-06
- SS-BST-FP-5405-08-08
- SS-BST-FP-5405-12-12
- SS-BST-FP-5405-16-16
- SS-BST-FP-5405-20-20
- SS-BST-FP-5405-24-24



**SS-BST-MJ-2404 - Str.**  
(1) Male 37°  
(2) Male BSPT

- SS-BST-MJ-2404-04-02
- SS-BST-MJ-2404-04-04
- SS-BST-MJ-2404-06-04
- SS-BST-MJ-2404-06-06
- SS-BST-MJ-2404-08-04
- SS-BST-MJ-2404-08-06
- SS-BST-MJ-2404-08-08
- SS-BST-MJ-2404-10-08
- SS-BST-MJ-2404-12-08
- SS-BST-MJ-2404-12-12
- SS-BST-MJ-2404-16-16
- SS-BST-MJ-2404-20-20
- SS-BST-MJ-2404-24-24




**SS-BST-MJ-2501 - 90°**  
(1) Male 37°  
(2) Male BSPT

- SS-BST-MJ-2501-04-02
- SS-BST-MJ-2501-04-04
- SS-BST-MJ-2501-06-04
- SS-BST-MJ-2501-06-06
- SS-BST-MJ-2501-08-06
- SS-BST-MJ-2501-08-08
- SS-BST-MJ-2501-12-12
- SS-BST-MJ-2501-16-16

# STAINLESS STEEL METRIC


Styles may vary from picture



**SS-M-6408-HHP-EO - Str.**

(1) Metric Countersunk Hollow Hex Plug w/ Peflex Seal


- SS-M-6408-HHP-10X1.0-EO
- SS-M-6408-HHP-12X1.5-EO
- SS-M-6408-HHP-14X1.5-EO
- SS-M-6408-HHP-16X1.5-EO
- SS-M-6408-HHP-18X1.5-EO
- SS-M-6408-HHP-20X1.5-EO
- SS-M-6408-HHP-22X1.5-EO
- SS-M-6408-HHP-26X1.5-EO
- SS-M-6408-HHP-27X2.0-EO
- SS-M-6408-HHP-33X2.0-EO
- SS-M-6408-HHP-42X2.0-EO
- SS-M-6408-HHP-48X2.0-EO



**SS-M-FP-6405-WO - Str.**

(1) Male Metric w/ Washer & O-Ring  
(2) Fem. NPT Pipe

- SS-M-FP-6405-10X1.0-02-WO
- SS-M-FP-6405-12X1.5-02-WO
- SS-M-FP-6405-12X1.5-04-WO
- SS-M-FP-6405-14X1.5-02-WO
- SS-M-FP-6405-14X1.5-04-WO
- SS-M-FP-6405-14X1.5-06-WO
- SS-M-FP-6405-16X1.5-04-WO
- SS-M-FP-6405-16X1.5-06-WO
- SS-M-FP-6405-16X1.5-08-WO
- SS-M-FP-6405-18X1.5-06-WO
- SS-M-FP-6405-18X1.5-08-WO
- SS-M-FP-6405-20X1.5-06-WO
- SS-M-FP-6405-22X1.5-06-WO
- SS-M-FP-6405-22X1.5-08-WO
- SS-M-FP-6405-26X1.5-12-WO
- SS-M-FP-6405-27X2.0-12-WO
- SS-M-FP-6405-33X2.0-16-WO
- SS-M-FP-6405-42X2.0-20-WO



**SS-M-MJ-6400-WO - Str.**

(1) Male 37°  
(2) Male Metric w/ Washer & O-Ring

- SS-M-MJ-6400-04-10X1.0-WO
- SS-M-MJ-6400-04-12X1.5-WO
- SS-M-MJ-6400-04-14X1.5-WO
- SS-M-MJ-6400-06-12X1.5-WO
- SS-M-MJ-6400-06-14X1.5-WO
- SS-M-MJ-6400-06-16X1.5-WO
- SS-M-MJ-6400-08-12X1.5-WO
- SS-M-MJ-6400-08-16X1.5-WO
- SS-M-MJ-6400-08-18X1.5-WO
- SS-M-MJ-6400-08-20X1.5-WO
- SS-M-MJ-6400-08-22X1.5-WO
- SS-M-MJ-6400-10-18X1.5-WO
- SS-M-MJ-6400-10-20X1.5-WO
- SS-M-MJ-6400-10-22X1.5-WO
- SS-M-MJ-6400-12-22X1.5-WO
- SS-M-MJ-6400-12-26X1.5-WO
- SS-M-MJ-6400-12-27X2.0-WO
- SS-M-MJ-6400-16-27X2.0-WO
- SS-M-MJ-6400-16-33X2.0-WO
- SS-M-MJ-6400-20-42X2.0-WO
- SS-M-MJ-6400-24-48X2.0-WO

# STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture



**SS-MFL-0318-LL**  
Flareless Nut  
Extra Light

- SS-MFL-0318-LL-04
- SS-MFL-0318-LL-06
- SS-MFL-0318-LL-08



**SS-MFL-0318**  
Flareless Nut  
Light

- SS-MFL-0318-06
- SS-MFL-0318-08
- SS-MFL-0318-10
- SS-MFL-0318-12
- SS-MFL-0318-15
- SS-MFL-0318-18
- SS-MFL-0318-22
- SS-MFL-0318-28
- SS-MFL-0318-35
- SS-MFL-0318-42



**SS-MFL-0318-H**  
Flareless Nut  
Heavy

- SS-MFL-0318-H-06
- SS-MFL-0318-H-08
- SS-MFL-0318-H-10
- SS-MFL-0318-H-12
- SS-MFL-0318-H-14
- SS-MFL-0318-H-16
- SS-MFL-0318-H-20
- SS-MFL-0318-H-25
- SS-MFL-0318-H-30
- SS-MFL-0318-H-38



**SS-MFL-0319-LL**  
Flareless Sleeve  
Extra Light

- SS-MFL-0319-LL-04
- SS-MFL-0319-LL-06
- SS-MFL-0319-LL-08



**SS-MFL-0319**  
Flareless Sleeve  
Light

- SS-MFL-0319-06
- SS-MFL-0319-08
- SS-MFL-0319-10
- SS-MFL-0319-12
- SS-MFL-0319-15
- SS-MFL-0319-18
- SS-MFL-0319-22
- SS-MFL-0319-28
- SS-MFL-0319-35
- SS-MFL-0319-42



**SS-MFL-0319-H**  
Flareless Sleeve  
Heavy

- SS-MFL-0319-H-06
- SS-MFL-0319-H-08
- SS-MFL-0319-H-10
- SS-MFL-0319-H-12
- SS-MFL-0319-H-14
- SS-MFL-0319-H-16
- SS-MFL-0319-H-20
- SS-MFL-0319-H-25
- SS-MFL-0319-H-30
- SS-MFL-0319-H-38




**SS-MFL-0320**  
Blanking Plug w/ O-Ring  
Light

- SS-MFL-0320-06
- SS-MFL-0320-08
- SS-MFL-0320-10
- SS-MFL-0320-12
- SS-MFL-0320-15
- SS-MFL-0320-18
- SS-MFL-0320-22
- SS-MFL-0320-28
- SS-MFL-0320-35
- SS-MFL-0320-42



**SS-MFL-0320-H**  
Blanking Plug w/ O-Ring  
Heavy

- SS-MFL-0320-H-06
- SS-MFL-0320-H-08
- SS-MFL-0320-H-10
- SS-MFL-0320-H-12
- SS-MFL-0320-H-14
- SS-MFL-0320-H-16
- SS-MFL-0320-H-20
- SS-MFL-0320-H-25
- SS-MFL-0320-H-30
- SS-MFL-0320-H-38




**SS-MFL-2403-LL - Str.**  
(1) (2) Male Flareless Union  
Extra Light

- SS-MFL-2403-LL-04-04
- SS-MFL-2403-LL-06-06
- SS-MFL-2403-LL-08-08


# STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




**SS-MFL-2403 - Str.**  
(1) (2) Male Flareless Union  
**Light**

- SS-MFL-2403-06-06
- SS-MFL-2403-08-06
- SS-MFL-2403-08-08
- SS-MFL-2403-10-06
- SS-MFL-2403-10-08
- SS-MFL-2403-10-10
- SS-MFL-2403-12-06
- SS-MFL-2403-12-08
- SS-MFL-2403-12-10
- SS-MFL-2403-12-12
- SS-MFL-2403-15-06
- SS-MFL-2403-15-10
- SS-MFL-2403-15-12
- SS-MFL-2403-15-15
- SS-MFL-2403-18-10
- SS-MFL-2403-18-12
- SS-MFL-2403-18-15
- SS-MFL-2403-18-18
- SS-MFL-2403-22-12
- SS-MFL-2403-22-15
- SS-MFL-2403-22-18
- SS-MFL-2403-22-22
- SS-MFL-2403-28-15
- SS-MFL-2403-28-22
- SS-MFL-2403-28-28
- SS-MFL-2403-35-28
- SS-MFL-2403-35-35
- SS-MFL-2403-42-28
- SS-MFL-2403-42-35
- SS-MFL-2403-42-42



**SS-MFL-2403-H - Str.**  
(1) (2) Male Flareless Union  
**Heavy**

- SS-MFL-2403-H-06-06
- SS-MFL-2403-H-08-06
- SS-MFL-2403-H-08-08
- SS-MFL-2403-H-10-06
- SS-MFL-2403-H-10-08
- SS-MFL-2403-H-10-10
- SS-MFL-2403-H-12-08
- SS-MFL-2403-H-12-10
- SS-MFL-2403-H-12-12
- SS-MFL-2403-H-14-10
- SS-MFL-2403-H-14-12
- SS-MFL-2403-H-14-14
- SS-MFL-2403-H-16-12
- SS-MFL-2403-H-16-14
- SS-MFL-2403-H-16-16
- SS-MFL-2403-H-20-10
- SS-MFL-2403-H-20-12
- SS-MFL-2403-H-20-16
- SS-MFL-2403-H-20-20
- SS-MFL-2403-H-25-16
- SS-MFL-2403-H-25-20
- SS-MFL-2403-H-25-25
- SS-MFL-2403-H-30-20
- SS-MFL-2403-H-30-25
- SS-MFL-2403-H-30-30
- SS-MFL-2403-H-38-30
- SS-MFL-2403-H-38-38




**SS-MFL-2406 - Str.**  
Reducer  
(1) Metric Standpipe  
(2) Male Flareless  
**Light**

- SS-MFL-2406-08-06
- SS-MFL-2406-10-06
- SS-MFL-2406-12-06
- SS-MFL-2406-12-08
- SS-MFL-2406-12-10
- SS-MFL-2406-15-06
- SS-MFL-2406-15-08
- SS-MFL-2406-15-10
- SS-MFL-2406-15-12
- SS-MFL-2406-18-06
- SS-MFL-2406-18-08
- SS-MFL-2406-18-10
- SS-MFL-2406-18-12
- SS-MFL-2406-18-15
- SS-MFL-2406-22-06
- SS-MFL-2406-22-08
- SS-MFL-2406-22-10
- SS-MFL-2406-22-12
- SS-MFL-2406-22-15
- SS-MFL-2406-22-18
- SS-MFL-2406-28-06
- SS-MFL-2406-28-08
- SS-MFL-2406-28-10
- SS-MFL-2406-28-12
- SS-MFL-2406-28-15
- SS-MFL-2406-28-18
- SS-MFL-2406-28-22
- SS-MFL-2406-35-06
- SS-MFL-2406-35-08
- SS-MFL-2406-35-10
- SS-MFL-2406-35-12
- SS-MFL-2406-35-15
- SS-MFL-2406-35-18
- SS-MFL-2406-35-22
- SS-MFL-2406-35-28
- SS-MFL-2406-42-10
- SS-MFL-2406-42-12
- SS-MFL-2406-42-15
- SS-MFL-2406-42-18
- SS-MFL-2406-42-22
- SS-MFL-2406-42-28
- SS-MFL-2406-42-35


# STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




**SS-MFL-2406-H - Str.**  
Reducer  
(1) Metric Standpipe  
(2) Male Flareless  
**Heavy**

- SS-MFL-2406-H-08-06
- SS-MFL-2406-H-10-06
- SS-MFL-2406-H-10-08
- SS-MFL-2406-H-12-06
- SS-MFL-2406-H-12-08
- SS-MFL-2406-H-12-10
- SS-MFL-2406-H-14-10
- SS-MFL-2406-H-14-12
- SS-MFL-2406-H-16-06
- SS-MFL-2406-H-16-08
- SS-MFL-2406-H-16-10
- SS-MFL-2406-H-16-12
- SS-MFL-2406-H-16-14
- SS-MFL-2406-H-20-06
- SS-MFL-2406-H-20-08
- SS-MFL-2406-H-20-10
- SS-MFL-2406-H-20-12
- SS-MFL-2406-H-20-14
- SS-MFL-2406-H-20-16
- SS-MFL-2406-H-25-06
- SS-MFL-2406-H-25-08
- SS-MFL-2406-H-25-10
- SS-MFL-2406-H-25-12
- SS-MFL-2406-H-25-14
- SS-MFL-2406-H-25-16
- SS-MFL-2406-H-25-20
- SS-MFL-2406-H-30-06
- SS-MFL-2406-H-30-08
- SS-MFL-2406-H-30-10
- SS-MFL-2406-H-30-12
- SS-MFL-2406-H-30-16
- SS-MFL-2406-H-30-20
- SS-MFL-2406-H-30-25
- SS-MFL-2406-H-38-06
- SS-MFL-2406-H-38-08
- SS-MFL-2406-H-38-10
- SS-MFL-2406-H-38-12
- SS-MFL-2406-H-38-16
- SS-MFL-2406-H-38-20
- SS-MFL-2406-H-38-25
- SS-MFL-2406-H-38-30




**SS-MFL-2500-LL - 90°**  
(1) (2) Male Flareless  
**Extra Light**

- SS-MFL-2500-LL-04-04
- SS-MFL-2500-LL-06-06
- SS-MFL-2500-LL-08-08




**SS-MFL-2500 - 90°**  
(1) (2) Male Flareless  
**Light**

- SS-MFL-2500-06-06
- SS-MFL-2500-08-08
- SS-MFL-2500-10-10
- SS-MFL-2500-12-12
- SS-MFL-2500-15-15
- SS-MFL-2500-18-18
- SS-MFL-2500-22-22
- SS-MFL-2500-28-28
- SS-MFL-2500-35-35
- SS-MFL-2500-42-42




**SS-MFL-2500-H - 90°**  
(1) (2) Male Flareless  
**Heavy**

- SS-MFL-2500-H-06-06
- SS-MFL-2500-H-08-08
- SS-MFL-2500-H-10-10
- SS-MFL-2500-H-12-12
- SS-MFL-2500-H-14-14
- SS-MFL-2500-H-16-16
- SS-MFL-2500-H-20-20
- SS-MFL-2500-H-25-25
- SS-MFL-2500-H-30-30
- SS-MFL-2500-H-38-38




**SS-MFL-2603-LL - Tee**  
(1) (2) (3) Male Flareless  
**Extra Light**

- SS-MFL-2603-LL-04-04-04
- SS-MFL-2603-LL-06-06-06
- SS-MFL-2603-LL-08-08-08



**SS-MFL-2603 - Tee**  
(1) (2) (3) Male Flareless  
**Light**


- SS-MFL-2603-06-06-06
- SS-MFL-2603-08-08-08
- SS-MFL-2603-10-10-10
- SS-MFL-2603-12-12-12
- SS-MFL-2603-15-15-15
- SS-MFL-2603-18-18-18
- SS-MFL-2603-22-22-22
- SS-MFL-2603-28-28-28
- SS-MFL-2603-35-35-35
- SS-MFL-2603-42-42-42



**SS-MFL-2603-H - Tee**  
(1) (2) (3) Male Flareless  
**Heavy**


- SS-MFL-2603-H-06-06-06
- SS-MFL-2603-H-08-08-08
- SS-MFL-2603-H-10-10-10
- SS-MFL-2603-H-12-12-12
- SS-MFL-2603-H-14-14-14
- SS-MFL-2603-H-16-16-16
- SS-MFL-2603-H-20-20-20
- SS-MFL-2603-H-25-25-25
- SS-MFL-2603-H-30-30-30
- SS-MFL-2603-H-38-38-38

# STAINLESS STEEL METRIC FLARELESS



**SS-MFL-2650 - Cross**  
(1) (2) (3) (4) Male Flareless  
**Light**


SS-MFL-2650-06-06-06-06  
SS-MFL-2650-08-08-08-08  
SS-MFL-2650-10-10-10-10  
SS-MFL-2650-12-12-12-12  
SS-MFL-2650-15-15-15-15  
SS-MFL-2650-18-18-18-18  
SS-MFL-2650-22-22-22-22  
SS-MFL-2650-28-28-28-28  
SS-MFL-2650-35-35-35-35  
SS-MFL-2650-42-42-42-42



**SS-MFL-2650-H - Cross**  
(1) (2) (3) (4) Male Flareless  
**Heavy**


SS-MFL-2650-H-06-06-06-06  
SS-MFL-2650-H-08-08-08-08  
SS-MFL-2650-H-10-10-10-10  
SS-MFL-2650-H-12-12-12-12  
SS-MFL-2650-H-14-14-14-14  
SS-MFL-2650-H-16-16-16-16  
SS-MFL-2650-H-20-20-20-20  
SS-MFL-2650-H-25-25-25-25  
SS-MFL-2650-H-30-30-30-30  
SS-MFL-2650-H-38-38-38-38

Styles may vary from picture




**SS-MFL-2700-LN - Str.**  
(1) Male Flareless  
(2) Male Flareless Bulkhead w/ Lock Nut  
**Light**

SS-MFL-2700-LN-06-06  
SS-MFL-2700-LN-08-08  
SS-MFL-2700-LN-10-10  
SS-MFL-2700-LN-12-12  
SS-MFL-2700-LN-15-15  
SS-MFL-2700-LN-18-18  
SS-MFL-2700-LN-22-22  
SS-MFL-2700-LN-28-28  
SS-MFL-2700-LN-35-35  
SS-MFL-2700-LN-42-42




**SS-MFL-2700-H-LN - Str.**  
(1) Male Flareless  
(2) Male Flareless Bulkhead w/ Lock Nut  
**Heavy**

SS-MFL-2700-H-LN-06-06  
SS-MFL-2700-H-LN-08-08  
SS-MFL-2700-H-LN-10-10  
SS-MFL-2700-H-LN-12-12  
SS-MFL-2700-H-LN-14-14  
SS-MFL-2700-H-LN-16-16  
SS-MFL-2700-H-LN-20-20  
SS-MFL-2700-H-LN-25-25  
SS-MFL-2700-H-LN-30-30  
SS-MFL-2700-H-LN-38-38




**SS-MFL-2701-LN - 90°**  
(1) Male Flareless  
(2) Male Flareless Bulkhead w/ Lock Nut  
**Light**

SS-MFL-2701-LN-06-06  
SS-MFL-2701-LN-08-08  
SS-MFL-2701-LN-10-10  
SS-MFL-2701-LN-12-12  
SS-MFL-2701-LN-15-15  
SS-MFL-2701-LN-18-18  
SS-MFL-2701-LN-22-22  
SS-MFL-2701-LN-28-28  
SS-MFL-2701-LN-35-35  
SS-MFL-2701-LN-42-42




**SS-MFL-2701-H-LN - 90°**  
(1) Male Flareless  
(2) Male Flareless Bulkhead w/ Lock Nut  
**Heavy**

SS-MFL-2701-H-LN-06-06  
SS-MFL-2701-H-LN-08-08  
SS-MFL-2701-H-LN-10-10  
SS-MFL-2701-H-LN-12-12  
SS-MFL-2701-H-LN-14-14  
SS-MFL-2701-H-LN-16-16  
SS-MFL-2701-H-LN-20-20  
SS-MFL-2701-H-LN-25-25  
SS-MFL-2701-H-LN-30-30  
SS-MFL-2701-H-LN-38-38



**SS-MFL-6500 - 90°**  
(1) Male Flareless  
(2) Fem. Flareless Swivel  
**Light**

SS-MFL-6500-06-06  
SS-MFL-6500-08-08  
SS-MFL-6500-10-10  
SS-MFL-6500-12-12  
SS-MFL-6500-15-15  
SS-MFL-6500-18-18  
SS-MFL-6500-22-22  
SS-MFL-6500-28-28  
SS-MFL-6500-35-35  
SS-MFL-6500-42-42




**SS-MFL-6500-H - 90°**  
(1) Male Flareless  
(2) Fem. Flareless Swivel  
**Heavy**

SS-MFL-6500-H-06-06  
SS-MFL-6500-H-08-08  
SS-MFL-6500-H-10-10  
SS-MFL-6500-H-12-12  
SS-MFL-6500-H-14-14  
SS-MFL-6500-H-16-16  
SS-MFL-6500-H-20-20  
SS-MFL-6500-H-25-25  
SS-MFL-6500-H-30-30  
SS-MFL-6500-H-38-38


# STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




**SS-MFL-6565 - Str.**  
(1) (2) Fem. Flareless Swivel  
**Light**

- SS-MFL-6565-06-06
- SS-MFL-6565-08-08
- SS-MFL-6565-10-10
- SS-MFL-6565-12-12
- SS-MFL-6565-15-15
- SS-MFL-6565-18-18
- SS-MFL-6565-22-22
- SS-MFL-6565-28-28
- SS-MFL-6565-35-35
- SS-MFL-6565-42-42




**SS-MFL-6565-H - Str.**  
(1) (2) Fem. Flareless Swivel  
**Heavy**

- SS-MFL-6565-H-06-06
- SS-MFL-6565-H-08-08
- SS-MFL-6565-H-10-10
- SS-MFL-6565-H-12-12
- SS-MFL-6565-H-14-14
- SS-MFL-6565-H-16-16
- SS-MFL-6565-H-20-20
- SS-MFL-6565-H-25-25
- SS-MFL-6565-H-30-30
- SS-MFL-6565-H-38-38




**SS-MFL-6600 - Tee**  
(1) (2) Male Flareless  
(3) Fem. Flareless Swivel  
**Light**

- SS-MFL-6600-06-06-06
- SS-MFL-6600-08-08-08
- SS-MFL-6600-10-10-10
- SS-MFL-6600-12-12-12
- SS-MFL-6600-15-15-15
- SS-MFL-6600-18-18-18
- SS-MFL-6600-22-22-22
- SS-MFL-6600-28-28-28
- SS-MFL-6600-35-35-35
- SS-MFL-6600-42-42-42




**SS-MFL-6600-H - Tee**  
(1) (2) Male Flareless  
(3) Fem. Flareless Swivel  
**Heavy**

- SS-MFL-6600-H-06-06-06
- SS-MFL-6600-H-08-08-08
- SS-MFL-6600-H-10-10-10
- SS-MFL-6600-H-12-12-12
- SS-MFL-6600-H-14-14-14
- SS-MFL-6600-H-16-16-16
- SS-MFL-6600-H-20-20-20
- SS-MFL-6600-H-25-25-25
- SS-MFL-6600-H-30-30-30
- SS-MFL-6600-H-38-38-38



**SS-MFL-6602 - Tee**  
(1) (3) Male Flareless  
(2) Fem. Flareless Swivel  
**Light**

- SS-MFL-6602-06-06-06
- SS-MFL-6602-08-08-08
- SS-MFL-6602-10-10-10
- SS-MFL-6602-12-12-12
- SS-MFL-6602-15-15-15
- SS-MFL-6602-18-18-18
- SS-MFL-6602-22-22-22
- SS-MFL-6602-28-28-28
- SS-MFL-6602-35-35-35
- SS-MFL-6602-42-42-42



**SS-MFL-6602-H - Tee**  
(1) (3) Male Flareless  
(2) Fem. Flareless Swivel  
**Heavy**

- SS-MFL-6602-H-06-06-06
- SS-MFL-6602-H-08-08-08
- SS-MFL-6602-H-10-10-10
- SS-MFL-6602-H-12-12-12
- SS-MFL-6602-H-14-14-14
- SS-MFL-6602-H-16-16-16
- SS-MFL-6602-H-20-20-20
- SS-MFL-6602-H-25-25-25
- SS-MFL-6602-H-30-30-30
- SS-MFL-6602-H-38-38-38




**SS-MFL-BPP-2404 - Str.**  
(1) Male Flareless  
(2) Male BPP w/ Cutting Face Seal  
**Light**

- SS-MFL-BPP-2404-06-02
- SS-MFL-BPP-2404-06-04
- SS-MFL-BPP-2404-06-06
- SS-MFL-BPP-2404-08-02
- SS-MFL-BPP-2404-08-04
- SS-MFL-BPP-2404-08-06
- SS-MFL-BPP-2404-08-08
- SS-MFL-BPP-2404-10-02
- SS-MFL-BPP-2404-10-04
- SS-MFL-BPP-2404-10-06
- SS-MFL-BPP-2404-10-08
- SS-MFL-BPP-2404-12-04
- SS-MFL-BPP-2404-12-06
- SS-MFL-BPP-2404-12-08
- SS-MFL-BPP-2404-15-06
- SS-MFL-BPP-2404-15-08
- SS-MFL-BPP-2404-15-12
- SS-MFL-BPP-2404-18-08
- SS-MFL-BPP-2404-18-12
- SS-MFL-BPP-2404-22-06
- SS-MFL-BPP-2404-22-08
- SS-MFL-BPP-2404-22-12
- SS-MFL-BPP-2404-22-16
- SS-MFL-BPP-2404-28-12
- SS-MFL-BPP-2404-28-16
- SS-MFL-BPP-2404-35-16
- SS-MFL-BPP-2404-35-20
- SS-MFL-BPP-2404-42-24



# STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




**SS-MFL-BPP-2404-H - Str.**  
 (1) Male Flareless  
 (2) Male BPP w/ Cutting Face Seal  
**Heavy**

- SS-MFL-BPP-2404-H-06-04
- SS-MFL-BPP-2404-H-08-04
- SS-MFL-BPP-2404-H-08-06
- SS-MFL-BPP-2404-H-08-08
- SS-MFL-BPP-2404-H-10-04
- SS-MFL-BPP-2404-H-10-06
- SS-MFL-BPP-2404-H-10-08
- SS-MFL-BPP-2404-H-10-08
- SS-MFL-BPP-2404-H-12-04
- SS-MFL-BPP-2404-H-12-06
- SS-MFL-BPP-2404-H-12-08
- SS-MFL-BPP-2404-H-14-06
- SS-MFL-BPP-2404-H-14-08
- SS-MFL-BPP-2404-H-16-06
- SS-MFL-BPP-2404-H-16-08
- SS-MFL-BPP-2404-H-16-12
- SS-MFL-BPP-2404-H-20-08
- SS-MFL-BPP-2404-H-20-12
- SS-MFL-BPP-2404-H-25-12
- SS-MFL-BPP-2404-H-25-16
- SS-MFL-BPP-2404-H-30-16
- SS-MFL-BPP-2404-H-30-20
- SS-MFL-BPP-2404-H-30-24
- SS-MFL-BPP-2404-H-38-20
- SS-MFL-BPP-2404-H-38-24




**SS-MFL-BPP-2405 - Str.**  
 (1) Male Flareless  
 (2) Fem. BPP - Rigid  
**Light**

- SS-MFL-BPP-2405-06-02
- SS-MFL-BPP-2405-06-04
- SS-MFL-BPP-2405-08-04
- SS-MFL-BPP-2405-10-04
- SS-MFL-BPP-2405-12-06
- SS-MFL-BPP-2405-12-08
- SS-MFL-BPP-2405-15-08
- SS-MFL-BPP-2405-18-08
- SS-MFL-BPP-2405-22-12
- SS-MFL-BPP-2405-28-16
- SS-MFL-BPP-2405-35-20
- SS-MFL-BPP-2405-42-24




**SS-MFL-BPP-2405-H - Str.**  
 (1) Male Flareless  
 (2) Fem. BPP - Rigid  
**Heavy**

- SS-MFL-BPP-2405-H-06-04
- SS-MFL-BPP-2405-H-08-04
- SS-MFL-BPP-2405-H-10-06
- SS-MFL-BPP-2405-H-12-06
- SS-MFL-BPP-2405-H-14-06
- SS-MFL-BPP-2405-H-14-08
- SS-MFL-BPP-2405-H-16-08
- SS-MFL-BPP-2405-H-20-12
- SS-MFL-BPP-2405-H-25-16
- SS-MFL-BPP-2405-H-30-20
- SS-MFL-BPP-2405-H-38-24




**SS-MFL-BPP-6400-EO - Str.**  
 (1) Male Flareless  
 (2) Male BPP w/ Peflex Seal  
**Light**

- SS-MFL-BPP-6400-06-02-EO
- SS-MFL-BPP-6400-06-04-EO
- SS-MFL-BPP-6400-06-06-EO
- SS-MFL-BPP-6400-08-02-EO
- SS-MFL-BPP-6400-08-04-EO
- SS-MFL-BPP-6400-08-06-EO
- SS-MFL-BPP-6400-08-08-EO
- SS-MFL-BPP-6400-10-02-EO
- SS-MFL-BPP-6400-10-04-EO
- SS-MFL-BPP-6400-10-06-EO
- SS-MFL-BPP-6400-10-08-EO
- SS-MFL-BPP-6400-12-04-EO
- SS-MFL-BPP-6400-12-06-EO
- SS-MFL-BPP-6400-12-08-EO
- SS-MFL-BPP-6400-15-06-EO
- SS-MFL-BPP-6400-15-08-EO
- SS-MFL-BPP-6400-15-12-EO
- SS-MFL-BPP-6400-18-08-EO
- SS-MFL-BPP-6400-18-12-EO
- SS-MFL-BPP-6400-22-08-EO
- SS-MFL-BPP-6400-22-12-EO
- SS-MFL-BPP-6400-22-16-EO
- SS-MFL-BPP-6400-28-12-EO
- SS-MFL-BPP-6400-28-16-EO
- SS-MFL-BPP-6400-35-20-EO
- SS-MFL-BPP-6400-42-20-EO
- SS-MFL-BPP-6400-42-24-EO



**SS-MFL-BPP-6400-H-EO - Str.**  
 (1) Male Flareless  
 (2) Male BPP w/ Peflex Seal  
**Heavy**

- SS-MFL-BPP-6400-H-06-04-EO
- SS-MFL-BPP-6400-H-08-04-EO
- SS-MFL-BPP-6400-H-08-06-EO
- SS-MFL-BPP-6400-H-08-08-EO
- SS-MFL-BPP-6400-H-10-04-EO
- SS-MFL-BPP-6400-H-10-06-EO
- SS-MFL-BPP-6400-H-10-08-EO
- SS-MFL-BPP-6400-H-12-04-EO
- SS-MFL-BPP-6400-H-12-06-EO
- SS-MFL-BPP-6400-H-12-08-EO
- SS-MFL-BPP-6400-H-14-06-EO
- SS-MFL-BPP-6400-H-14-08-EO
- SS-MFL-BPP-6400-H-16-06-EO
- SS-MFL-BPP-6400-H-16-08-EO
- SS-MFL-BPP-6400-H-16-12-EO
- SS-MFL-BPP-6400-H-20-08-EO
- SS-MFL-BPP-6400-H-20-12-EO
- SS-MFL-BPP-6400-H-25-16-EO
- SS-MFL-BPP-6400-H-30-16-EO
- SS-MFL-BPP-6400-H-30-20-EO
- SS-MFL-BPP-6400-H-30-24-EO
- SS-MFL-BPP-6400-H-38-20-EO
- SS-MFL-BPP-6400-H-38-24-EO




**SS-MFL-BPP-6510 - Str.**  
 (1) Female Flareless Swivel  
 (2) Male BPP w/ Cutting Face Seal  
**Light**

- SS-MFL-BPP-6510-06-02
- SS-MFL-BPP-6510-08-04
- SS-MFL-BPP-6510-10-04
- SS-MFL-BPP-6510-12-04
- SS-MFL-BPP-6510-12-06
- SS-MFL-BPP-6510-15-08
- SS-MFL-BPP-6510-18-08
- SS-MFL-BPP-6510-22-12
- SS-MFL-BPP-6510-28-16
- SS-MFL-BPP-6510-35-20
- SS-MFL-BPP-6510-42-24


# STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




**SS-MFL-BPP-6510-H - Str.**  
 (1) Fem. Flareless Swivel  
 (2) Male BPP - Cutting Face Seal  
**Heavy**

- SS-MFL-BPP-6510-H-06-04
- SS-MFL-BPP-6510-H-08-04
- SS-MFL-BPP-6510-H-10-06
- SS-MFL-BPP-6510-H-12-06
- SS-MFL-BPP-6510-H-16-08
- SS-MFL-BPP-6510-H-20-12
- SS-MFL-BPP-6510-H-25-16
- SS-MFL-BPP-6510-H-30-20
- SS-MFL-BPP-6510-H-38-24




**SS-MFL-BPP-6510-EO - Str.**  
 (1) Fem. Flareless Swivel  
 (2) Male BPP - w/ Peflex Seal  
**Light**

- SS-MFL-BPP-6510-06-02-EO
- SS-MFL-BPP-6510-08-04-EO
- SS-MFL-BPP-6510-10-04-EO
- SS-MFL-BPP-6510-12-06-EO
- SS-MFL-BPP-6510-15-08-EO
- SS-MFL-BPP-6510-18-08-EO
- SS-MFL-BPP-6510-22-12-EO
- SS-MFL-BPP-6510-28-16-EO
- SS-MFL-BPP-6510-35-20-EO
- SS-MFL-BPP-6510-42-24-EO




**SS-MFL-BPP-6510-H-EO - Str.**  
 (1) Fem. Flareless Swivel  
 (2) Male BPP - w/ Peflex Seal  
**Heavy**

- SS-MFL-BPP-6510-H-06-04-EO
- SS-MFL-BPP-6510-H-08-04-EO
- SS-MFL-BPP-6510-H-10-06-EO
- SS-MFL-BPP-6510-H-12-06-EO
- SS-MFL-BPP-6510-H-14-08-EO
- SS-MFL-BPP-6510-H-16-08-EO
- SS-MFL-BPP-6510-H-20-12-EO
- SS-MFL-BPP-6510-H-25-16-EO
- SS-MFL-BPP-6510-H-30-20-EO
- SS-MFL-BPP-6510-H-38-24-EO



**SS-MFL-BST-2404-LL - Str.**  
 (1) Male Flareless  
 (2) Male BSPT  
**Extra Light**

- SS-MFL-BST-2404-LL-06-02
- SS-MFL-BST-2404-LL-08-02




**SS-MFL-BST-2404 - Str.**  
 (1) Male Flareless  
 (2) Male BSPT  
**Light**

- SS-MFL-BST-2404-06-02
- SS-MFL-BST-2404-06-04
- SS-MFL-BST-2404-08-02
- SS-MFL-BST-2404-08-04
- SS-MFL-BST-2404-08-06
- SS-MFL-BST-2404-10-04
- SS-MFL-BST-2404-10-06
- SS-MFL-BST-2404-12-04
- SS-MFL-BST-2404-12-06
- SS-MFL-BST-2404-12-08
- SS-MFL-BST-2404-15-06
- SS-MFL-BST-2404-15-08
- SS-MFL-BST-2404-18-08
- SS-MFL-BST-2404-22-12
- SS-MFL-BST-2404-28-16




**SS-MFL-BST-2404-H - Str.**  
 (1) Male Flareless  
 (2) Male BSPT  
**Heavy**

- SS-MFL-BST-2404-H-06-04
- SS-MFL-BST-2404-H-08-04
- SS-MFL-BST-2404-H-10-06
- SS-MFL-BST-2404-H-14-08
- SS-MFL-BST-2404-H-16-08
- SS-MFL-BST-2404-H-20-12
- SS-MFL-BST-2404-H-25-16



**SS-MFL-BST-2501 - 90°**  
 (1) Male Flareless  
 (2) Male BSPT  
**Light**

- SS-MFL-BST-2501-06-02
- SS-MFL-BST-2501-06-04
- SS-MFL-BST-2501-08-02
- SS-MFL-BST-2501-08-04
- SS-MFL-BST-2501-08-06
- SS-MFL-BST-2501-10-04
- SS-MFL-BST-2501-10-06
- SS-MFL-BST-2501-12-04
- SS-MFL-BST-2501-12-06
- SS-MFL-BST-2501-12-08
- SS-MFL-BST-2501-15-06
- SS-MFL-BST-2501-15-08
- SS-MFL-BST-2501-18-08
- SS-MFL-BST-2501-22-12




**SS-MFL-BST-2501-H - 90°**  
 (1) Male Flareless  
 (2) Male BSPT  
**Heavy**

- SS-MFL-BST-2501-H-06-04
- SS-MFL-BST-2501-H-08-04
- SS-MFL-BST-2501-H-10-04
- SS-MFL-BST-2501-H-10-06
- SS-MFL-BST-2501-H-12-06
- SS-MFL-BST-2501-H-14-08
- SS-MFL-BST-2501-H-16-08
- SS-MFL-BST-2501-H-20-12
- SS-MFL-BST-2501-H-25-16
- SS-MFL-BST-2501-H-30-20
- SS-MFL-BST-2501-H-38-24


# STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture



**SS-MFL-BST-2601 - Tee**  
 (1) (2) Male Flareless  
 (3) Male BSPT  
**Light**

- SS-MFL-BST-2601-06-06-02
- SS-MFL-BST-2601-08-08-04
- SS-MFL-BST-2601-10-10-04
- SS-MFL-BST-2601-12-12-06
- SS-MFL-BST-2601-15-15-08
- SS-MFL-BST-2601-18-18-08




**SS-MFL-BST-2605-H - Tee**  
 (1) (3) Male Flareless  
 (2) Male BSPT  
**Heavy**

- SS-MFL-BST-2605-H-06-04-06
- SS-MFL-BST-2605-H-08-04-08
- SS-MFL-BST-2605-H-10-06-10
- SS-MFL-BST-2605-H-12-06-12
- SS-MFL-BST-2605-H-14-08-14
- SS-MFL-BST-2605-H-16-08-16




**SS-MFL-M-2405 - Str.**  
 (1) Male Flareless  
 (2) Fem. Metric Parallel - Rigid  
**Light**

- SS-MFL-M-2405-06-10X1.0
- SS-MFL-M-2405-08-12X1.5
- SS-MFL-M-2405-10-14X1.5
- SS-MFL-M-2405-12-16X1.5
- SS-MFL-M-2405-15-18X1.5
- SS-MFL-M-2405-18-22X1.5
- SS-MFL-M-2405-22-26X1.5
- SS-MFL-M-2405-28-33X2.0
- SS-MFL-M-2405-35-42X2.0
- SS-MFL-M-2405-42-48X2.0



**SS-MFL-BST-2601-H - Tee**  
 (1) (2) Male Flareless  
 (3) Male BSPT  
**Heavy**

- SS-MFL-BST-2601-H-06-06-04
- SS-MFL-BST-2601-H-08-08-04
- SS-MFL-BST-2601-H-10-10-06
- SS-MFL-BST-2601-H-12-12-06
- SS-MFL-BST-2601-H-14-14-08
- SS-MFL-BST-2601-H-16-16-08




**SS-MFL-M-2404 - Str.**  
 (1) Male Flareless  
 (2) Male Metric Parallel w/ Cutting Face Seal  
**Light**

- SS-MFL-M-2404-06-10X1.0
- SS-MFL-M-2404-08-12X1.5
- SS-MFL-M-2404-10-14X1.5
- SS-MFL-M-2404-12-16X1.5
- SS-MFL-M-2404-15-18X1.5
- SS-MFL-M-2404-18-22X1.5
- SS-MFL-M-2404-22-26X1.5
- SS-MFL-M-2404-28-33X2.0
- SS-MFL-M-2404-35-42X2.0
- SS-MFL-M-2404-42-48X2.0




**SS-MFL-M-2405-H - Str.**  
 (1) Male Flareless  
 (2) Fem. Metric Parallel - Rigid  
**Heavy**

- SS-MFL-M-2405-H-06-12X1.5
- SS-MFL-M-2405-H-08-14X1.5
- SS-MFL-M-2405-H-10-16X1.5
- SS-MFL-M-2405-H-12-18X1.5
- SS-MFL-M-2405-H-14-20X1.5
- SS-MFL-M-2405-H-16-22X1.5
- SS-MFL-M-2405-H-20-27X2.0
- SS-MFL-M-2405-H-25-33X2.0
- SS-MFL-M-2405-H-30-42X2.0
- SS-MFL-M-2405-H-38-48X2.0




**SS-MFL-BST-2605 - Tee**  
 (1) (3) Male Flareless  
 (2) Male BSPT  
**Light**

- SS-MFL-BST-2605-06-02-06
- SS-MFL-BST-2605-08-04-08
- SS-MFL-BST-2605-10-04-10
- SS-MFL-BST-2605-12-06-12
- SS-MFL-BST-2605-15-08-15
- SS-MFL-BST-2605-18-08-18



**SS-MFL-M-2404-H - Str.**  
 (1) Male Flareless  
 (2) Male Metric Parallel w/ Cutting Face Seal  
**Heavy**

- SS-MFL-M-2404-H-06-12X1.5
- SS-MFL-M-2404-H-08-14X1.5
- SS-MFL-M-2404-H-10-16X1.5
- SS-MFL-M-2404-H-12-18X1.5
- SS-MFL-M-2404-H-16-22X1.5
- SS-MFL-M-2404-H-20-27X2.0
- SS-MFL-M-2404-H-25-33X2.0
- SS-MFL-M-2404-H-30-42X2.0
- SS-MFL-M-2404-H-38-48X2.0




**SS-MFL-M-6510-EO - Str.**  
 (1) Fem. Flareless Swivel  
 (2) Male Metric Parallel w/ Peflex Seal  
**Light**

- SS-MFL-M-6510-06-10X1.0-EO
- SS-MFL-M-6510-08-12X1.5-EO
- SS-MFL-M-6510-10-14X1.5-EO
- SS-MFL-M-6510-12-16X1.5-EO
- SS-MFL-M-6510-15-18X1.5-EO
- SS-MFL-M-6510-18-22X1.5-EO
- SS-MFL-M-6510-22-26X1.5-EO
- SS-MFL-M-6510-28-33X2.0-EO
- SS-MFL-M-6510-35-42X2.0-EO
- SS-MFL-M-6510-42-48X2.0-EO


# STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




**SS-MFL-M-6510-H - Str.**  
 (1) Fem. Flareless Swivel  
 (2) Male Metric Parallel w/ Cutting Face Seal  
**Heavy**

- SS-MFL-M-6510-H-06-12X1.5-EO
- SS-MFL-M-6510-H-08-14X1.5-EO
- SS-MFL-M-6510-H-10-16X1.5-EO
- SS-MFL-M-6510-H-12-18X1.5-EO
- SS-MFL-M-6510-H-14-20X1.5-EO
- SS-MFL-M-6510-H-16-22X1.5-EO
- SS-MFL-M-6510-H-20-27X2.0-EO
- SS-MFL-M-6510-H-25-33X2.0-EO
- SS-MFL-M-6510-H-30-42X2.0-EO
- SS-MFL-M-6510-H-38-48X2.0-EO




**SS-MFL-MP-2404 - Str.**  
 (1) Male Flareless  
 (2) Male NPT  
**Light**

- SS-MFL-MP-2404-06-02
- SS-MFL-MP-2404-06-04
- SS-MFL-MP-2404-06-06
- SS-MFL-MP-2404-08-02
- SS-MFL-MP-2404-08-04
- SS-MFL-MP-2404-08-06
- SS-MFL-MP-2404-08-08
- SS-MFL-MP-2404-10-02
- SS-MFL-MP-2404-10-04
- SS-MFL-MP-2404-10-06
- SS-MFL-MP-2404-10-08
- SS-MFL-MP-2404-12-04
- SS-MFL-MP-2404-12-06
- SS-MFL-MP-2404-12-08
- SS-MFL-MP-2404-15-08
- SS-MFL-MP-2404-18-08
- SS-MFL-MP-2404-18-12
- SS-MFL-MP-2404-22-12
- SS-MFL-MP-2404-28-16
- SS-MFL-MP-2404-35-20
- SS-MFL-MP-2404-42-24




**SS-MFL-MP-2404-H - Str.**  
 (1) Male Flareless  
 (2) Male NPT  
**Heavy**

- SS-MFL-MP-2404-H-06-02
- SS-MFL-MP-2404-H-06-04
- SS-MFL-MP-2404-H-06-06
- SS-MFL-MP-2404-H-08-04
- SS-MFL-MP-2404-H-08-06
- SS-MFL-MP-2404-H-08-08
- SS-MFL-MP-2404-H-10-04
- SS-MFL-MP-2404-H-10-06
- SS-MFL-MP-2404-H-10-08
- SS-MFL-MP-2404-H-12-04
- SS-MFL-MP-2404-H-12-06
- SS-MFL-MP-2404-H-12-08
- SS-MFL-MP-2404-H-14-08
- SS-MFL-MP-2404-H-16-08
- SS-MFL-MP-2404-H-16-12
- SS-MFL-MP-2404-H-20-08
- SS-MFL-MP-2404-H-20-12
- SS-MFL-MP-2404-H-20-16
- SS-MFL-MP-2404-H-25-12
- SS-MFL-MP-2404-H-25-16
- SS-MFL-MP-2404-H-30-20
- SS-MFL-MP-2404-H-38-24




**SS-MFL-MP-2501 - 90°**  
 (1) Male Flareless  
 (2) Male NPT  
**Light**

- SS-MFL-MP-2501-06-02
- SS-MFL-MP-2501-06-04
- SS-MFL-MP-2501-08-04
- SS-MFL-MP-2501-10-04
- SS-MFL-MP-2501-12-04
- SS-MFL-MP-2501-12-06
- SS-MFL-MP-2501-12-08
- SS-MFL-MP-2501-15-08
- SS-MFL-MP-2501-18-08
- SS-MFL-MP-2501-22-12
- SS-MFL-MP-2501-28-16
- SS-MFL-MP-2501-35-20
- SS-MFL-MP-2501-42-24



**SS-MFL-MP-2501-H - 90°**  
 (1) Male Flareless  
 (2) Male NPT  
**Heavy**

- SS-MFL-MP-2501-H-06-04
- SS-MFL-MP-2501-H-08-04
- SS-MFL-MP-2501-H-10-06
- SS-MFL-MP-2501-H-12-06
- SS-MFL-MP-2501-H-12-08
- SS-MFL-MP-2501-H-14-08
- SS-MFL-MP-2501-H-16-08
- SS-MFL-MP-2501-H-20-12
- SS-MFL-MP-2501-H-25-16
- SS-MFL-MP-2501-H-30-20
- SS-MFL-MP-2501-H-38-24




**SS-MFL-MP-2601 - Tee**  
 (1) (2) Male Flareless  
 (3) Male NPT  
**Light**

- SS-MFL-MP-2601-06-06-02
- SS-MFL-MP-2601-08-08-04
- SS-MFL-MP-2601-10-10-04
- SS-MFL-MP-2601-12-12-06
- SS-MFL-MP-2601-18-18-08
- SS-MFL-MP-2601-22-22-12
- SS-MFL-MP-2601-28-28-16
- SS-MFL-MP-2601-35-35-20
- SS-MFL-MP-2601-42-42-24

# STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




**SS-MFL-MP-2601-H - Tee**

- (1) (2) Male Flareless
- (3) Male NPT

**Heavy**

- SS-MFL-MP-2601-H-06-06-04
- SS-MFL-MP-2601-H-10-10-06
- SS-MFL-MP-2601-H-12-12-06
- SS-MFL-MP-2601-H-14-14-08
- SS-MFL-MP-2601-H-16-16-08
- SS-MFL-MP-2601-H-20-20-12
- SS-MFL-MP-2601-H-25-25-16
- SS-MFL-MP-2601-H-30-30-20
- SS-MFL-MP-2601-H-38-38-24




**SS-MFL-MP-6510-H - Str.**

- (1) Fem. Flareless Swivel
- (2) Male NPT

**Heavy**

- SS-MFL-MP-6510-H-06-04
- SS-MFL-MP-6510-H-08-04
- SS-MFL-MP-6510-H-10-06
- SS-MFL-MP-6510-H-12-06
- SS-MFL-MP-6510-H-16-08
- SS-MFL-MP-6510-H-20-12
- SS-MFL-MP-6510-H-25-16




**SS-MFL-MT-2501 - 90°**

- (1) Male Flareless
- (2) Male Metric Taper

**Light**

- SS-MFL-MT-2501-06-10X1.0
- SS-MFL-MT-2501-08-12X1.5
- SS-MFL-MT-2501-10-14X1.5
- SS-MFL-MT-2501-12-16X1.5
- SS-MFL-MT-2501-15-18X1.5
- SS-MFL-MT-2501-18-22X1.5




**SS-MFL-MP-6510 - Str.**

- (1) Fem. Flareless Swivel
- (2) Male NPT

**Light**

- SS-MFL-MP-6510-06-02
- SS-MFL-MP-6510-08-04
- SS-MFL-MP-6510-10-04
- SS-MFL-MP-6510-12-06
- SS-MFL-MP-6510-15-08
- SS-MFL-MP-6510-18-08
- SS-MFL-MP-6510-22-12
- SS-MFL-MP-6510-28-16




**SS-MFL-MT-2404-LL - Str.**

- (1) Male Flareless
- (2) Male Metric Taper

**Extra Light**

- SS-MFL-MT-2404-LL-04-08X1.0
- SS-MFL-MT-2404-LL-06-10X1.0
- SS-MFL-MT-2404-LL-08-10X1.0




**SS-MFL-MT-2501-H - 90°**

- (1) Male Flareless
- (2) Male Metric Taper

**Heavy**

- SS-MFL-MT-2501-H-06-12X1.5
- SS-MFL-MT-2501-H-08-14X1.5
- SS-MFL-MT-2501-H-10-16X1.5
- SS-MFL-MT-2501-H-12-18X1.5
- SS-MFL-MT-2501-H-14-20X1.5
- SS-MFL-MT-2501-H-16-22X1.5




**SS-MFL-MT-2404 - Str.**

- (1) Male Flareless
- (2) Male Metric Taper

**Light**

- SS-MFL-MT-2404-06-10X1.0
- SS-MFL-MT-2404-08-12X1.5
- SS-MFL-MT-2404-10-14X1.5
- SS-MFL-MT-2404-12-16X1.5
- SS-MFL-MT-2404-15-18X1.5



**SS-MFL-MT-2601 - Tee**


- (1) (2) Male Flareless
- (3) Male Metric Taper

**Light**

- SS-MFL-MT-2601-06-06-10X1.0
- SS-MFL-MT-2601-08-08-12X1.5
- SS-MFL-MT-2601-10-10-14X1.5
- SS-MFL-MT-2601-12-12-16X1.5
- SS-MFL-MT-2601-15-15-18X1.5
- SS-MFL-MT-2601-18-18-22X1.5

# STAINLESS STEEL METRIC FLARELESS


Styles may vary from picture



## SS-MFL-MT-2601-H - Tee

(1) (2) Male Flareless  
(3) Male Metric Taper  
**Heavy**


SS-MFL-MT-2601-H-06-06-12X1.5  
SS-MFL-MT-2601-H-08-08-14X1.5  
SS-MFL-MT-2601-H-10-10-16X1.5  
SS-MFL-MT-2601-H-12-12-18X1.5  
SS-MFL-MT-2601-H-14-14-20X1.5  
SS-MFL-MT-2601-H-16-16-22X1.5



## SS-MFL-MT-2605 - Tee

(1) (3) Male Flareless  
(2) Male Metric Taper  
**Light**

SS-MFL-MT-2605-06-10X1.0-06  
SS-MFL-MT-2605-08-12X1.5-08  
SS-MFL-MT-2605-10-14X1.5-10  
SS-MFL-MT-2605-12-16X1.5-12  
SS-MFL-MT-2605-15-18X1.5-15  
SS-MFL-MT-2605-18-22X1.5-18



## SS-MFL-MT-2605-H - Tee

(1) (3) Male Flareless  
(2) Male Metric Taper  
**Heavy**

SS-MFL-MT-2605-H-06-12X1.5-06  
SS-MFL-MT-2605-H-08-14X1.5-08  
SS-MFL-MT-2605-H-10-16X1.5-10  
SS-MFL-MT-2605-H-12-18X1.5-12  
SS-MFL-MT-2605-H-14-20X1.5-14  
SS-MFL-MT-2605-H-16-22X1.5-16

## PARTS INDEX

Digital Caliper .....	4	SS-MFL-6602 .....	14
BSPP and Metric ID Kit .....	4	SS-MFL-6602-H.....	14
SS-BPP-0304-C.....	5	SS-MFL-BPP-2404 .....	14
SS-BPP-0306 .....	5	SS-MFL-BPP-2404-H .....	15
SS-BPP-1404 .....	5	SS-MFL-BPP-2405 .....	15
SS-BPP-1406 .....	5	SS-MFL-BPP-2405-H .....	15
SS-BPP-5000 .....	5	SS-MFL-BPP-6400-EO .....	15
SS-BPP-5404 .....	5	SS-MFL-BPP-6400-H-EO .....	15
SS-BPP-5404-BH .....	5	SS-MFL-BPP-6510 .....	15
SS-BPP-5405 .....	5	SS-MFL-BPP-6510-EO .....	16
SS-BPP-5406 .....	5	SS-MFL-BPP-6510-H .....	16
SS-BPP-6001 .....	6	SS-MFL-BPP-6510-H-EO .....	16
SS-BPP-6001-V.....	6	SS-MFL-BST-2404 .....	16
SS-BPP-6408 .....	6	SS-MFL-BST-2404-H.....	16
SS-BPP-6408-HHP-EO .....	6	SS-MFL-BST-2404-LL .....	16
SS-BPP-BST-5404 .....	6	SS-MFL-BST-2501 .....	16
SS-BPP-FJX-6402-WO .....	6	SS-MFL-BST-2501-H.....	16
SS-BPP-FP-5405.....	6	SS-MFL-BST-2601 .....	17
SS-BPP-MJ-2404 .....	7	SS-MFL-BST-2601-H.....	17
SS-BPP-MJ-6400-WO .....	7	SS-MFL-BST-2605 .....	17
SS-BPP-MJ-6801-NWO .....	7	SS-MFL-BST-2605-H.....	17
SS-BPP-MP-5404 .....	7	SS-MFL-M-2404 .....	17
SS-BPP-MP-5405 .....	7	SS-MFL-M-2404-H .....	17
SS-BST-5404.....	8	SS-MFL-M-2405 .....	17
SS-BST-FP-5405.....	8	SS-MFL-M-2405-H .....	17
SS-BST-MJ-2404.....	8	SS-MFL-M-6510-EO .....	17
SS-BST-MJ-2501.....	8	SS-MFL-M-6510-H .....	18
SS-M-6408-HHP-EO .....	9	SS-MFL-MP-2404 .....	18
SS-M-FP-6405-WO .....	9	SS-MFL-MP-2404-H .....	18
SS-M-MJ-6400-WO .....	9	SS-MFL-MP-2501 .....	18
SS-MFL-0318 .....	10	SS-MFL-MP-2501-H .....	18
SS-MFL-0318-H.....	10	SS-MFL-MP-2601 .....	18
SS-MFL-0318-LL .....	10	SS-MFL-MP-2601-H .....	19
SS-MFL-0319 .....	10	SS-MFL-MP-6510 .....	19
SS-MFL-0319-H.....	10	SS-MFL-MP-6510-H .....	19
SS-MFL-0319-LL .....	10	SS-MFL-MT-2404 .....	19
SS-MFL-0320 .....	10	SS-MFL-MT-2404-LL .....	19
SS-MFL-0320-H.....	10	SS-MFL-MT-2501 .....	19
SS-MFL-2403.....	11	SS-MFL-MT-2501-H .....	19
SS-MFL-2403-H.....	11	SS-MFL-MT-2601 .....	19
SS-MFL-2403-LL .....	10	SS-MFL-MT-2601-H .....	20
SS-MFL-2406.....	11	SS-MFL-MT-2605 .....	20
SS-MFL-2406-H.....	12	SS-MFL-MT-2605-H .....	20
SS-MFL-2500 .....	12		
SS-MFL-2500-H.....	12		
SS-MFL-2500-LL .....	12		
SS-MFL-2603 .....	12		
SS-MFL-2603-H.....	12		
SS-MFL-2603-LL .....	12		
SS-MFL-2650 .....	13		
SS-MFL-2650-H.....	13		
SS-MFL-2700-H-LN.....	13		
SS-MFL-2700-LN.....	13		
SS-MFL-2701-H-LN.....	13		
SS-MFL-2701-LN.....	13		
SS-MFL-6500 .....	13		
SS-MFL-6500-H.....	13		
SS-MFL-6565 .....	14		
SS-MFL-6565-H.....	14		
SS-MFL-6600 .....	14		
SS-MFL-6600-H.....	14		



*Adapter & Fitting Specialist*

**1-800-348-8467**